

Contemporary Glass Entrance Doors



Doors Sizes	2040 x 820 x 40	2340 x 820 x 40
	2040 x 870 x 40	2340 x 920 x 40
	2040 x 920 x 40	2340 x 1020 x 40
	2040 x 1020 x 40	2340 x 1120 x 40
	2040 x 1120 x 40	2400 x 820 x 40
	2040 x 1200 x 40	2400 x 920 x 40
	2100 x 870 x 40	2400 x 1020 x 40
	2100 x 920 x 40	2400 x 1120 x 40
	2100 x 1020 x 40	2400 x 1200 x 40
	2100 x 1120 x 40	




Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice.
Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear



Frost




Translucent



Africana



GD-S02



GD-S03



GD-S04



GD-P01

SL-P01



GD-SLT



GD-TETRIS



GD-WAVE

Grand Entrance Doors



Doors Sizes

2040 x 820 x 40	2100 x 870 x 40	2340 x 820 x 40	2400 x 820 x 40
2040 x 870 x 40	2100 x 920 x 40	2340 x 920 x 40	2400 x 920 x 40
2040 x 920 x 40	2100 x 1020 x 40	2340 x 1020 x 40	2400 x 1020 x 40
2040 x 1020 x 40	2100 x 1120 x 40	2340 x 1120 x 40	2400 x 1120 x 40
2040 x 1120 x 40		2340 x 1200 x 40	2400 x 1200 x 40
2040 x 1200 x 40			

Side Light Doors Sizes


2040 x 410 x 40
2340 x 410 x 40
2400 x 410 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear




Translucent



Cathedral



Africana



Rice Paper




GD-D4



GD-D4SG



GD-D5



GD-D6



GD-D6BG



GD-D7



GD-D8

Grand Entrance Doors



Doors Sizes

2040 x 820 x 40	2100 x 920 x 40	2340 x 820 x 40	2400 x 820 x 40
2040 x 920 x 40	2100 x 1020 x 40	2340 x 920 x 40	2400 x 920 x 40
2040 x 1020 x 40	2100 x 1120 x 40	2340 x 1020 x 40	2400 x 1020 x 40
2040 x 1120 x 40		2340 x 1120 x 40	2400 x 1120 x 40
2040 x 1200 x 40		2340 x 1200 x 40	2400 x 1200 x 40

GD-HARP

2040 x 1200 x 40
2400 x 1200 x 40
2100 x 1020 x 40
2400 x 1020 x 40

Side Light Doors Sizes

2040 x 410 x 40
2340 x 410 x 40
2400 x 410 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear



Translucent




Cathedral



Africana



GD-2V



GD-3V



GD-4V



GD-15H1V



GD-5V1



GD-HARP



Solid Grand Entrance Doors

Doors Sizes


2040 x 820 x 40	2340 x 820 x 40
2040 x 870 x 40	2340 x 920 x 40
2040 x 920 x 40	2340 x 1200 x 40
2040 x 1200 x 40	2400 x 820 x 40
2100 x 870 x 40	2400 x 920 x 40
2100 x 920 x 40	2400 x 1200 x 40

Cricket Bat & Heavy Molding fitted to one side of door only.

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6 mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.




SP-4PCB



SP-8PS



SP-TD5



SP-5V



SP-15H

Horizontal Glass Entrance Doors



Doors Sizes

2040 x 820 x 40	2100 x 870 x 40	2340 x 820 x 40	2400 x 820 x 40
2040 x 870 x 40	2100 x 920 x 40	2340 x 920 x 40	2400 x 920 x 40
2040 x 920 x 40	2100 x 1020 x 40	2340 x 1020 x 40	2400 x 1020 x 40
2040 x 1020 x 40	2100 x 1120 x 40	2340 x 1120 x 40	2400 x 1120 x 40
2040 x 1120 x 40		2340 x 1200 x 40	2400 x 1200 x 40
2040 x 1200 x 40			

Side Light Doors Sizes

2040 x 410 x 40
2340 x 410 x 40
2400 x 410 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear



Translucent



Cathedral



Africana



Rice Paper



GD-D4 SL-D4



GD-D4SG SL-D4SG



GD-D6 SL-D6



GD-D6BG SL-D6BG



GD-4L3P SL-4L3P



GD-D5 SL-D5



GD-D7 SL-D7



GD-D8 SL-D8BG

Vertical Glass Entrance Doors



Doors Sizes

2040 x 820 x 40	2100 x 920 x 40	2340 x 820 x 40	2400 x 820 x 40
2040 x 920 x 40	2100 x 1020 x 40	2340 x 920 x 40	2400 x 920 x 40
2040 x 1020 x 40	2100 x 1120 x 40	2340 x 1020 x 40	2400 x 1020 x 40
2040 x 1120 x 40		2340 x 1120 x 40	2400 x 1120 x 40
2040 x 1200 x 40		2340 x 1200 x 40	2400 x 1200 x 40

Side Light Doors Sizes


2040 x 410 x 40
2340 x 410 x 40
2400 x 410 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear




Translucent



Cathedral



Africana




GD-2V



GD-3V



GD-4V



GD-1V




GD-5V1



GD-15H1V


Triple Glazed Entrance Doors




GD-D2




GD-D3




GD-FAN



GD-0V3P



SL-S01



GD-S01

Doors Sizes

2040 x 820 x 40

Side Light Doors Sizes

2040 x 410 x 40


Triple Glazed Lead Light glass design as per image. Features heavy mouldings and cricket bats on one side of door only.

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.

Wrought Iron



GD-WR1



GD-WR2

Doors Sizes

2040 x 820 x 40

2340 x 820 x 40

2400 x 820 x 40

Side Light Doors Sizes

2040 x 410 x 40

Heavy moulding on one side of door only. Clear toughened glass on both sides of the door.



TG-ANGLICAN



TG-GREYFLOWER



TG-3DIAMOND




TG-ROYAL



TG-MISTLETOE



TG-FLORALDIAMOND



Venetian Blind Intergrade



GD-HL



GD-FL

Sizes 2040 x 820 x 40

Heavy moulding on one side of door only.
Clear toughened glass on both sides of the door.

Cricket Bat & Heavy Moulding



Doors Sizes

SP-4CB / 8PS / TD5 / GD-TD5

2040 x 820 x 40	2340 x 820 x 40
2040 x 870 x 40	2340 x 920 x 40
2040 x 920 x 40	2340 x 1200 x 40
2040 x 1200 x 40	2400 x 820 x 40
2100 x 870 x 40	2400 x 920 x 40
2100 x 920 x 40	2400 x 1200 x 40

SP-0V3P / 10PS

2040 x 820 x 40


Side Light Doors

2040 x 410 x 40

Cricket Bat & Heavy Moulding fitted to one side of door only.


Antique frost & Contemporary glass options available (GD-TD5 only)

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6 mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.



SP-4PCB

SL-4PCB



SP-8PS

SL-8PS



SP-TD5

SL-TD5P



GD-TD5

SL-TD5G



SP-0V3P



SP-10PS




Barn Doors

Doors Sizes

BD-1P	2100 x 1020 x 35
BD-2P	2100 x 1020 x 35
BD-1PC	2100 x 1020 x 35
BD-2PC	2100 x 1020 x 35

Any of our door designs can be used as a barn door.

Speak to our friendly team for further information.




BD-1P



BD-1PC



BD-2P



BD-2PC



Matte Black Barn Track Kit

Standard barn door hardware kit for single door


- Made from powder-coated steel
- Matt Black finish
- Heavy duty
- Suitable for doors up to 1140mm
- Easy to install with full instructions supplied
- Suited for timber doors up to 80 kg
- Complete barn door track set including all fixings
- Effortless and smooth sliding rollers
- Roller stoppers to prevent additional sliding
- Strong floor guide to prevent door movement
- Anti-jump feature to prevent rollers from jumping off the track
- T racks also have convenient hole spacing at 450mm C/C

Bushfire Entrance Doors



Doors Sizes 2040 x 820 x 40 2040 x 1200 x 40 2400 x 1200 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6 mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.



BF-1V

BF-3V


BF-3H

BF-4H

Glass Options



Clear



Frost



Cathedral



Africana

Glass Back Door & Laundry Doors



Doors Sizes

2040 x 620 x 35
2040 x 720 x 35
2040 x 770 x 35
2040 x 820 x 35
2040 x 820 x 40

Other sizes available upon request

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.



GD-D9

GD-BL3


GD-BL4

GD-LAU

Glass Options



Clear



Translucent



Cathedral



Africana



Classic Glass Entrance Doors




Doors Sizes

GD-PAD / F4	2040 x 820 x 40	2040 / 2100 x 920 x 40
GD-10	2040 x 820 x 40	2340 / 2400 x 720 x 40
	2040 / 2100 x 870 x 40	2340 / 2400 x 820 x 40
	2040 / 2100 x 920 x 40	
SL-D10	2040 x 410 x 40	2040 x 520 x 40
GD-VP1	2040 x 820 x 40	2100 x 870 x 40
	2040 / 2100 x 920 x 40	
SL-VP1G	2040 x 410 x 40	2040 x 520 x 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.



GD-PAD SL-D10



GD-D10



GD-VP1 SL-VP1



GD-F4

Glass Options

Triple Glazed Lead Light

*Only available in:

GD-PAD, GD-10
2040 x 820 x 40

SL-D10
2040 x 410 x 40



6 Diamond



Tear Drop



Floral



Rose



Jewel

Antique Frost



Square Link



Square Border



Rose Jewel



Finch Jewel



Kookaburra

Standard Glass



Clear



Translucent



Cathedral



Africana



Solid Panel Entrance Doors



Doors Sizes

SP-1P / 2P / 6P / 8P / 10P

2040 x 820 x 40

SP-4COL / 4P / 4VP1

2040 x 820 x 40

2040 / 2100 x 870 x 40

2040 / 2100 x 920 x 40

2340 / 2400 x 720 x 40

2340 / 2400 x 820 x 40

2340 / 2400 x 920 x 40

SL-COL / VP1

2040 x 410 / 520 x 40

SL-4P 2040 x 410 x 40

SP-5V / 15H

2040 x 820 x 40

2040 / 2100 x 920 x 40

2040 / 2100 x 920 x 40

2040 / 2100 x 1020 x 40

2040 x 1200 x 40

2340 / 2400 x 820 x 40


2340 / 2400 x 920 x 40

2340 / 2400 x 1020 x 40


2340 / 2400 x 1120 x 40

2340 / 2400 x 1200 x 40


Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.




SP-1P




SP-2P




SP-4P




SP-4COL




SP-4VP1




SP-6P




SP-8P



SP-10P



SP-5V



SP-15H


Interior Panel Doors




Doors Sizes

2040 x 620 x 35	2340 x 620 x 35	2400 x 620 x 35
2040 x 720 x 35	2340 x 720 x 35	2400 x 720 x 35
2040 x 770 x 35	2340 x 770 x 35	2400 x 770 x 35
2040 x 820 x 35	2340 x 820 x 35	2400 x 820 x 35
2040 x 920 x 35	2340 x 920 x 35	2400 x 920 x 35
2100 x 920 x 35		


Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.




SP-4VP1




SP-1P




SP-2P




SP-4P



SP-4COL



SP-BL3



SP-BL4




Interior Flat Panel Doors




SP-SK3V




SP-SK1



SP-SK2




SSP-SK2V




SP-SK3




SP-SK4



SP-SK4C



SP-SK5



SP-SK6C

Doors Sizes

2040 x 620 x 35
2040 x 720 x 35
2040 x 820 x 35
2040 x 920 x 35
2100 x 920 x 35
2340 x 620 x 35
2400 x 620 x 35
2340 x 720 x 35
2400 x 720 x 35
2340 x 770 x 35
2400 x 770 x 35
2340 x 820 x 35
2400 x 820 x 35

Interior Glass Doors




Doors Sizes	2040 x 620 x 35	2340 x 620 x 35	2400 x 620 x 35
	2040 x 720 x 35	2340 x 720 x 35	2400 x 720 x 35
	2040 x 770 x 35	2340 x 770 x 35	2400 x 770 x 35
	2040 x 820 x 35	2340 x 820 x 35	2400 x 820 x 35
	2040 x 920 x 35	2340 x 920 x 35	2400 x 920 x 35
	2100 x 920 x 35		

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice.
Please visit our website for BAL level of each door design and sizes.

Glass Options



Clear



Translucent



Cathedral




Africana




GD-D9




GD-VP1



GD-BL3



GD-BL4



GD-D10



GD-BL3G




GD-BL4G



GD-SK2V



GD-SK3V




GD-SK4C



GD-SK3



GD-D4



GD-SK5



GD-SK6C

French Doors



Doors Sizes

2040 x 620 / 720 / 770 / 820 / 870 / 920 / 1020 / 1120 x 35 / 40

2040 x 1200 x 35 / 40

2100 x 870 / 920 / 1020 / 1120 x 35 / 40

2340 x 620 / 720 / 770 / 820 / 870 / 920 / 1020 / 1120 / 1200 x 35 / 40

2400 x 620 / 720 / 770 / 820 / 870 / 920 / 1020 / 1120 / 1200 x 35 / 40

Side Light Sizes

2040 x 410 / 520 x 35 / 40

2340 / 2400 x 410 / 520 x 35 / 40

Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice. Please visit our website for BAL level of each door design and sizes.




GD-1L SL-1L




GD-2L SL-2L



GD-6L SL-3L GD-3L



GD-8L SL-4L GD-4L




GD-10L SL-5L GD-5L

Glass Options



Clear




Translucent



Cathedral



Africana



Rice Paper

Side Light & Bi-Fold Doors

Sizes

2040 x 410 / 520 x 35 / 40



All Side-lights can be converted to Bi-fold.
Bi-fold door supplied per leaf (not including hardware or fixing).

*Doors designed to meet Bushfire Attack Level as per Australian Standard AS 3959-2009 with 6mm toughened glass of your choice.
Please visit our website for BAL level of each door design and sizes.*



BI-FOLD 1L



BI-FOLD D10



BI-FOLD COL




BI-FOLD 5L




SL-TD5G



SL-2L



SL-TD5P




SL-VP1P




SL-VP1G




SL-D10



SL-4P



SL-COL



SL-S01



SL-P01

Triple Glazed Lead Light GD-D10, GD-PAD, SL-D10




6 Diamond



Tear Drop



Floral



Rose



Jewel

Antique Frost GD-4VPL1, SL-VP1, GD-D10, SL-D10



Square Link




Square Border



Rose Jewel



Finch Jewel




Kookaburra

Glass Options



Clear



Translucent



Cathedral



Africana



Rice Paper