

HEAVY DUTY SCISSOR LIFTS

OPTIONS

- Platforms to 8' Wide and 25' Long
- Turn Tables Manual and Powered
- Self Propelled
- Conveyor
- Ball Transfer
- Safety Skirts

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Heavy duty chromed ram hydraulic cylinders
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform Size 36" x 60"

36" Lift

Base Frame: 36" x 60"

Model	Capacity lbs	Platform Size In.	Base Size In.	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-36-12	12,000	36 x 60	36 x 60	14	50	16 sec	5	3,500
SLHD-36-15	15,000	36 x 60	36 x 60	14	50	16 sec	5	3,900
SLHD-36-18	18,000	36 x 60	36 x 60	16	52	16 sec	7 1/2	3,700
SLHD-36-20	20,000	36 x 60	36 x 60	16	52	20 sec	7 1/2	4,100
SLHD-36-25	25,000	36 x 60	36 x 60	18	54	40 sec	10	4,300

- Photo Eyes
- Electro-mechanical Toe Guards
- Tilting Platforms
- Stainless Steel or Galvanized
- Custom Paint
- Portable Units

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Heavy duty chromed ram hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform Size 48" x 72"

48" Lift

Base Frame: 48" x 72"

Model	Capacity lbs	Platform Size In.	Base Size In.	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-48-12	12,000	48 x 72	48 x 72	14	50	20 sec	5	3,700
SLHD-48-15	15,000	48 x 72	48 x 72	14	50	20 sec	5	3,900
SLHD-48-18	18,000	48 x 72	48 x 72	16	52	25 sec	7 1/2	4,200
SLHD-48-20	20,000	48 x 72	48 x 72	16	52	30 sec	7 1/2	4,400
SLHD-48-25	25,000	48 x 72	48 x 72	18	54	30 sec	10	4,500

We build Scissor Lifts to 300" Travel and 100,000 lbs capacity

SuperLift/UltraLift

69 Penelope Drive, Kitchener, Ontario
N2N 3C5 • Fax: (519) 895-2017

Page 17

sales@superlift.net

1-800-884-1891

www.superlift.net

HEAVY DUTY SCISSOR LIFTS

HEAVY DUTY SCISSOR LIFTS

OPTIONS

- Platforms to 8' Wide and 25' Long
- Turn Tables Manual and Powered
- Self Propelled
- Conveyor
- Ball Transfer
- Safety Skirts

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Heavy duty chromed ram hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform Size 72" x 96"

60" Lift

Base Frame: 65" x 89"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-1	12,000	14	74	54 sec	5	4,100
SLHD-2	15,000	14	74	56 sec	5	4,800
SLHD-3	18,000	16	76	48 sec	7 1/2	5,300
SLHD-4	20,000	16	76	50 sec	7 1/2	5,850
SLHD-5	25,000	18	78	54 sec	10	6,050

- Photo Eyes
- Electro-mechanical Toe Guards
- Tilting Platforms
- Stainless Steel or Galvanized
- Custom Paint
- Portable Units

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Heavy duty chromed ram hydraulic cylinders
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform size 72" x 120"

60" Lift

Base Frame: 89" x 89"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-6	12,000	14	74	54 sec	5	5,200
SLHD-7	15,000	14	74	56 sec	5	5,800
SLHD-8	18,000	16	76	48 sec	7 1/2	6,300
SLHD-9	20,000	16	76	50 sec	7 1/2	6,900
SLHD-10	25,000	18	78	54 sec	10	7,100

We build Scissor Lifts to 300" Travel and 100,000 lbs capacity

SuperLift/UltraLift

69 Penelope Drive, Kitchener, Ontario
N2N 3C5 • Fax: (519) 895-2017

HEAVY DUTY SCISSOR LIFTS

OPTIONS

- Platforms to 8' Wide and 25' Long
- Turn Tables Manual and Powered
- Self Propelled
- Conveyor
- Ball Transfer
- Safety Skirts

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Heavy duty chromed ram hydraulic cylinders
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform Size 72" x 144"

60" Lift

Base Frame: 65" x 137"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-21	12,000	14	73	54 sec	5	6,900
SLHD-22	15,000	14	73	56 sec	5	7,800
SLHD-23	18,000	16	75	48 sec	7 1/2	8,300
SLHD-24	20,000	16	75	50 sec	7 1/2	3,300
SLHD-25	25,000	18	77	54 sec	10	9,000

HEAVY DUTY SCISSOR LIFTS

- Photo Eyes
- Electro-mechanical Toe Guards
- Tilting Platforms
- Stainless Steel or Galvanized
- Custom Paint
- Portable Units

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Heavy duty chromed ram hydraulic cylinders
- Overload protection with built in pressure relief
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- All components are UL and CSA Approved



Platform Size 96" x 144"

60" Lift

Base Frame: 89" x 137"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-26	12,000	14	73	54 sec	5	7,400
SLHD-27	15,000	14	73	56 sec	5	8,200
SLHD-28	18,000	16	75	48 sec	7 1/2	8,700
SLHD-29	20,000	16	75	50 sec	7 1/2	9,200
SLHD-30	25,000	18	77	54 sec	10	9,400

We build Scissor Lifts to 300" Travel and 100,000 lbs capacity

SuperLift/UltraLift

69 Penelope Drive, Kitchener, Ontario
N2N 3C5 • Fax: (519) 895-2017

Page 18

sales@superlift.net

1-800-884-1891

www.superlift.net

HEAVY DUTY SCISSOR LIFTS

OPTIONS

- Platforms to 8' Wide and 25' Long
- Turn Tables Manual and Powered
- Self Propelled
- Conveyor
- Ball Transfer
- Safety Skirts

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Heavy duty chromed ram hydraulic cylinders
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- Overload protection with built in pressure relief
- All components are UL and CSA Approved



Platform size 96" x 96"

60" Lift

Base Frame: 65" x 113"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-11	12,000	14	74	54 sec	5	6,200
SLHD-12	15,000	14	74	56 sec	5	6,800
SLHD-13	18,000	16	76	48 sec	7 1/2	7,200
SLHD-14	20,000	16	76	50 sec	7 1/2	8,000
SLHD-15	25,000	18	78	54 sec	10	8,700

HEAVY DUTY SCISSOR LIFTS

- Photo Eyes
- Electro-mechanical Toe Guards
- Tilting Platforms
- Stainless Steel or Galvanized
- Custom Paint
- Portable Units

FEATURES

- 1 year warranty
- Heavy Duty cam followers
- Overload protection with built in pressure relief
- Heavy duty chromed ram hydraulic cylinders
- Extremely Heavy Duty hollow structural tube scissor arms, reinforced platforms
- Spherical bearings with grease fittings
- Velocity fuses on all hydraulic cylinders
- All components are UL and CSA Approved



Platform size 96" x 120"

60" Lift

Base Frame: 89" x 113"

Model	Capacity lbs	Lower Ht. In.	Raised Ht. In.	Up Speed	Motor HP	Shipping Wt. lbs
SLHD-16	12,000	14	74	54 sec	5	6,900
SLHD-17	15,000	14	74	56 sec	5	7,200
SLHD-18	18,000	16	76	48 sec	7 1/2	7,500
SLHD-19	20,000	16	76	50 sec	7 1/2	8,500
SLHD-20	25,000	18	78	54 sec	10	8,700

We build Scissor Lifts to 300" Travel and 100,000 lbs capacity

SuperLift/UltraLift

69 Penelope Drive, Kitchener, Ontario
N2N 3C5 • Fax: (519) 895-2017

Page 20

sales@superlift.net

1-800-884-1891

www.superlift.net