



Welcome to UNOVA!

What we do: -

- PROVIDE LONG-LIFE PAINT SYSTEMS
- MAXIMISE PAINT SHOP EFFICIENCIES

We established ourselves in 1995 as a family business supplying industrial paint products and associated items into a wide range of industries. With the founders still at the helm, we now have 20+ years of genuine experience.

To complement our wide range of paints, we also supply spray equipment, compressors, paint shop consumables, tools and other equipment. If you can't find anything in this catalogue, contact us because we can supply much more than what is shown in here.

Opening hours

- 7.30am to 4.30pm Mon-Fri
- Closed weekends

Ways to order

- Telephone on 01753 584 500
- Email us at sales@unovaproducts.com
- Or visit our website at http://shop.unovaproducts.com

Delivery

- Special services are available on request such as pre-12noon, pre-10am, Saturday and even Sameday courier service.
- We can also ship to destinations worldwide when required.

Payment

- We accept most major Debit/Credit cards.
- Credit account are available subject to approval. Request an application form from our accounts team on 01753 584 500 or accounts@unovaproducts.com.

Sales and Returns Policy (refer to our full Terms & Conditions – available on request)

- We accept return of normally stocked items within 30 days of delivery providing they are returned in new condition in their original packaging.
- Mixed paints or special-order items unfortunately cannot be returned.
- Damages and/or shortages must be notified within 5 days of delivery.

Contents

PAINTS

| M | 1etal | 4 |
|------|--------------------------------|----|
| Не | leat and Fire Proof | 8 |
| M | 1arine | 9 |
| W | Vood | 10 |
| Di | virect Adhesion | 12 |
| Вι | uilding Maintenance | 13 |
| Ae | erosols | 14 |
| ONS | UMABLES | |
| Ak | brasives | 18 |
| Br | rushes & Rollers | 25 |
| Cl | loths & Wipes | 28 |
| Fil | illers | 29 |
| M | 1asking | 31 |
| М | fixing | 33 |
| Pa | ackaging | 34 |
| PF | PE | 36 |
| Pr | retreatments & Solvents | 40 |
| PRAY | /BOOTH | 44 |
| Sp | pray Equipment | 46 |
| Sp | pray Booth Equipment | 51 |
| Sp | pray Booth Maintenance | 52 |
| OOLS | S & EQUIPMENT | |
| Ai | ir Regulators, Hose & Fittings | 54 |
| Ai | ir Tools | 55 |

Paint for Metal (1pk Primer)

PAINTS – Metal Primer



| EP233B | Premium Etch Primer Black | |
|--------------|---|--|
| EP133B/Black | 1pk Etch Primer. PVB rapid dry zinc phosphate spray primer with good adhesion to | |
| EP133G/Grey | galvanise, steel, copper and aluminium. | |
| EP133W/White | | |
| MO145 | Micaceous Iron Oxide Primer. Tough, durable, water resistant primer. Can be used alone or as part of a paint system on bridges, barriers and structural steel etc. | |
| PQDPR/Red | Jotun Pilot QD Primer. Fast drying primer containing zinc phosphate to help prevent | |
| PQDPG/Grey | corrosion. To be used for steel and aluminium structures in moderate environments. | |
| PR132B/Blue | Easicote Undercoat. A fast drying, single component primer, based on Acrylic resins | |
| PR132W/White | which provides a tough, durable and flexible film resulting in exceptional weathering properties. Easicote Undercoat can be applied over most previously painted surfaces without reaction. | |
| UACID8 | U-POL Acid 8 Primer. Promotes paint adhesion to difficult substrates such as galvanised steel & aluminium. Ideal for rub throughs in primer prior to application of colours/topcoats. | |
| UC130'X' | QAD Undercoat. Alkyd spray undercoat with excellent flow and opacity for spray application to suitably primed surfaces. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White) | |
| UC131'X' | Brushing Undercoat. Alkyd undercoat with excellent flow and opacity for brush application to suitably primed surfaces. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White) | |
| WB129'X' | Waterborne Primer. High quality, non hazardous, quick dry primer for brush/spray application to general steelwork. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White) | |
| ZP121 | High Quality Zinc Phosphate Primer. Tintable anticorrosive primer with good adhesion to steel. Excellent overcoating properties. Accepts most 1pk and 2pk topcoats. | |
| ZP125'X' | Zinc Phosphate Primer. High solids, quick dry, compliant anticorrosive brush/spray primer for structural steelwork. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White), BF (Buff), BG (Beige) Can be mixed to most colours. | |
| ZP127'X' | Zinc Phosphate Brushing Primer. High build, anticorrosive, low odour brush primer for general steelwork, plant and machinery. 'X' available in various colours, R (Red), G (Grey), B (Black), W (White) | |
| ZP126R/Red | Zinc Phosphate Primer. High build, quick dry, anticorrosive brush/spray primer for | |
| ZP126G/Grey | general steelwork, plant and machinery. | |
| ZR142 | Zinc Rich Primer. Excellent anticorrosive primer containing >90% zinc in the dry film. For spot repairs to galvanize and for priming suitably prepared steel. | |
| ZR143 | Bright Zinc Aluminium Primer. High performance anti corrosive primer containing zinc and aluminium pigments, particularly useful for remedial work on bright galvanize after fabrication. The aesthetics match new bright galvanising better than conventional zinc rich primers avoiding obvious patchiness. Performs best when applied direct to a blasted steel surface. | |

Paints for Metal (2pk Primer)



| J87'X' | Jotun Jotamastic 87. An excellent high performance 2pk epoxy mastic, high build, surface tolerant primer. Highly resistant to corrosion and abrasion for above or below the water line. 'X' available in various colours, R (Red), GR (Grey), BK (Black), W (White) |
|-------------|--|
| JSP'X' | Jotun Jotamastic Smart Pack. An excellent high performance 2pk surface tolerant epoxy mastic coating, suitable as an anticorrosive touch-up coating for steel. Specially formulated for application by brush and roller. 'X' available in various colours, R (Red), GR (Grey), BK (Black), W (White) A (Aluminium) |
| BAR77 | Jotun Barrier 77. A zinc rich 2pk epoxy primer for excellent corrosion protection. Apply to blasted steel. |
| PEXZPG/Grey | Jotun Penguard Express ZP. A 2pk epoxy zinc phosphate primer. High solids, |
| PEXZPR/Red | fast curing. |
| PHBG | Jotun Penguard HB. Epoxy intermediate build primer. Can be applied direct to suitably prepared steel, stainless steel, fibre glass and concrete. Also as a primer onto fiberglass (GRP) and Aluminium Boats. |
| EP135 | 2Pk Chromate Free Etch Primer. PVB rapid dry chromate free etch primer. Excellent adhesion direct to mild steel, copper, aluminium and galvanized steel. |
| PEXMIO | Jotun Penguard Express MIO. Epoxy corrosion resistant primer containing Micaceous iron oxide. Can be used as an intermediate coat or direct to steel. Silver grey. |
| PR224C | 2pk Polyurethane Primer/Undercoat. A 2pk high build primer based on PU/Acrylic resins. Can be applied over most metal surfaces. Excellent adhesion direct to alloys, galvanize and powder coated surfaces. Available in most BS + RAL colours. |
| PR227 | 2pk High Adhesion Epoxy Primer. High build, high performance, anticorrosive primer with excellent adhesion to most metals including galvanized steel. |

Paints for Metal Topcoat

PAINTS – Paints for Metal Topcoat



Paints for Metal Topcoat

| HTXPC | Jotun Hardtop XP. A 2pk high solids, polyurethane topcoat with excellent gloss and colour retention. Can be used where a durable, weather resistant finish is required. |
|--------------|--|
| AE152C | QD Polyurethane Topcoat. Ideal for agricultural plant and machinery. |
| HTCAC | Jotun Hardtop CA. 2pk acrylic, iso-free topcoat with good colour and gloss retention. Can be used as a topcoat over an epoxy primer where a durable, high gloss finish is required. |
| PETCC | Jotun Penguard Topcoat. A 2pk epoxy topcoat which is certified not to spread surface flames. Can be used as a finishing coat in epoxy systems, or on concrete. |
| PT2C | Jotun Pilot II. An alkyd based topcoat for internal and external use, suitable for steel and woodwork. It is certified not to spread surface flames and has good colour and weather stability. |
| AE150B/Black | Alkyd Spray Topcoat Gloss Fast dry topcoat for machinery, railings and architectural metalwork. Limited colours. |
| AE150W/White | |
| AE154 | Alkyd Brush Topcoat Air drying topcoat with good coverage and gloss retention. Suitable for internal or external wood and metal. Particularly suited for application by brush and roller. Any colour. |
| AH159 | Alkyd Hammer finish topcoat. Fast dry durable spray/brush hammer effect enamel ideal for steel surfaces with irregularities e.g. castings. Limited colours. |
| PTCC | Jotun Pioner Topcoat. An acrylic resin based topcoat suitable for internal and external use. Can be used for the protection of steel and concrete in a variety of climates. It is water resistant and may be used at low temperatures. |
| TC156 | Chlorinated Rubber Topcoat. Fast dry spray finish with good chemical and water resistance. For use on steelwork in humid environments. Any colour. |
| TC160 | QAD Alkyd Spray Topcoat. Quality fast dry finish with good gloss and weather resistance. For agricultural and mechanical machinery. Any colour. |
| TC166 | High Solids Stove Enamel. Quality synthetic high solids stove enamel with excellent opacity, hardness and scratch resistance. For metal components. Any colour. |
| TC167 | Industrial Cellulose Enamel. Easy to use rapid dry finish for use on steelwork where a fast turn around is required. Any colour. |
| TC169 | Waterbased Acrylic Topcoat. Non hazardous quick dry spray/brush topcoat. Ideal for situations prohibiting the use of solvents. |
| TC369 | Acrylic Topcoat. Single component air drying topcoat for brush or spray application to internal or external wood & metal. Provides a tough, durable, flexible film with excellent weathering properties and is fast drying. |
| TC350 | 2pk Acrylic Lacquer. 2pk acrylic clear lacquer for spray application over a wide range of paint systems. Has excellent chemical & weathering & scratch resistance. |
| TC254 | Premium 2pk Polyurethane Topcoat, Durable finish coat for steelwork and machinery with outstanding gloss/colour retention and chemical resistance. Suitable for polishing/burnishing to a high gloss. |
| TC255 | 2pk Polyurethane Topcoat, Fast dry durable spray finish with good gloss/colour stability. For use on industrial steelwork and machinery. Any colour. |
| TC258 | 2pk Polyacrylic Topcoat, Durable, high gloss spray finish with excellent gloss/colour stability. Prestigious finish coat for industrial bodywork. Any colour. |
| TC260 | 2pk Epoxy Topcoat, Chemical resistant durable spray finish for use on surfaces that are exposed to chemicals and corrosive substances. Any colour. |
| TC460 | 2pk Iso-Free Acrylic, Fast dry durable user friendly spray finish suitable for on site spraying of general metalwork, plant and machinery. Any colour. |
| | |

Heat & Fire proof

PAINTS - Heat & Fire Proof /Boat & Marine



| HR164 | Heat Resistant Aluminium 150°C. Quick air drying aluminium finish for use on steel items operating at temperatures of up to 150°C. |
|------------------|---|
| HR165A/Aluminium | Heat Resistant 450°C. Quick air drying silicone based product for use on steel items operating at temperatures of up to 450°C. |
| HR165B/Black | |
| STM120SB | Jotun Steelmaster 60/120 IG A solvent-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-120 minutes protection depending on the film thickness applied. |
| STM600WF | Jotun Steelmaster 600WF A water-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-90 minutes protection depending on the film thickness applied. A new product with excellent loadings. |
| STM1200WF | Jotun Steelmaster 1200WF A water-based thin film intumescent coating for the fire protection of structural steel. It will provide 30-120 minutes protection depending on the film thickness applied |

Boat & Marine




| VINSG | Jotun Vinyguard Silvergrey 88. Vinyl, fast dry, anticorrosive primer for use on wood or metal above or below the water line. | |
|-------------------|--|--|
| SEADR/Dark Red | Antifouling Seaforce 30. TBT-Free high solids self polishing antifouling based on | |
| SEABL/Blue | Polymeric Plasticizer Technology (patented). The performance of SeaForce 30 is achieved by a combination of unique synthetic polymers. IMO Anti-fouling System | |
| SEABK/Black | Convention compliant (AFS/CONF/26. SEAFORCE 30 IS ONLY PERMITED FOR USE ON SEA BOUND VESSELS (UNLESS OTHERWISE PERMITTED) | |
| SL194 | HB Black Bitumen Paint High Build, flexible, damp proof coating for concrete, steel, non-potable water tanks and boats. Can be applied for underground damp proofing as well as above or below the water line in the marine environment. Comes in a low sheen finish. For glossier finish overcoat with SL195. | |
| SL195 | Black Bitumen Paint Conventional waterproof coating for steel, concrete and boats above the water line. Can be applied above the water line in the marine environment. Comes in a glossy finish. For superior damp proofing apply over SL194. | |
| FP286C/Smooth | Deckpaint, Fast dry, acrylic topcoat with good water and abrasion resistance. | |
| FP286CNS/Non Slip | For pontoons, walkways and decks. | |

Paints for Wood (Primer)



| PR229W | Quick Drying Waterbourne Wood Primer, Single component environmentally friendly fast dry primer specifically for MDF flat parts & profiles. Exhibits excellent filling properties, high pigment loading & high solids content. |
|--------------|--|
| PR231 | Precat Sanding Sealer. General purpose fast dry, easy sand base coat for most wood surfaces including MDF. Clear. |
| PR232G/Grey | Precat Primer. High build filler primer exhibiting easy sand precat cellulose primer for |
| PR232W/White | use on most metal and wood surfaces including MDF. |
| PR235W/White | 2pk Polyurethane Primer. High build, fast dry, easy sand 2pk primer particularly suitable for MDF |
| TU1 | Sayerlack TU1 Clear Base Coat. A general purpose high build clear polyurethane basecoat suitable for most applications onto wood. Exhibits good build, good sandability and excellent lifting resistance. |
| TU148/13 | Poly Primer White. A 2pk Polyurethane Primer for woods, high solids, high build primer with excellent opacity. Easy sand. |

Paints for Wood (Topcoat)



| 10101 | turn around work e.g. Exhibition industry. Available in clear and colour. |
|-------|---|
| TC264 | 2pk Poly Acrylic Coat-on-Coat Lacquer. A clear lacquer for application direct to timber or over pigmented polyurethanes. TC264 is completely transparent and has high yellowing resistance and excellent hardness/scratch resistance. |
| WB153 | Waterbased Topcoat. For application onto suitably primed wood surfaces. |
| TC265 | 2pk Polyurethane Topcoat. Rapid dry, high build, durable wood finish which is formaldehyde free. For domestic/commercial fitted interiors. |
| TC268 | 2pk Acid Cat Topcoat. Rapid dry, durable wood finish for domestic/commercial fitted interiors. Clear or colour. |
| TZ36 | 2pk HB Poly Clear Lacquer. A polyurethane topcoat suitable for electrostatic application. It is a highly adaptable topcoat with good characteristics of wettability, scratch resistance and build. Apply over TU1 basecoat. |

PAINTS – Paints for Wood (Primer) / Paints for Wood (Topcoat)

Direct Adhesion & Special Primers



| AE252C | WB High Adhesion. Waterborne fast dry, low odour primer/topcoat. Hard, chemical resistant finish for direct application to glass. | |
|--------------------|---|--|
| AQUAGC best seller | AquaGrip High Adhesion Colour. Water-borne primer/topcoat, suitable for interior refurbishment. It is formulated using the latest developments in water-borne technology utilising non yellowing acrylic and polyurethanes resins which ensure superb adhesion and excellent hardness. Adheres to most substrates. | |
| NSSX01 | Northstar Stixx Adhesion Promoter. Initial sealer coat over 'difficult' substrates. | |
| AE151C | Alkyd Primer Topcoat. Brushing high build, anticorrosive coating for refurbishment of steel skips, containers, plant and machinery. | |
| AE155C best seller | Alkyd Primer Topcoat. Fast dry, high build, anticorrosive coating for refurbishment of steel skips, containers, plant and machinery. | |
| СТИС | Jotun Conseal Touch-up Acrylic, fast drying, high build primer finish coat for application direct to metal. For both new build and maintenance work. | |
| SP157C | Synthetic Primer Topcoat. High solids, high gloss, fast dry coating for application direct to structural/architectural metalwork, plant and machinery. | |
| SP168C | Vinyl High Adhesion . For direct application to galvanised surfaces. | |
| TC266C best seller | 2pk PA High Adhesion Primer/Topcoat. Durable, UV resistant one coat finish with excellent adhesion direct to steel, aluminium, brass, galvanise and most plastics. | |
| PR221 | P P Primer Single component solvent borne adhesion promoting coating. Used for most polypropylene and polyethylene plastics. Ensures improved adhesion of subsequent coatings Fast drying and very flexible. | |
| UBARCOAT | U-POL Barcoat is a quick drying yellow oxide isolating primer. It is designed to prevent lifting and bleeding of existing paint film sensitive to solvent attack when over coated with cellulose or paint containing strong solvents. BARCOAT is quick and economical to use. It is supplied ready for use, requires only a one coat application and does not need sanding. | |
| AC147E/Eggshell | Anticorrosive Primer/Finish Black Single component quick drying anticorrosive paint | |
| AC147M/Matt | based on a modified alkyd resin. For use on wrought iron, metal framework, staging etc. Apply direct to suitably prepared steel. | |

Building Maintenance



| FP171'X' | FP171 Floor Coat. A 1pk polyurethane paint for fast transformation of concrete floors subject to light traffic - garages, workshops etc. Available in smooth gloss or non-slip finish. USES SV104. 'X' available in various colours, LG (Light Grey), MG (Mid-Grey), Y (Yellow), W (White), R (Tile Red), C (Colours mixed to order). |
|----------|---|
| FP174C | A 2 pack waterborne epoxy floor paint for concrete floors, particularly in areas prohibiting the use of solvents. A long life and extremely tough floor paint, abrasion and chemical resistant and with excellent cleaning properties. Colours mixed to order. |
| FP173 | A 2pk waterborne clear primer/sealer for concrete floors. Normally used prior to application of FP176 Solvent Free Epoxy floor paint. |
| FP176C | Solvent free high build 2pk epoxy. Extremely hard and chemical resistant. For floors subject to heavy traffic. Fast cure and non-slip versions available. Light Grey in stock. Wide range of colours mixed to order. |
| FP177C | A two component epoxy floor paint with excellent chemical resistance . A high build protective coating for concrete floors subject to heavy traffic. Extremely hard wearing, with low odour and VOC emissions - seamless hygienic finish. Colours mixed to order. |
| JFR'X' | Extremely fast drying paint for use on concrete floors where down time has to be kept to a minimum. Apply up to 3 coats in one day. USES JTH7. 'X' available in various colours, R (Red), G (Grey), C (Colours mixed to order). |
| JFSA | A clear 2pk epoxy sealer with excellent penetration properties to ensure adhesion to concrete floors and masonry surfaces. Can be used as a dust binder on concrete floors. |
| FP292C | An excellent tough and durable non-slip coating for ultimate performance in a single coat application. For application direct to a wide range of substrates including steel, aluminium and galvanize to provide a slip resistant finish in hazardous areas. Colours mixed to order. |
| SL192'X' | Rapid drying abrasion resistant line marking paint for asphalt, concrete or block surfaces on roads, car parks, sports area's etc. 'X' available in various colours, Y (Yellow), W (White), R (Red), B (Black). |
| LMAW | 750ml line marker aerosols. Quality acrylic spray for hard wearing, distinctly visible lines. 'X' available in various colours, W (White), Y (Yellow), R (Red), B (Blue), G (Green). |
| NSA36 | Ultra-durable aluminium oxide non-slip aggregate for use with floor paints. Usually sprinkled onto wet paint and over coated to provide a low-slip finish. |
| NSG | Non-slip glass aggregate for use with floor paints. Usually sprinkled onto wet paint and over coated to provide a low-slip finish. |
| MS-168C | Fast drying, tough, flexible coating for the protection and rejuvenation of old plastisol coated steel cladding. Can also be used on general steel and galvanize fabrications. Colours mixed to order. |
| SL186B | A non-drying single pack petroleum wax for application to down pipes, walls and gates to deter potential intruders/vandals. Can be applied direct to concrete, brick, wood, plastic and metal. SL186SIGN warning signs must be used where this paint is applied. |
| SL288 | A 2pk waterborne easy clean varnish, in a solvent resistant satin finish for masonry, internal wood and most previously painted substrates. Prevents graffiti staining the substrate and facilitates easy removal. |
| TC285B | A Black modified chlorinated rubber paint for tarmac rejuvenation. Gives old tarmac the new fresh look or obliterates old lines and stains prior to remarking or colour coding areas. |
| NST | 18.3 mtr x 50mm wide roll of non-slip self adhesive floor tape. Available in a range of colours and widths. |
| | |

PAINTS – Direct Adhesion & Special Primers / Building Maintenance

www.unovaproducts.com

Etch Primer Grey 500ml



An etch primer that gives the ultimate adhesion direct onto many difficult substrates including alloys, stainless steel, zintec and galvanize. The final surface is a super smooth non-porous finish that is suitable for any topcoat.

AEPRG

Grey

Aluminium Zinc Silver 500ml



An anti corrosive primer aerosol containing high levels of zinc and aluminium to match the finish of new galvanize. For convenient spot repairs to damaged galvanize.

APZA

Bright Silver

ProXL UltraGrip Adhesion Promoter 500ml



UltraGrip is a technically advanced promoter that has excellent grip to virtually any substrate, has been tested on the following: - All types of plastic, any non-ferrous metal including aluminium & stainless steel, also glass, porcelain and E coat substrates.

PROXLUG

Clear

ProXL 2k Primer



Pro2kPrime is a high build primer utilizing two-component or 2K primer technology. Our 2k primer can be applied to a wide range of substrates with outstanding adhesion and sealing properties. For a two component primer Pro2kPrime is very quick drying and isocyanate free.

PRO2KP

Grey

Primer 500ml



A high build fast drying acrylic primer filler. Suitable for steel, light alloys and some plastics.

| APRR | Red |
|------|-------|
| APRG | Grey |
| APRW | White |

ProXL Pro-Build 500ml



A primer-surfacer combining ultra high filling properties with very quick drying times. Provides an easy sand non-porous surface that's suitable for any topcoat.

| PROXLPBW | White |
|----------|-------|
| PROXLPBG | Grey |

Zinc Rich Spray Primer Grey 500ml



An anti corrosive primer aerosol containing high levels of zinc. For convenient spot repairs to damaged galvanize.

APZ

Grey

Promatic Paint Isolator Beige 500ml



PROMATIC ISOLATOR is a ready for use, quick drying primer/ isolator. Helps prevent the lifting and bleeding of old paint which is sensitive to strong solvents. It can be overcoated with primer after 1 hour.

APIB

В

Steel Wheels 500ml



A high quality, fast drying acrylic silver wheel paint for steel and aluminium rims and hub caps. Apply a suitable primer where necessary.

ASW

Silver

Wheel Silver 500ml



A high quality, fast drying acrylic silver wheel paint for steel and aluminium rims and hub caps. Apply a suitable primer where necessary.

AWS Silver

Plastic Adhesion Promoter 500ml



An advanced adhesion promoter for most types of plastics. Can be over coated with topcoat after just 30 minutes.

APP

Clear

Beige

Topcoat 500ml



A high quality, high coverage, fast drying acrylic aerosol. Can be applied over most suitably primed surfaces.

| ATCBG | Black Gloss |
|-------|-------------|
| ATCBS | Black Satin |
| ATCBM | Black Matt |
| ATCW | White Gloss |
| ATCLG | Clear Gloss |

Custom Filled 2k Topcoat 400ml



A custom filled topcoat with 'in-can' activator enabling 2pk technology in convenient aerosol form. Cures to form a very durable finish.

| ATC2K | Clear |
|-------|-------|
|-------|-------|

Topcoat 2pk Clear Lacquer 200ml



ATCL2K

A high gloss lacquer with 'in-can' activator enabling 2pk technology in convenient aerosol form. Cures to form a very durable crystal clear finish which can be mechanically polished after 24 hours.

| and the same of th |
|--|
| |
| ल |
| <u>o</u> |
| NO. |
| rum G |
| 302 m |
| |
| |

ProXL Clear Lacquer 500ml

A high performance lacquer which gives a crystal clear finish that can be applied over all water and solvent based basecoats and is ideal for smart repairs.

Custom Filled RAL 400ml



Custom filled aerosol topcoat in a wide range of colours and finishes. Can be applied over most suitably primed surfaces.

Stone Chip 500ml



Stone chip aerosols are ideal for touching up repaired underbody parts on all commercial vehicles.

| ASCB | Black |
|------|-------|
| ASCG | Grey |

Topcoat Chrome Effect 400ml



A metallic spray aerosol that provides an intense chrome effect. It is suitable for use on most substrates with correct preparation but offers limited resistance to weathering and abrasion. Use PROXLCL lacquer for extra protection and gloss.

| ATCH | Chrome |
|------|--------|
| | |

UltraBlend



UltraBlend is a technically advanced blending clear that dissolves the edges of clear coats and solid colours resulting in the perfect finish can be used with HS and MS coatings. Ideal for smart repairs. Supplied with 2 nozzles.

| PROXIUB | Clear |
|---------|--------|
| PRUALUB | (Jear |

Topcoat Heat Resistant



High temperature aerosols provide a finish that can resist temperatures of up to 600oC. The coating will adhere to bare steel as well as pre-coated surfaces providing a weatherproof finish in a range of colours.

| ATHRB | Black |
|-------|--------|
| ATHRS | Silver |
| ATHRC | Clear |
| ATHRW | White |

Custom Filled Touch-up Pots C/W Brush Cap 15ml



Small touch up pots containing 15ml of paint, with brush on cap for application. Can be filled to your requirements in almost any colour and finish.

| TUPCF | *Specify Colour* |
|-------|------------------|
| | |

Smirdex Production Paper Sheets 230x280



| ABS80 | P80 |
|--------|------|
| ABS120 | P120 |
| ABS150 | P150 |
| ABS180 | P180 |
| ABS240 | P240 |
| ABS320 | P320 |
| ABS400 | P400 |
| | |

This product is especially designed, for dry sanding of solid and veneered wood. The product has high stock removal ability. Fine sanding of lacquers and primers is now easier then ever due to the zinc stearate coating, which prevents clogging. It is also suitable for profile sanding due to the backing of latex paper. Pack of 100 sheets.

Smirdex Wet & Dry Sheets 230x280



Waterproof paper is recommended for manual wet sanding of lacquers, plastics and composite materials. Its flexible backing and bond allow for easy folding and tearing. It can resist loading and curling and it can offer a uniform finish. Pack of 50 sheets.

| WDP80 | P80 |
|---------|-------|
| WDP120 | P120 |
| WDP180 | P180 |
| WDP240 | P240 |
| WDP320 | P320 |
| WDP400 | P400 |
| WDP600 | P600 |
| WDP800 | P800 |
| WDP1000 | P1000 |
| WDP1200 | P1200 |
| WDP1500 | P1500 |
| WDP2000 | P2000 |

Smirdex Ali Oxide Rolls 115mmx25mtr



| P60 |
|------|
| P80 |
| P100 |
| P120 |
| P180 |
| P240 |
| P320 |
| P400 |
| |

This heavy-duty product is especially designed to be used wherever greater stock removal is needed. It is suitable for sanding hard wood as well as veneered wood. For manual or machine processes. 25mtr roll.

Mirka Foam Backed Abrasive Roll



An abrasive developed for sanding profiled surfaces and irregular, difficult-to-reach details by hand. The foam base is grip friendly and applies pressure evenly, which reduces the risk of sanding through the surface. Suitable for both dry and wet sanding. Roll of 200 sheets

| | FBAM180 | P180 |
|---|---------|------|
| 5 | FBAM240 | P240 |
| | FBAM320 | P320 |
| | FBAM400 | P400 |
| | FBAM500 | P500 |
| | FBAM800 | P800 |

Smirdex Foam Backed Abrasive Roll



A highly effective sandpaper with a thin foam layer. Developed to minimise clogging, whether being used for hand or machine sanding. The foam layer and open structure provide superior flexibility that allows the material to easily follow surface contours. Roll of 200 sheets.

| FBAS240 | P240 |
|---------|------|
| FBAS320 | P320 |
| FBAS400 | P400 |

Mirka 150mm Self Adhesive Gold Disc



A durable, all-round sanding material that is well suited for high speed sanding in a multitude of applications. Features semi-open and stearate coatings designed to prevent clogging and pill forming which helps achieve an optimal sanding result. Boxes of 50 or 100 discs.

| P40 (50) |
|------------|
| P80 (100) |
| P120 (100) |
| P150 (100) |
| P180 (100) |
| P240 (100) |
| P320 (100) |
| P400 (100) |
| |

Vinyl Plain 150mm Sander Back Up Pad



SBP

Sander backing pad with 5/16" thread for use with 150mm Self Adhesive discs

CONSUMABLES – Abrasives

77mm Mirka Velcro Discs



CONSUMABLES – Abrasives

Mirka Gold hook and loop backed discs are a durable product very well suited for sanding at high speeds. Gold is an all-round sanding material that can be used for many purposes. In order to achieve an optimal sanding result, the semi-open grit binding and special stearate coatings are designed to prevent clogging and pill forming. Coarser grits are recommended for the sanding of putty and removing lacquer while the finer grits are excellent for dry sanding primed or lacquered surfaces in preparation for following coats. Boxes of 50 discs.

| MVDP77-80 | P80 |
|------------|------|
| MVDP77-120 | P120 |
| MVDP77-180 | P180 |
| MVDP77-240 | P240 |
| MVDP77-320 | P320 |
| MVDP77-400 | P400 |

150mm Mirka Velcro Discs 15 hole



Mirka Gold hook and loop backed discs are a durable product very well suited for sanding at high speeds. Gold is an all-round sanding material that can be used for many purposes. In order to achieve an optimal sanding result, the semi-open grit binding and special stearate coatings are designed to prevent clogging and pill forming. Coarser grits are recommended for the sanding of putty and removing lacquer while the finer grits are excellent for dry sanding primed or lacquered surfaces in preparation for following coats. Boxes of 50 or 100 discs.

| MVDP150/15-40 | P40 (50) |
|----------------|------------|
| MVDP150/15-80 | P80 (100) |
| MVDP150/15-120 | P120 (100) |
| MVDP150/15-180 | P180 (100) |
| MVDP150/15-240 | P240 (100) |
| MVDP150/15-320 | P320 (100) |
| MVDP150/15-400 | P400 (100) |
| MVDP150/15-800 | P800 (100) |

Mirka 150mm Abralon Velcro Discs



Abralon is a unique, multifunctional sanding material developed for tackling both smooth and profiled surfaces. Its patented, flexible construction allows it to create a smooth sanding pattern on angled surfaces and edges while minimizing the risk of pressure marks. The flexible weave also allows water and air to pass freely through the disc. Box of 20 discs.

| MVDAB150-2000 | P2000 |
|---------------|-------|
| MVDAB150-3000 | P3000 |

Velcro Sander Back Up Pad



Sander backing pad for velcro discs

| VBP50 | 50mm |
|-------|----------------|
| VBP77 | 77mm |
| VBP | 150mm - 6 hole |

Velcro Intermediate Multihole Sander Pad 150mm




A 150mm velcro intermediate sander pad 10mm thick that aids the sander when being used over uneven surfaces to give an evenly sanded finish. Also protects the backing pad from damage.

| 4 | | | |
|---|--|--|--|
| 0 | | | |

VISP

FiboTec 1950 Siafast 125mm Velcro Disc





| SVDPFT125-80 | P80 |
|---------------|--------------------------------|
| SVDPFT125-150 | P150 |
| SVDPFT125-180 | P180 |
| SVDPFT125-240 | P240 |
| | SVDPFT125-150 SVDPFT125-180 |

The holes in the abrasive disc are arranged on opposing spirals, such as are found on a sunflower. In sanding applications this hole pattern provides superior dust extraction, significantly reduced clogging and longer life of abrasive materials. Compared to standard hole patterns, FiboTec offers up to 35% faster removal rate with less dust residue on the workpiece and in the workspace. With FiboTec you achieve up to 3 times higher abrasive performance than with standard hole patterns. Box of 100 discs.

Sia FiboTec Backing Pad 125mm



Sander backing pad for use with 125mm Fibotec velcro discs.

| | 25 | |
|--|----|--|
| | | |
| | | |

SIA 1948 Siafast FiboTec 150mm Velcro Disc





| SIA1948FT150-040 | P40 |
|------------------|------|
| SIA1948FT150-080 | P80 |
| SIA1948FT150-120 | P120 |
| SIA1948FT150-150 | P150 |
| SIA1948FT150-180 | P180 |
| SIA1948FT150-240 | P240 |
| SIA1948FT150-320 | P320 |
| SIA1948FT150-400 | P400 |
| | |

The holes in the abrasive disc are arranged on opposing spirals, such as are found on a sunflower. In sanding applications this hole pattern provides superior dust extraction, significantly reduced clogging and longer life of abrasive materials. Compared to standard hole patterns, FiboTec offers up to 35% faster removal rate with less dust residue on the workpiece and in the workspace. With FiboTec you achieve up to 3 times higher abrasive performance than with standard hole patterns. Boxes of 100 discs.

SIA FiboTec Backing Pad 150mm 5/16" + M8 Threads 103 Hole



CONSUMABLES – Abrasives

Backing pads for use with 150mm FiboTec Velcro Discs

| SIAVBP103S | Soft |
|------------|------|
| SIAVBP103H | Hard |

Sanding Block 14 holes 70 x 125mm



SB70125

Smirdex Velcro Strips Perforated P40 70x420mm



Smirdex for higher efficiency and better performance. Pack of 50.

| VSP742-40 | P40 |
|-----------|-----|
| VSP742-80 | P80 |

Mirka Gold Sanding Strips 70 x 450mm



Mirka Gold - outperforms and outlasts - best buy. Pack of 50.

| GOLDSTR70450-40 | P40 |
|-----------------|-----|
| GOLDSTR70450-80 | P80 |

Mirka Abranet Strips 70x198mm



Abranet is a revolutionary new sanding material for dust-free sanding. Abranet has been developed for sanding putty, primers, lacquers, composite materials and a large amount of other materials.

| ABSTR70198/80 | P80 |
|----------------|------|
| ABSTR70198/120 | P120 |
| ABSTR70198/240 | P240 |
| ABSTR70198/320 | P320 |
| | |

Sia Fibre Backed Sanding Discs Aluminium Oxide 115mm x 22mm



Sia quality aluminium oxide disc - good all-round performance especially on mild steel and in the general steel fabrication industry. Box of 25 discs.

| SFBDA45-36 | P36 |
|--------------|------|
| 31 DDA 73-30 | 1 30 |

Sia Fibre Backed Sanding Disc Zirconia 100mm x 16mm



Superior Quality Zirconia 100x16mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

| SFBDZ4-36 | P36 |
|------------|------|
| SFBDZ4-50 | P50 |
| SFBDZ4-60 | P60 |
| SFBDZ4-80 | P80 |
| SFBDZ4-100 | P100 |
| SFBDZ4-120 | P120 |

Sia Fibre Backed Sanding Discs Zirconia 115mm x 22mm #BEST SELLER



Superior Quality Zirconia 115x22mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

| SFBDZ45-36 | P36 |
|-------------|------|
| SFBDZ45-50 | P50 |
| SFBDZ45-60 | P60 |
| SFBDZ45-80 | P80 |
| SFBDZ45-10 | P100 |
| SFBDZ45-120 | P120 |

Sia Fibre Backed Sanding Discs Zirconia 125mm x 22mm



Superior Quality Zirconia 125x22mm Fibre Backed Sanding Disc with active additives to aid grinding and dressing. General grinding and dressing of mild steel and non-ferrous metals. Boxes of 25 discs.

| SFBDZ5-36 | P36 |
|------------|------|
| SFBDZ5-50 | P50 |
| SFBDZ5-60 | P60 |
| SFBDZ5-80 | P80 |
| SFBDZ5-100 | P100 |
| SFBDZ5-120 | P120 |

Sia Fibre Backed Sanding Discs High Performance Ceramic 115mm x 22mm



Designed especially for heavyduty sanding applications. The highly aggressive and durable ceramic fibre disc is suitable, in particular, for materials such as stainless steel (INOX), exotic alloys and other hard to grind metals. Boxes of 25 discs.

| SFBDC45-36 | P36 |
|------------|-----|
| SFBDC45-50 | P50 |

Fibre Backed Disc Backing Pad



CONSUMABLES – Abrasives / Brushes

Backing pads for fibre discs.

| FBDBP100 | 4"/100mm |
|----------|------------|
| FBDBP112 | 4.5"/115mm |
| FBDBP180 | 7"/180mm |

Mirka Mirlon Handpad



Flexible sanding material ideal for matting surfaces and creating a base for the next lacquer layer.
Box of 20.

| HPG | Green General Purpose |
|------|-----------------------|
| HPR | Red Very Fine |
| HPGR | Grey Ultra Fine |

Rubber Stripe Eraser Wheel



High quality caramel, stripe removing wheels. For removing pinstripes, double— sided tape or adhesives from panels prior to refinishing. Large diameter and increased width ensure extended life and make this pad ideal for the busy bodyshop. Recommended speed 3,500 rpm

STRWHL

Contract Brush



Medium quality brush with wooden handle and pure bristles.

A general purpose brush achieving a reasonable finish for industrial applications.

| CON05 | 0.5"/12mm |
|-------|-----------|
| CON10 | 1"/25mm |
| CON15 | 1.5"/38mm |
| CON20 | 2"/50mm |
| CON25 | 2.5"/62mm |
| CON30 | 3"/75mm |
| CON40 | 4"/100mm |

Quality Brush



High grade brush with wooden handle and pure bristles.

For achieving best results with high gloss and top grade finishes.

| QLT05 | 0.5"/12mm |
|-------|-----------|
| QLT10 | 1"/25mm |
| QLT15 | 1.5"/38mm |
| QLT20 | 2"/50mm |
| QLT25 | 2.5"/62mm |
| QLT30 | 3"/75mm |
| QLT40 | 4"/100mm |
| | |

Synthetic Bristle Contract Brush



High quality brush with wooden handle and synthetic bristles.

A general purpose brush achieving a good finish for all types of application.

| SYNBR05 | 0.5"/12mm |
|---------|-----------|
| SYNBR10 | 1"/25mm |
| SYNBR15 | 1.5"/38mm |
| SYNBR20 | 2"/50mm |
| SYNBR25 | 2.5"/62mm |
| SYNBR30 | 3"/75mm |
| SYNBR40 | 4"/100mm |

Pencil Brush



| PBN02 | No. 2 |
|-------|-------|
| PBN04 | No. 4 |
| PBN06 | No. 6 |

4" Roller Handle



4" Mini roller frame with plastic handle. Available in 11" and 21" lengths.

| 4SH | 11" Handle |
|-----|------------|
| 4LH | 21" Handle |

BRUSHES & ROLLERS

Roller Cage Frame



Roller Cage Frame with plastic handle and push in fitting

Metal Double Arm Roller Frame



Strong metal double arm roller frame to be used with spindle core roller refills.

| 12RF | 12"/305mm |
|------|-----------|
| 15RF | 15"/380mm |

4" Roller Refill

9RF

4MP

4SP 4FM



4" mini roller refills. Available in high density foam, short pile wool velour and solvent resistant medium pile versions.

| Med Pile |
|------------|
| Short Pile |
| |

9"x1.75"

4" Jumbo Roller Refills



4" jumbo mini roller refills.

| Med Pile |
|------------|
| Short Pile |
| Foam |

4JM Med Pile

Roller Refill Medium Pile



Polyester refill with thermofused fabric. A general all round roller with good pick-up, performance and coverage.

| 9MP | 9"/230mm |
|-------|---------------|
| 40140 | 1011/205 |
| 12MP | 12"/305mm |
| 15MP | 15"/380mm |
| TOTAL | 13 /300111111 |

Plastic Roller Trays



Durable plastic paint roller tray with ribbed interior to aid paint loading onto rollers.

| 4PT | 4" Tray |
|------|----------|
| 9PT | 9" Tray |
| 15RT | 15" Tray |

Plastic Paint Scuttle



Durable strong plastic paint scuttles with measuring scale. Ribbed interior to aid paint loading onto rollers.

| 9PS | 9 litre |
|------|----------|
| 15PS | 15 litre |

Roller Extension Pole



Steel extension pole with red PVC coated handle. Fit either screw-in or push fit roller handles. Simple twist and lock action.

| 2MXP | 1-2mtr |
|------|--------|
| | |

Metal Paint Kettle



Galvanised paint kettle with wire handle

| PKM | 6" diameter |
|-----|-------------|
| | |

Plastic Paint Kettle



Plastic paint kettle with wire handle

| PKP | 2.5ltr |
|-----|--------|

CLOTHS & WIPES

www.unovaproducts.com

Cotton Wipes Assorted



Soft and absorbent assorted cotton rags suitable for all purposes.

CCW 10kg Bag

Cotton Wipes White



Soft and absorbent white cotton sheeting suitable for most industries.

WCW

10kg Box

Centre Feed Tissue



Highly absorbent general purpose white centre feed tissue suitable for cleaning, wiping and drying.

CFT6 Pack of 6 rolls

UltraGrime Industrial Jumbo Wipes



Extra large hand wipes that are specially formulated to thoroughly clean hands quickly and efficiently, whilst you work, without the need for water.

UGW

Pack of 100 wipes

Body Shop Wipes



300 wipes on a roll for all round purpose and convenience.

BSW

1 roll

Tack Cloths



High quality cloths that pick up and hold all dust, dirt, lint and sanding residue, for a perfect blemish-free finish. Packs of 10.

TCS10

Pack of 10

Generation 20 ULTRAFILL Deep Filler



A high performance, smooth textured polyester body filler, ideal for deep repairs on heavy panel damage. UltraFill Deep is quick to spread and shape, making it easy to work with. Provides great adhesion to common substrates and offers a painless sanding process.

G20UFILD/3

U-POL 'B' Filler



Fibre glass compound suitable for bridging holes and rust. Can be overcoated directly.

UBF2.5

2.5ltr

3ltr

Nitro Putty



A easy-to-sand fine putty filler that is designed to be used in hair line cracks and small imperfections.

NCP200 200 grams

Stopper



2pk fine filler for final filling before high quality surface refinishing.

1kg

3M White Filler 3ltr



3M51073 White General Purpose Filler is suitable for filling and repairing common damage to automotive substrates including stainless steel, aluminium, and galvanized surfaces. It is a lightweightfiller and as such extremely easy to sand and shape for all automotive repairs.

3M51073

White

www.unovaproducts.com

Polyester Resin kit



2pk Polyester Resin kit for use with fibreglass matting. For fibreglass (GRP) and metal repairs.

PYR/2.5

2.5ltr kit inc catalyst

Fibreglass Matting



Fibreglass matting (Approx 1.2m X 0.9m) to be used with PYR polyester resin kit for fibreglass and metal repairs.

FGM

Plastic Spreaders



Plastic applicators with a flat leading edge to give a superior finish.

PLS10

Pack of 10

Filler Board



Filler mixing board with 100 tear-off sheets.

FILBRD

100 sheets

Filler Hardener



A universal hardener for use with most 2pk polyester based fillers.

FHA50

50 grams

PU Adhesive Sealant 310ml



Single component fast curing, flexible non-sag multipurpose polyurethane adhesive & sealant.

| PUSEAB | Black |
|--------|-------|
| PUSEAG | Grey |
| PUSEAW | White |

High Quality Tesa 4323 Masking Tape



Premium quality Tesa 4323 masking tape which is suitable for most masking, holding and sealing applications. 50 metre rolls.

| MTT4323-25 | 1"/25mm |
|------------|-----------|
| MTT4323-38 | 1.5"/38mm |
| MTT4323-50 | 2"/50mm |

Low Tack Masking Tape



This low tack masking tape provides a useful alternative to the standard equivalent and is ideal for applying on delicate surfaces or if leaving in place for more than 24 hours. 50 metre rolls.

| MTLT25/1 | 25mm |
|----------|------|
| MTLT50/1 | 50mm |

Cloth Tape



A multi-purpose, heavy duty, reinforced cloth tape. Adheres to most surfaces. 50mm wide. 50 metre rolls.

| CLTB | Black |
|------|--------|
| CLTS | Silver |
| CLTW | White |

3M 2328 Masking Tape



Geniune 3M Low Bake Tape with secure grip, clean 'lift off' and excellent edge definition. 50 metre rolls.

| MT25/1 | 1"/24mm |
|--------|-----------|
| MT38/1 | 1.5"/36mm |
| MT50/1 | 2"/48mm |

Fine Line Tape



A flexible tape suitable for detailed masking. Has medium tack, sticks well to most substrates and lifts off cleanly. 33 metre rolls

| FLT3 | 3mm |
|-------|------|
| FLT6 | 6mm |
| FLT9 | 9mm |
| FLT12 | 12mm |
| | |

Masking Paper



A genuine 50gsm brown paper specifically manufactured for paint masking, tightly bonded with little or no fibre contamination. Gives excellent resistance to base coats, clear coats, water based paints and urethanes.

| MP12/250 | 300mm x 250mtr |
|----------|-----------------|
| MP18/200 | 450mm x 200mtr |
| MP36/200 | 900mm x 200mtr |
| MP48/200 | 1200mm x 200mtr |

Polymask Basic



Static Treated white, coated polythene is produced to be antistatic yet paint absorbent. Masking time and cost is cut to a minimum. It will not allow paint penetration, is impermeable to water and is suitable for recycling. Due to special treatment the paint stays on the film.

| PMB5 5mtr x 150mtr PMB6 6mtr x 150mtr | PMB4 | 4mtr x 150mtr |
|---------------------------------------|------|---------------|
| PMB6 6mtr x 150mtr | PMB5 | 5mtr x 150mtr |
| | PMB6 | 6mtr x 150mtr |

Indasa Cover Rolls



The Cover roll is a premium masking film that offers excellent adhesion, along with easy and clean removal which leaves no residue. It is easy to apply as it is statically charged meaning it clings to the surface it is being applied to and stays there throughout the duration of the job.

| ICR600/25 | 600mm x 25mtr |
|------------|----------------|
| ICR1200/25 | 1200mm x 25mtr |
| ICR1800/25 | 1800mm x 25mtr |
| ICR2400/25 | 2400mm x 25mtr |

Plastic Paint Mixing Cups



Plastic paint mixing cup printed with measuring scale and mixing ratios. Lids can be used with these cups for short term paint storage.

| MCP600 | Pack of 50 |
|---------|-----------------|
| MCPL600 | Pack of 50 lids |

Super Cups



High quality sturdy mixing cups for mixing paint with calibrated measuring scale and mixing ratios. Lids can be used with these cups for short term paint storage.

| SC650 | 650ml cups (50) |
|---------|------------------|
| SC2250 | 2250ml cups (40) |
| SCL650 | 650ml lids (50) |
| SCL2250 | 2250ml lids (50) |

PaintMate Mixing Cups



High quality sturdy mixing cups for mixing paint.

| MC385/200 | 385ml cups (200) |
|-----------|------------------|

Etalon SPS Paint System



Disposable paint pot system as an alternative to the 3M PPS systems. Available in a range of sizes. Each box contains 1 x Rigid Outer Cup, 50 x Pot Liners, 50 x Pot Lids, 20 x Pot Caps.

| ESPSM125/400 | Small 400ml 125 micron |
|---------------|-------------------------------|
| ESPSS125/650 | Standard 650ml 125 micron |
| ESPSS125/850 | Large 850ml 125 micron |
| ESPSS190/650 | Standard 650ml 190 micron |
| ESPSVS125/180 | System Small 180ml 125 micron |

3M Paint Prep System



3M Paint Prep System reduces paint waste and enables the spray gun to be used at any angle without interruption to the paint flow.

| PPSS200 | 650ml cups with 200 micron filter (50) |
|---------|--|
| PPSS125 | 650ml cups with 125 micron filter (50) |
| PPSSC | 650ml Rigid Cup and Ring |
| PPSL200 | 850ml cups with 200 micron filter (25) |
| PPSL125 | 850ml cups with 125 micron filter (25) |
| PPSCL | 850ml Rigid Cup and ring |

www.unovaproducts.com

Plastic Turbo Mixing Stick



Ensures thorough mixing every time.

MSP/10 Pack of 10

Aluminium Mixing Stick



Aluminium measuring/mixing stick printed with various mixing ratios. Takes the guesswork out of mixing - the first step to an excellent finish.

| MSA3:1/1:1 | Ratios 3:1 & 1:1 |
|------------|------------------|
| MSA4:1/2:1 | Ratios 4:1 & 2:1 |
| MSA5:1/3:1 | Ratios 5:1 & 3:1 |

Cone Filters



Paper cone filters with nylon mesh strainers featuring the added benefits of lint-free synthetic media, consistent pore size and reinforced filter tip.

| CFF/250 | Fine 190 micron (250) |
|---------|-------------------------|
| CFM/250 | Medium 250 micron (250) |

Metal test cards



6" x 4" Metal cards for testing colour samples. Includes printed black line to ensure full opacity is obtained.

PACKAGING

Empty Round Paint Tin



A quality round tin with a white external finish and a plain internal finish. Suitable for solvent based paints, varnishes and stains. Lid included.

| ET/0.25 | 250ml |
|---------|-----------|
| ET/0.5 | 500ml |
| ET/1 | 1 litre |
| ET/2.5 | 2.5 litre |
| ET/5T | 5 litre |

Empty Round Lever Lid Tin Lacquered



A quality round tin with a white external finish and a lacquered internal finish. Suitable for paints, varnishes and stains including water based materials.

| ETL/0.5 | 500ml |
|---------|-----------|
| ETL/1 | 1 litre |
| ETL/2.5 | 2.5 litre |
| ETL/5 | 5 litre |

UN Approved Pail



A tapered UN approved plain white tinplate pail. Lacquered internally for use with water based products. Complete with ring latch & lid.

| ETUN/3 | 3 litre |
|--------|---------|
| ETUN/6 | 6 litre |

Empty Rectangular Berg Tin



A quality rectangular tin with a white external finish and a berg pull-spout closure. Ideal for low viscosity products or liquids with aggressive properties.

| ETB/1 | 1 litre |
|---------|-----------|
| ETB/2.5 | 2.5 litre |
| ETB/5 | 5 litre |

Plastic Jerrycan



Plastic Jerry Can with screw top lid.

| EPJ/5 | 5 litre |
|--------|----------|
| EPJ/25 | 25 litre |

Plastic Bottle



Natural HDPE bottle comes with White wadded Poly Prop screw cap.

| EB/50 | 50ml |
|--------|---------|
| EB/100 | 100ml |
| EB/250 | 250ml |
| EB/0.5 | 500ml |
| EB/1 | 1 litre |


Cone Top Tin



Cone top tin with screw cap. Lid with brush attachment is good for touch-up or working on small areas.

| ECT/0.25 | 250ml |
|----------|-----------|
| ETCBC | Brush Cap |

Bubble Wrap



Large roll of bubble wrap for protecting fragile items or new paintwork.

| BWS900 | 900mm x 100mtr | |
|--------|----------------|--|

www.unovaproducts.com

Disposable Nuisance Mask



A quality disposable nuisance/comfort mask

NM/50 Pack of 50

Moulded Disposable Mask FFP2 NR



Disposable FFP2 NR Betafit mask ideal for protecting the user from dust and other airborne particles.

3020/20

Box of 20

3M 9322+ Aura Fold Flat Mask FFP2 w/valve



Disposable FFP2 NR individually wrapped 3 panel fold flat mask with valve for optimun user comfort, hygiene and easy breathing.

3M9322

Box of 10

3M Disposable Half Mask A1P2D



Half-mask FFA1P2D respirator with valve. Adjustable head & neck straps. Designed for maximum comfort and user visibility. For protection against solvent vapour and spray mist. Not suitable for paints containing isocyanates.

6941 Each

Disposable Mask FFP2 NR fold flat w/valve



Disposable FFP2 NR Betafit fold flat mask ideal for protecting the user from dust and other airborne particles. It comes with a valve to reduce air-flow resistance, making it even easier to breath.

VF-2V/20

Pack of 20

Moulded Disposable Mask FFP2 NR w/valve



Disposable FFP2 NR Betafit mask ideal for protecting the user from dust and other airborne particles. It comes with a valve to reduce air-flow resistance, making it even easier to breath.

3020V/10

Box of 10

Weldair P2V Welding Carbon Masks



Disposable FFP2 NR carbon mask for protection against toxic particles and nuisance levels of welding ozone.

P2V/10

Pack of 10

Polygard Half Mask Respirator A1 P2



Reusable respirator mask with filters. This mask can be used over and over again. It comes complete with a pair of organic gas/vapor cartridges, and a pair of particles filters.

| PHM | Polygard Half Mask Respirator A1 P2 |
|--------|--------------------------------------|
| PA1/2 | Polygard Filter A1 pk 2 |
| PRR/10 | Polygard Filter Retaining Ring pk 10 |
| PP2/10 | Polygard Filter P2 pk 10 |

Anest Iwata Complete Air Fed Breathing Kit



Anest Iwata complete air fed mask kit including hood, waistbelt and spray gun whip hose. Comes with handy bucket for clean storage. Upward air flow improves user comfort when used for prolonged periods. Can be used with isocyanate containing paints.

| AFBKAI | Complete Kit |
|---------|------------------------------|
| AFRCAI | Carbon Filter |
| AFRVAI | Replacement Visor |
| VCAI/10 | Disposable Visor Covers (10) |

Air Breathing Hose 1/4" (6mm)



PVC Low pressure hose suitable to supply fresh air to respiratory masks. Fittings are 1/4" bsp female thread on one side and a high-flow coupling on the other (this connects straight to most Air-fed breathing masks).

| ABH6-7.5 | 7.5mtr |
|----------|--------|
| | |

Air Breathing Hose 3/8" (10mm)



PVC Low pressure hose suitable to supply fresh air to respiratory masks. Fittings are 1/4" bsp female thread on one side and a high-flow coupling on the other (this connects straight to most Air-fed breathing masks).

| ABH10-10 | 10mtr |
|----------|-------|
| ABH10-15 | 15mtr |
| ABH10-20 | 20mtr |
| ABH10-30 | 30mtr |

Nitrile Ansell Marigold Glove



Flock lined nitrile gloves with open cuffs to allow ventilation. Good resistance to many solvents and oil based chemicals. Length 330mm, thickness 0.84mm.

| GNMGL | Large |
|--------|---------|
| GNMGXL | X-Large |

Nitrile Disposable Gloves



A durable high performance alternative to Latex gloves. Resistant to oils, acids and many chemicals. Pack of 100

| GNDBM | Medium |
|--------|---------|
| GNDBL | Large |
| GNDBXL | X-Large |

www.unovaproducts.com

Elbow Length Nitrile Marigold Glove



Elbow length flock lined nitrile gloves. Good resistance to many solvents and oil based chemicals.

GNML

Nitrile Foam Coated Glove



Seamless knitted nylon glove with light porous foam Nitrile coating. Provides maximum dexterity and excellent grip.

11WFE9

Size 9

Quality Rigger Glove



Quality chrome leather rigger gloves with rubberised cuff.

GRIGQ

Pair

Standard Rigger Glove



Chrome leather rigger gloves with rubberised cuff.

GRIGS

Pair

Heat Resistant Glove



Quality safety gloves, made from Terrycloth. Provides good insulation against heat. 32oz heavyweight.

GHRG

Polyurethane Coated Knitted Nylon Glove



Polyurethane coated knitted gloves providing good dexterity with high grip.

GKPC9

Size 9

Dupont Tyvek Coverall



Type 5&6 Tyvek Disposable coverall ideal for use against dry particulate hazards and spray. Has electrostatic protection to EN1149-1.

| TVCM | Medium |
|-------|----------|
| TVCL | Large |
| TVCXL | X-Large |
| TVCXX | XX-Large |

Dupont Tyvek Disposable Hoods



Disposable cape hood for use with disposable Tyvek coveralls. Ideal for use against dry particulate hazards and paint spray.

TVH

Noisebeta Premium Ear Defender



Ear defender with extra thick ear cushions and padded head band for improved comfort. Folding arms facilitate storage.

HP6200

Each

Noisebeta Adjustable Banded Earplugs




NOISEBETA Adjustable Banded Earpods are a comfortable option for when hearing protection is required only intermittently.

 HP6015
 Pack of 20

 HP6016
 Replacement Ear Pods (10)

NOISEBETA Detectable Corded Earplugs



NOISEBETA Detectable Corded Earplugs are washable and reusable whilst being metal detectable making them ideal for use in the food industry.

HP6081

Pack of 50

Foam Earplugs



Betafit soft foam ear plugs offering excellent attenuation and are very comfortable to wear. Packed in a dispensing box for greater convenience. Individually wrapped in pairs.

FEP/200

Box of 200 pairs

Clear Anti-Scratch Safety Glasses



BETAFIT MERANO Clear Safety Eyewear – Lightweight and Stylish Clear Polycarbonate One-Piece Lens for general impact protection.

EW1201

Each

Safety Glasses



BETAFIT GENEVA Clear Safety Eyewear offers anti-scratch wraparound lens for excellent all-round protection.

SG2101

PT115 T-wash Mordant Solution



T-wash mordant solution treatment for galvanised steel prior to painting. Neutralises the surface turning it black making it more suitable for painting.

PT115/5 5 litre

PT117 Panel Wipe



Mild intercoat solvent for cleaning paint work between coats of paint.

PT117/5 5 litre

PT211 Glass Cleaner



Powerful, smear free, fast drying cleaner for glass.

PT211/5

5 litre

PT213 Green Clean



A specially formulated water based degreaser for cleaning all substrates prior to application of AquaGrip.

PT213/5

5 litre

PT116 Degreaser



Wipe on, wipe off fast flash solvent degreaser.

PT116/5

5 litre

PT120 Alkaline Cleaner



Water soluble multi purpose degreaser.

PT120/5

5 litre

PT212 WB Equipment Cleaner



Equipment cleaner for use after spraying waterborne paints.

PT212/5

5 litre

PT215 Concrete Acid Etch Solution

5 litre



Acid solution for use on smooth and shiny concrete floors prior to painting. Refer to product data sheets for full usage instructions.

PT215/5

PT220 Paint & Varnish Remover



Extremely powerful Paint & Varnish Remover. For professional use only.

RC140 Rust Converter



Pretreatment for rusted surfaces. Turns rust into a black inert substrate prior to painting.

PT220/5

5 litre

RC140/5

SV110 Acetone



Acetone is a high strength solvent widely used in the composites industry for cleaning resin from brushes, rollers and equipment. Acetone will effectively dissolve and clean epoxy, polyester and vinylester resin. It can also be used as a high strength de-greaser/surface preparation and paint remover.

SV203 MEK Solvent



A very powerful solvent used for cleaning or thinning paint.

5 litre

SV110/5

5 litre

SV203/5

5 litre

SV204 IPA Solvent



Isopropyl alcohol is a fast evaporating cleaner which removes light grease and oil contamination from almost any surface. Often used to clean plastic surfaces prior to painting.

SV204/5

5 litre

Fast Anti-Silicone Wipe



A degreaser panel wipe for pre cleaning of body panels prior to paint application.

WIPEF/5

5 litre

Std Thinner 25ltr



STD/25

Recycled thinner for cleaning. Not recommended for thinning paint.

25 litre



Recycled thinner for cleaning. Not recommended for thinning paint.

25 litre

SV101/25 SV101/5 5 litre

SV101 Premium Std Thinner

www.unovaproducts.com

SV104 Slow Thinner



White Spirit to be used for cleaning or thinning paints.

SV106 Anti-Bloom Thinner



An anti-bloom thinner to be used when paint film blooming is likely.

SV104/5 5 litre SV106/5

5 litre

SV107 Cellulose Thinner



A cellulose thinner for cleaning or thinning cellulose based paints.

SV109 Distilled Water



Distilled water for thinning water based paints.

SV107/25 25 litre SV107/5 5 litre

SV109/5

5 litre

SV202 2K Universal Thinner



SV202/5

A 2pk universal thinner for general use with 2pk paints.

5 litre

SV207 Fast Reactive Thinner



A fast reactive thinner for use with 1pk paints to speed up the drying and curing process.

SV207/5

5 litre

OUR MISSION IS TWOFOLD -

PROVIDING LONG LIFE PAINT SYSTEMS & MAXIMISING PAINTSHOP EFFICIENCIES



Facts from a recent demonstration


- 2 coats instead of 4
- 37% paint saving
- Estimated 30-40% labour saving
- Reduced VOC emissions
- Longer life paint system

These are some of the potential savings by "LEAN engineering" your painting process.

Call us today to see what you can save - 01753 584 500

- Faster throughput?
- Longer life paint system?
- Reduced Paint costs?
- Reduced Application costs?

BOOK A FREE AUDIT OF YOUR PAINTING PROCESS



SPRAY BOOTHS

Unova supply bespoke spray booths by 'Masterflo'. Led by energy and space saving demands each Spray booth is designed to suit the specific requirements of the client.



Masterflo are a UK manufacturer of industryleading, high quality spray booth systems. With many years of experience in coatings, we are able to provide you with a premium finishing environment for all of your industrial applications.

The product range and market sector is huge, but can be fine-tuned to match your specification and budget and meet HSE Legislation.

- Commercial vehicle
- Automotive
- Rail
- Marine
- Aviation

- Engineering
- Fabrication
- Exhibition & Film
- **Furniture**
- Finishing

Design | Build | Install | Commission | Maintain CALL MASTERFLO NOW... 01753 595955 www.masterflo-uk.com



Q-Tech QT290 Electric Piston Pump Outfit 110V



Electric Airless Sprayer complete with TriTech gun, 517 tip and 15mtr hose. Offers many benefits to the sprayer at a very competitive price. This unit will support a 25 thou tip and pump up to 2.9 litres per minute making it capable of spraying many products. The powerful 1300 watt motor provides a maximum pressure of 207bar/3000psi. 240v version also available.

QT290-110

110 volt

TriTech T5 Hi-Cart Airless Spraypump



SPRAYBOOTH - SPRAY EQUIPMENT



LIFETIME WARRANTY on motor and draintrain! Built to last and easy to maintain. The powerful 820 watt motor will pump up to 2.27 litres a minute supporting a 25 thou tip. Maximum working pressure of 227bar/3300psi. Supplied complete with T360 TriTech gun, 517 tip and 15mtr hose. 110v only.

TRIT5H

Tri-Tech T360 Airless Gun



TriTech airless spray gun complete with tip holder and 517 tip. Maximum working pressure 250bar/3625psi. Swivel joint hose connector. Shut-off valve spring located outside of the fluid passages for longer life and reduced maintenance.

503-150

Includes 517 tip

Airless Spray Gun Tip



High Pressure Airless reversible tips with extra hard tungsten carbide orifice. Many sizes available please contact us for further information.

ASGTxxx

Specify Size

Airless Spray Gun Tip Holder



Safety Guard and Tip Holder with easy hand-tight nut - fits the O-tip range of reversible tips. Also accepts many other major manufacturers' reversible spray tips and most other guns. Maximum working pressure 350bar/5075psi.

TH7/8 7/8" Thread
TH11/16 11/16" Thread

High Pressure Textile Paint Hose



High pressure textile reinforced fluid hose for use with electric pumps. Max working pressure 225 bar. Available in a wide range of lengths with various fittings as required.

HPTEXHOSE/15

15mtr

High Pressure Single Wire Paint Hose



Single wire high pressure paint hose. Maximum working pressure 325bar/4,710psi. Available in any length with a wide range of fittings.

HPHOSE/15

15mtr

Manifold Filter for Q-Tech



Manifold filter to fit Q-Tech, Airlessco and Graco pumps.

MANIFIL30 30 mesh
MANIFIL60 60 mesh

Pencil Filter for Q-Tech



Spray gun pencil filter fitting most Airless Guns including Q-Tech, Airlessco, Graco, Wagner etc. Pack of 10

| PENFIL30 | 30 mesh |
|-----------|----------|
| PENFIL50 | 50 mesh |
| PENFIL100 | 100 mesh |
| PENFIL200 | 200 mesh |

Pencil Filter for Graco Guns



Spray gun pencil filter to fit Graco guns. Pack of 10.

| PENFILGR60 | 60 mesh |
|--------------|----------|
| PENEIL GR100 | 100 mesh |

Suction Pipe Filter



QF0535015B

QF0535030B

Spraypump suction pipe filter with 1/2" thread.

| | ~ | |
|------|---|---|
| Sec. | 1 | \ |
| | | |
| | | |
| | | |
| | | |

TriTech airless extension poles available in a variety of lengths and 2 thread sizes. Maximum working pressure 290bar/4,200psi.

| 15 mesh | |
|---------|--|
| 30 mesh | |

Star 2ltr Pressure Pot



2ltr pressure pot supplied with regulator and hoses. For general industrial uses.

SPRAYBOOTH - Spray Equipment

Star 10ltr Pressure Pot Complete



A 10 litre pressure pot. Paint pot is freestanding with casters for easy manoeuvrability. Use with low pressure twin hoses and pressure fed spraygun.

PRESPOT10

Fastmover Pressure Gun



A Fastmover low pressure gun for use with most pressure pot systems. 1.3-2.5mm nozzles available.

KPG

1.6mm

Tri-Tech Extension Pole



FXT36 36" with 7/8" thread

DeVilbiss 2.3ltr Pressure Pot



DeVilbiss Aluminium Remote Cup without Hoses. 2.3 litre capacity, with a familiar gun handle grip and a belt hook for the operators convenience.

KB522B

Low Pressure Twin Hoses



A low pressure twin hose assembly for use with pressure pots and diaphragm pumps. Wide range of fittings available. Custom lengths can be made to order. Please request details and pricing for custom requirements.

| LPTH/1.8 | 1.8mtr |
|----------|--------|
| LPTH/7.5 | 7.5mtr |
| LPTH/10 | 10mtr |

DeVilbiss FLG Pressure Spray Gun





General purpose compliant pressure spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has a ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra lightweight but strong, cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-P5-14 1.4mm

Mini Gravity Spray gun



A Fastmover HVLP mini gravity spray gun. Can be used with 3M paint prep systems. Stainless steel for use with water or solvent based paints.

MSGG

0.8mm

Fastmover Voylet Gravity Gun



A premium gravity spray gun. Ideal mid-range spray gun for industrial and commercial use

| KSGG14 | 1.4mm |
|--------|-------|
| KSGG18 | 1.8mm |
| KSGG20 | 2.0mm |

Quality Conventional Gravity Spray Gun



General purpose gravity spraygun with 600ml pot. For industrial applications.

SGGQ

1.8mm

DeVilbiss FLG Gravity Spray Gun



General purpose compliant gravity spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has a ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra liahtweiaht but strona. cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-G5-14 1.4mm FLG-G5-18 1.8mm

Gravity Pot+Lid for DeVilbiss Guns

www.unovaproducts.com



A gravity pot and lid that is compatible with most DeVilbiss gravity guns.

Synthetic Gun Filter Gravity



A synthetic filter for use with most gravity guns.

GFG10

Pack of 10

DeVilbiss FLG Suction Spray Gun



General purpose compliant suction spray gun for a wide range of refinish paints and coatings. Operates with unique and efficient DeVilbiss Trans-Tech® Atomisation Technology. It has a ergonomically shaped gun handle for positive grip and comfort with a smooth action trigger with exceptionally light pull for fatigue free operation. Ultra lightweight but strong, cast aluminium gun body with full controls of pattern shape, fluid flow rate and air inlet pressure. Precision engineered brass air cap and stainless steel fluid tips.

FLG-S5-18

1.8mm

Gravity Spray Gun Holder



A wall mounted gravity spray gun stand, ideal for holding your gravity gun steady while you are moving the substrate or filling up the pot with paint.

Wall mounted

Fastmover Suction Gun



A 1.6mm suction gun with 1000ml pot. Ideal mid-range spray gun for industrial and commercial use.

KSSG

1.6mm

Synthetic Gun Filter Suction



A synthetic filter for use with most suction guns.

GFS10 Pack of 10

Q-Tech HVLP 5 Stage Turbine Unit Complete



Complete HVLP Turbine spray unit including gun and 7.5mtr hose. Powerful 1600 watt motor and 5 stage turbine.

| QT5-G/110 | 110v kit incl Gravity Gun |
|-----------|---------------------------|
| QT5-G/240 | 240v kit incl Gravity Gun |
| QT5-S/110 | 110v kit incl Suction Gun |
| QT5-S/240 | 240v kit incl Suction Gun |

Air Feed Pipe for Q-Tech HVLP Gun



Replacement air feed pipe with valve to fit the Q-Tech HVLP spray guns.

AFPQT

Each

Apollo Turbine HVLP Spray Gun



Apollo HVLP spray gun for use with turbine compressor units. Designed to spray with reduced over spray and paint loss, this is ideal for on-site applications. Suitable for use with most paint types, this spray gun gives a particularly good finish with aloss paints. Variable paint flow and fan width makes it useful for a very wide range of applications.

ASG

Spray Gun Cleaning Kit



A 13 piece master spray gun cleaning kit, with brush that can be used with all types of paint, thinners and spray gun cleaning solvents. Ideal for cleaning all types of Suction, Gravity feed, HVLP, Detail, Touch up and Pressure spray guns as well as air brushes and stripping tools

GCK

Drying Rack



MASTERFLO drying racks of all sizes and configurations are available. BUDGET are the low cost option supplied flat packed. STANDARD come in a range of limited range of readily available sizes. EXPANDER racks offer an adjustable width enabling them to be used for a wider range of applications. BESPOKE racks are available to build to your exact requriements.

MFDR

Budget Spray Table



SPRAYBOOTH – Equipment and Maintenance

MASTERFLO budget spray table, adjustable in height from 600mm to 1000mm with a spacious fully rotating 1000mm by 500mm top. It is a flat pack design to save space when not in use, all at a low price.

Standard Spray Table



MFSTS

MASTERFLO Standard spray table, the professionals industry standard with an extra robust design. Adjustable in height from 690mm to 840mm with a spacious 660mm diameter MDF top. It is a fully welded heavy duty construction with tripod legs to ensure total stability. Super smooth bearings for easy rotation.

MFSTB

Foot Operated Spray Table





MASTERFLO foot operated spray table. Spin with your foot to allow constant spraying whilst keeping hands clean and free. Adjustable in height from 650mm to 1000mm. Distance between opposing prongs is adjustable from 120mm to 680mm. The unique design allows good air flow with little chance of paint 'bounce back'.

MFSTF

Concertina Pleated Booth Filter





Environmentally friendly, highly efficient concertina filter paper designed to capture paint and lacquer overspray. It is easy to fit and self supporting. Cut to size to fit any booth, left over sections can be stapled together reducing waste. Deep pleats ensure long life and maximum efficiency. Restraints fitted to the back of the filter ensure that it opens out to provide optimum filtration and long life. Concertina construction allows for compact storage.

| PBF09 | 9mtr x 900mm |
|-------|---------------|
| PBF10 | 9mtr x 1000mm |


Extract Filter



Glass fibre extract filter for dry back booths. Arrests fine paint spray mist as generated in the application of wet paint type products. 20 metre roll.

| EXF0.7 | 700mm |
|--------|--------|
| EXF0.9 | 900mm |
| EXF1 | 1000mm |
| EXF15 | 1500mm |
| EXF2 | 2000mm |

Secondary Extract Filter



A secondary filter used in conjunction with Extract filter to ensure EPA compliance. 20 metre roll.

| EXSF0.9 | 900mm |
|---------|--------|
| EXSF1 | 1000mm |

Inlet Filter with Scrim Backing



Spraybooth inlet filter for all spray areas to reduce air borne contamination. Thermal bonded synthetic filter treated with special adhesive to prevent dust loss due to vibration. 20 metre roll.

| I | N | E | SE | 3/2 | 20 |) |
|---|---|---|----|-----|----|---|
|---|---|---|----|-----|----|---|

1000mm

Inlet Panel Filter



Inlet panel filters to reduce airborne dust and particles in your spraybooth. Supplied to order in whatever size you require.

All sizes available

Call for a price

Peelable Booth Coating White



A solvent based white coating for use on paint spray booths of all types. It is a common method of controlling paint over spray that would otherwise soil the spray booth.

PBC

5 litre

Clear Peelable Booth Coating



A water based clear peelable booth coating to facilitate easy removal of overspray accumulations on spray booth walls and other surfaces. Particularly suitable for use with the MastRe-flex booths on the clear flexible sheeting.

AQPTS/25

25 litre

Air Compressors



Air compressors - complete range available from 2HP to 10HP and beyond - piston, screw or quiet options - with or without refridgerant dryers - please call us to discuss your requirements.

PCL Air Fittings



PCL air fittings with 1/4" BSP thread.

| FMTNF | Nipple Female |
|--------|-----------------|
| FMTNM | Nipple Male |
| AFQRCF | Coupling Female |
| AFQRCM | Coupling Male |

High Flow Air Fittings



Hi-Flow air fittings for maximum air flow and minimum pressure loss. Especially useful for tools and equipment that have a high air consumption. A requirement for air fed breathing masks.

| AFMAMHF/5 | Nipple Male (Pack of 5) |
|-----------|---------------------------|
| AFMAFHF/5 | Nipple Female (pack of 5) |
| AFQRCMHF | Coupling Male |
| AFQRCFHF | Coupling Female |

Male Union Connector



| AFMU14 | 1/4" to 1/4" |
|--------|--------------|
|--------|--------------|

Air Fitting 'Y' Adaptor



AFYP 1/4" Thread

Air Hose



Silicone free rubber air hose with 1/4" BSP female thread fittings at both ends.

| AH85 | 8mm x 5mtr |
|--------|--------------|
| AH810 | 8mm x 10mtr |
| AH820 | 8mm x 20mtr |
| AH1015 | 10mm x 15mtr |

Mini Air Regulator with Gauge



A 32mm lightweight air regulator with solvent resistant glass lens. 1/4" BSP male thread inlet and a 1/4" BSP female thread outlet. Ideal for spray guns and air tools

MAR

Inline Aquapurge Filter



2 Stage filter unit with regulator to provide air that is breathing quality providing a carbon filter is fitted to the air fed coalescing filter. 1/2"

| IAF | 2 stage regulator |
|-------|-------------------------------|
| IAFCF | Replacement Coalescing Filter |
| IAFR | Replacement Filter Element |

Inline Filter/Regulator



Air filter and regulator with 1/2" inlet and outlet connections.

IAFR12

mask. Includes a 5 micron fittings on inlet and outlet.

| IAF | 2 stage regulator | |
|-------|-------------------------------|--|
| IAFCF | Replacement Coalescing Filter | |
| IAFR | Replacement Filter Element | |

Air Blow Gun



A hi-flow air blow gun with a 1/4" BSP fitting.

Budget Handle Sander



A 6" (150mm) dual action sander with a 5mm orbit. 8,500rpm with an average air consumption of 4CFM.

SP901

Mirka PROS650 Pneumatic Sander



Mirka PROS650 6" (150mm) sander complete with hose and dust bag. 12,000rpm with a 5mm orbit. Excellent value for money and comes with a 2 year warranty.

PROS650DB

Complete Kit

CP Premium Handle Sander



A pneumatic low noise level CP Premium Handle Sander for 2 handed applications. Operator comfort is enhanced with ergonomic palm shape. Productivity is increased with low vibrations level allowing it to be powerful and still easy to use for vertical and horizontal applications. Great for surface preparation from body filler to paint primer. 5mm orbit with a powerful 0.3 hp (210 W) motor. Up to 11,000rpm. Supplied with a velcro hook & loop backing pad. Average air consumption 9CFM.

CP7255H

CP Premium Palm Sander



A pneumatic low noise level CP Premium Palm Sander with central vacuum. Operator comfort is enhanced with ergonomic palm shape with soft grip and tear drop design for perfect control. Productivity is increased with low vibrations level allowing it to be powerful and still easy to use for vertical and horizontal applications. Great for surface preparation from body filler to paint primer. 5mm orbit with a powerful 0.3 hp (210 W) motor. Up to 12,000rpm. Supplied with a velcro hook & loop backing pad. Average air consumption 8CFM.

A disposable craft knife

suitable for small precision

CP7255CVE

CRK

Stanley Craft Knife

4.5" Makita Angle Grinder



Makita GA4530 4.5" angle grinder. 720w motor provides 11,000rpm suitable for the most demanding applications. Engineered bevel gears and special bearing protections ensures a long life from this product.

| MAKAG45110 | 110v |
|------------|------|
| MAKAG45240 | 240v |

Disposable Snap-off Knife



9mm Disposable Snap-off Decorators Knife

DSK

Steel Blade Scraper



A quality zippy-type scraper.

| SBS | Blade Scraper |
|-----|--------------------|
| SBL | Spare Blades (100) |

4 Row Wooden Handle Wire Brush

Durable 4 row wire brush with wooden handle.



WIRFBR4

Semi-Auto Spraygun Cleaning Machine



Twin gun, semi-automatic, fully enclosed spraygun cleaner. Can be used with either waterbased OR solvent applications. 60 second wash cycle. Air consumption 2-4CFM. CE and ATEX approved.

SGCMA2G

Manual Can Crusher



The Eezesqueeze is hydraulic and is operated manually. For low use applications, this machine is designed to fit on a workstation and is a low cost solution for crushing 5 litre tins.

CC5M

Bramidan TP2 Pneumatic Can Crusher



The TP2 is a very practical pneumatic press for crushing/compacting steel containers of up to 30 litres. This machine is delivered ready for operation from a compressed air supply. Waste volume is reduced by up to 90%.

CC30P



