

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

Alchemy Naturals CBD
1147 N Broadway
Denver 80203

MANUFACTURER:

Alchemy Naturals CBD
1147 N Broadway
Denver, CO 80203



SAMPLE INFORMATION

Sample No.: 1185490
Product Name: Alchemy Naturals-Sleep Gummy-FSCBD (50mg/ea) & Passion Flower Extract (20mg/ea)-Pomberry - ITM000846
Matrix: Edible (Gummy)
Lot #: AN1339P3348

Date Collected: 12/15/2023
Date Received: 12/18/2023
Date Reported: 12/20/2023

TEST SUMMARY

Cannabinoid Profile: ✔ Tested
Pesticide Residue Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Microbiological Screen: ✔ Pass
Residual Solvent Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Cannabinoid Profile

12/20/2023

Method: MF-CHEM-15
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Detection 0.0333 mg/g
Limit of Quantification 0.1000 mg/g

Cannabinoid	mg/g	%	mg/serving
Δ8-THC	ND	ND	ND
Δ9-THC	0.35	0.035	1.85
Δ9-THCA	ND	ND	ND
THCV	ND	ND	ND
THCVA	ND	ND	ND
CBD	11.02	1.102	57.89
CBDA	ND	ND	ND
CBC	0.20	0.020	1.05
CBCA	ND	ND	ND
CBDV	0.12	0.012	0.63
CBG	0.29	0.029	1.54
CBGA	ND	ND	ND
CBN	1.16	0.116	6.12
Total THC	0.35	0.035	1.85
Total CBD	11.02	1.102	57.89
Total Cannabinoids	13.15	1.315	69.08
Sum of Cannabinoids	13.15	1.315	69.08
Serving Weight (g)	5.2525		

Total THC = Δ9-THC + (0.877 * Δ9-THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

Microbiological Screen ✔ Pass

12/20/2023

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/25g	Pass
STEC	3M MDS STEC	Negative/25g	Pass

Pesticide Residue Screen ✔ Pass

12/20/2023

Method: MF-CHEM-13
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.02/0.06	ND	5.0	Pass

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin	0.04/0.10	ND	0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.02/0.06	ND	0.02	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.08	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.02/0.06	ND	0.02	Pass
DDVP (Dichlorvos)	0.02/0.06	ND	0.02	Pass
Diazinon	0.02/0.06	ND	0.2	Pass
Dimethoate	0.02/0.06	ND	0.02	Pass
Dimethomorph	0.02/0.06	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etozazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.02/0.06	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
Hexythiazox	0.02/0.06	ND	2.0	Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.02/0.06	ND	5.0	Pass
Metalaxyl	0.02/0.06	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.02/0.06	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.02/0.06	ND	0.5	Pass
Oxamyl	0.02/0.06	ND	0.2	Pass
Paclobutrazol	0.02/0.06	ND	0.02	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.02/0.06	ND	0.02	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.02/0.06	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.02/0.06	ND	13.0	Pass
Spiroxamine	0.02/0.06	ND	0.02	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.02/0.06	ND	0.02	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

Residual Solvent Screen ✔ Pass

12/20/2023

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.2/0.5	ND	1	Pass
Acetone	67/200	ND	5000	Pass
Acetonitrile	67/200	ND	410	Pass
Benzene	0.2/0.5	ND	1	Pass
n-Butane	67/200	ND	5000	Pass
Chloroform	0.2/0.5	ND	1	Pass
Ethanol	67/200	ND	5000	Pass
Ethyl acetate	67/200	ND	5000	Pass
Ethyl ether	67/200	ND	5000	Pass
Ethylene oxide	0.2/0.5	ND	1	Pass
n-Heptane	67/200	ND	5000	Pass
n-Hexane	67/200	ND	290	Pass
Isopropyl alcohol	67/200	ND	5000	Pass
Methanol	67/200	ND	3000	Pass
Methylene chloride	0.2/0.5	ND	1	Pass
n-Pentane	67/200	ND	5000	Pass
Propane	67/200	ND	5000	Pass
Toluene	67/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	67/200	ND	2170	Pass
Trichloroethylene	0.2/0.5	ND	1	Pass

Heavy Metal Screen ✔ Pass

12/20/2023

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Mycotoxin Screen

12/20/2023

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (ppb)	Findings (ppb)	Limit (ppb)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/20	ND	20	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

Reported by




 Vu Lam
 Lab Co Director


Scan to verify