



Report Number: 21-014966/D004.R000

Report Date: 12/28/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/22/21 13:16

Customer: Lifted Made

Product identity: Domes 3 flavors D9 Lemon

Client/Metrc ID:

Laboratory ID: 21-014966-0001

Summary

Potency:							
Analyte per 3.75g	Result	Limits	Units	Status	THC-Total per 3.75g		
$\Delta 8$ -THC per 3.75g †	0.383		mg/3.75g				
Δ9-THC per 3.75g	8.78		mg/3.75g		CBD-Total per 3.75g		
					(Reported in milligr	ams per serving)	





Customer: Lifted Made

43360 N US HWY 41 Unit H

Zion Illinois 60099

United States of America (USA)

Product identity: Domes 3 flavors D9 Lemon

Client/Metrc ID:

Sample Date:

Laboratory ID: 21-014966-0001

Evidence of Cooling: Temp: 15.9 °C Relinquished by: Fedex Serving Size #1: 3.75 g

Report Number: 21-014966/D004.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Sample Results

Potency per 3.75g	Method J AOA	AC 2015 V98-6 (mod) Units mg/se Batc	:h: 2111469	Analyze: 12/28/21 1:17:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBC-A per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBC-Total per 3.75g [†]	< LOQ	mg/3.75g	0.227	
CBD per 3.75g	< LOQ	mg/3.75g	0.121	
CBD-A per 3.75g	< LOQ	mg/3.75g	0.121	
CBD-Total per 3.75g	< LOQ	mg/3.75g	0.227	
CBDV per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBDV-A per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBDV-Total per 3.75g [†]	< LOQ	mg/3.75g	0.226	
CBE per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBG per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBG-A per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBG-Total per 3.75g [†]	< LOQ	mg/3.75g	0.226	
CBL per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBL-A per 3.75g [†]	< LOQ	mg/3.75g	0.121	
CBL-Total per 3.75g [†]	< LOQ	mg/3.75g	0.227	
CBN per 3.75g	< LOQ	mg/3.75g	0.121	
CBT per 3.75g [†]	< LOQ	mg/3.75g	0.121	
$\Delta 8\text{-THCV per }3.75g^\dagger$	< LOQ	mg/3.75g	0.121	
$\Delta 8\text{-THC per }3.75 g^{\dagger}$	0.383	mg/3.75g	0.121	
$\Delta 9$ -THC per 3.75g	8.78	mg/3.75g	0.121	
exo-THC per 3.75g [†]	< LOQ	mg/3.75g	0.121	
THC-A per 3.75g	< LOQ	mg/3.75g	0.121	
THC-Total per 3.75g	8.78	mg/3.75g	0.227	
THCV per 3.75g [†]	< LOQ	mg/3.75g	0.121	
THCV-A per 3.75g [†]	< LOQ	mg/3.75g	0.121	
THCV-Total per 3.75g [†]	< LOQ	mg/3.75g	0.227	
Total Cannabinoids per 3.75g	9.16	mg/3.75g		





Report Number: 21-014966/D004.R000

Report Date: 12/28/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/22/21 13:16

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/3.75g = Milligram per 3.75g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-014966/D004.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

12/22/21 13:16 Received:

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Laboi	atory (Quality Co	ntrol Results		
J AOAC 2015 V98-6 Batch ID: 2111469							
Laboratory Control Sample							
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.0103	0.01	%	103	85.0 - 1	15 Acceptable	
CBDV	0.0107	0.01	%	107	85.0 - 1	15 Acceptable	
CBE	0.0106	0.01	%	106	85.0 - 1	15 Acceptable	
CBDA	0.0106	0.01	%	106	85.0 - 1	15 Acceptable	
CBGA	0.0103	0.01	%	103	85.0 - 1	15 Acceptable	
CBG	0.0104	0.01	%	104	85.0 - 1	15 Acceptable	
CBD	0.0104	0.01	%	104	85.0 - 1	15 Acceptable	
THCV	0.0103	0.01	%	103	85.0 - 1	15 Acceptable	
d8THCV	0.0101	0.01	%	101	85.0 - 1	15 Acceptable	
THCVA	0.00981	0.01	%	98.1	85.0 - 1	15 Acceptable	
CBN	0.0102	0.01	%	102	85.0 - 1	15 Acceptable	
exo-THC	0.00885	0.01	%	88.5	85.0 - 1	15 Acceptable	
d9THC	0.00959	0.01	%	95.9	85.0 - 1	15 Acceptable	
d8THC	0.00887	0.01	%	88.7	85.0 - 1	15 Acceptable	
CBL	0.00882	0.01	%	88.2	85.0 - 1	15 Acceptable	
CBC	0.00897	0.01	%	89.7	85.0 - 1	15 Acceptable	
THCA	0.00982	0.01	%	98.2	85.0 - 1	15 Acceptable	
CBCA	0.00955	0.01	%	95.5	85.0 - 1	15 Acceptable	
CBLA	0.00891	0.01	%	89.1	85.0 - 1	15 Acceptable	
CBT	0.00689	0.01	%	68.9	85.0 - 1	15 Acceptable	Q6

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBE	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBGA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBG	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBD	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBN	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
exo-THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d9THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBL	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBLA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBT	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

% - Percent





Report Number: 21-014966/D004.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2111469								
Sample Duplic			Sample ID: 21-014955-0001					
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	0.0187	0.0185	0.003	%	1.28	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBD	0.0789	0.0782	0.003	%	0.812	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

 ${\rm Q6}$ - ${\rm \,Quality}$ control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

% - Percent





21-014966/D004.R000 **Report Number:**

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.