



**Report Number:** 21-014966/D003.R000 **Report Date:** 12/28/2021 **ORELAP#:** OR100028 **Purchase Order:** 12/22/21 13:16 **Received:** 

Customer:	Lifted Made
Product identity:	Domes D9 Sour Blueberry
Client/Metrc ID:	
Laboratory ID:	21-014966-0002

\_ \_ \_ \_

Summary

Analyte per 3.75g	Result	Limits	Units	Status	THC-Total per 3.75g	9.75 mg/3.75g
$\Delta 8$ -THC per 3.75g <sup>+</sup>	0.499		mg/3.75g			
∆9-THC per 3.75g	9.75		mg/3.75g		CBD-Total per 3.75g	<loq< td=""></loq<>
					(Reported in milligr	ams per serving)

 www.columbialaboratories.com
 Page 1 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





**Report Number:** 21-014966/D003.R000 **Report Date:** 12/28/2021 **ORELAP#:** OR100028 **Purchase Order:** 12/22/21 13:16 **Received:** 

Customer:	Lifted Made 43360 N US HWY 41 Unit H Zion Illinois 60099 United States of America (USA)
Product identity:	Domes D9 Sour Blueberry
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	21-014966-0002
Evidence of Cooling:	No
Temp:	15.9 °C
Relinquished by:	Fedex
Serving Size #1:	3.75 g

# **Sample Results**

Potency per 3.75g	Method J AOA	AC 2015 V98-6 (mod) <b>Units</b> mg/se <b>B</b> a	tch: 2111469	Analyze: 12/28/21 1:25:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBC-A per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBC-Total per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.222	
CBD per 3.75g	< LOQ	mg/3.75g	0.118	
CBD-A per 3.75g	< LOQ	mg/3.75g	0.118	
CBD-Total per 3.75g	< LOQ	mg/3.75g	0.222	
CBDV per 3.75g <sup>+</sup>	< LOQ	mg/3.75g	0.118	
CBDV-A per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBDV-Total per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.221	
CBE per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBG per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBG-A per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBG-Total per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.221	
CBL per 3.75g <sup>+</sup>	< LOQ	mg/3.75g	0.118	
CBL-A per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
CBL-Total per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.222	
CBN per 3.75g	< LOQ	mg/3.75g	0.118	
CBT per 3.75g <sup>†</sup>	< LOQ	mg/3.75g	0.118	
$\Delta 8$ -THCV per 3.75g <sup>+</sup>	< LOQ	mg/3.75g	0.118	
$\Delta 8$ -THC per 3.75g <sup>+</sup>	0.499	mg/3.75g	0.118	
∆9-THC per 3.75g	9.75	mg/3.75g	0.118	
exo-THC per 3.75g⁺	< LOQ	mg/3.75g	0.118	
THC-A per 3.75g	< LOQ	mg/3.75g	0.118	
THC-Total per 3.75g	9.75	mg/3.75g	0.222	
THCV per 3.75g⁺	< LOQ	mg/3.75g	0.118	
THCV-A per 3.75g <sup>↑</sup>	< LOQ	mg/3.75g	0.118	
THCV-Total per 3.75g <sup>↑</sup>	< LOQ	mg/3.75g	0.222	
Total Cannabinoids per 3.75g	10.2	mg/3.75g		

 Www.columbialaboratories.com
 Page 2 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





**Report Number:** 21-014966/D003.R000 **Report Date:** 12/28/2021 **ORELAP#:** OR100028 Purchase Order: Received: 12/22/21 13:16

These test results are representative of the individual sample selected and submitted by the client.

# Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>†</sup> = Analyte not NELAP accredited.

## Units of Measure

g = Gram mg/3.75g = Milligram per 3.75g % = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 3 of 9

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number:	21-014966/D003.R000
Report Date:	12/28/2021
ORELAP#:	OR100028
Purchase Order:	

**Received:** 

12/22/21 13:16

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory	Quality Co	ontrol Re	esults		
JAOAC2015 V986 Batch ID: 2111469								
Laboratory Cont	rol Sample							
Analyte	Result	Spike	Units	% Rec	Lir	nits	Evaluation	Notes
CBDVA	0.0103	0.01	%	103	85.0	- 115	Acceptable	
CBDV	0.0107	0.01	%	107	85.0	- 115	Acceptable	
CBE	0.0106	0.01	%	106	85.0	- 115	Acceptable	
CBDA	0.0106	0.01	%	106	85.0	- 115	Acceptable	
CBGA	0.0103	0.01	%	103	85.0	- 115	Acceptable	
CBG	0.0104	0.01	%	104	85.0	- 115	Acceptable	
CBD	0.0104	0.01	%	104	85.0	- 115	Acceptable	
THCV	0.0103	0.01	%	103	85.0	- 115	Acceptable	
d8THCV	0.0101	0.01	%	101	85.0	- 115	Acceptable	
THCVA	0.00981	0.01	%	98.1	85.0	- 115	Acceptable	
CBN	0.0102	0.01	%	102	85.0	- 115	Acceptable	
exo-THC	0.00885	0.01	%	88.5	85.0	- 115	Acceptable	
d9THC	0.00959	0.01	%	95.9	85.0	- 115	Acceptable	
d8THC	0.00887	0.01	%	88.7	85.0	- 115	Acceptable	
CBL	0.00882	0.01	%	88.2	85.0	- 115	Acceptable	
CBC	0.00897	0.01	%	89.7	85.0	- 115	Acceptable	
THCA	0.00982	0.01	%	98.2	85.0	- 115	Acceptable	
CBCA	0.00955	0.01	%	95.5	85.0	- 115	Acceptable	
CBLA	0.00891	0.01	%	89.1	85.0	- 115	Acceptable	
CBT	0.00689	0.01	%	68.9	85.0	- 115	Acceptable	Q6

### Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDV	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBE	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBGA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBG	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBD	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCV	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THCV	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCVA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBN	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
exo-THC	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d9THC	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THC	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBL	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBC	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBCA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBLA	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBT	<loq< td=""><td>0.0006</td><td>%</td><td>&lt; 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	

#### Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data aceptable based on remaining QC.

Units of Measure:

%- Percent

Page 7 of 9 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Tester exception without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-014966/D003.R000			
Report Date:	12/28/2021			
ORELAP#:	OR100028			
Purchase Order:				
Received:	12/22/21 13:16			

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labor	atory (	Quality Co	ntrol Results			
JAOAC2015 V986 Batch ID: 2111469									
Sample Duplica	ate		Sample ID: 21-014955-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDA	0.0187	0.0185	0.003	%	1.28	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBD	0.0789	0.0782	0.003	%	0.812	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		

#### Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Q6 - Quality control outside QC limits. Data aceptable based on remaining QC. Units of Measure:

%- Percent

Page 8 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made. Test results are uncertained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





**Report Number:** 21-014966/D003.R000 **Report Date:** 12/28/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/22/21 13:16

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430