



Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Customer: Lifted Made

Product identity: Domes D9 dragonfruit coconut

Client/Metrc ID:

Laboratory ID: 21-014966-0003

Summary

Potency:

Analyte per 3.75g Δ8-THC per 3.75g [†]	Result 0.491	Limits	Units mg/3.75g mg/3.75g	Status	THC-Total per 3.75g	11.0 mg/3.75g
Δ9-THC per 3.75g	11.0				CBD-Total per 3.75g	<loq< td=""></loq<>
		(Reported in milligrams per serving)				





Customer: Lifted Made

43360 N US HWY 41 Unit H

Zion Illinois 60099

United States of America (USA)

Product identity: Domes D9 dragonfruit coconut

Client/Metrc ID:

Sample Date:

Laboratory ID: 21-014966-0003

Evidence of Cooling: Temp: 15.9 °C Fedex Relinquished by: Serving Size #1: 3.75 g

Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Sample Results

Potency per 3.75g	Method J AOA	.C 2015 V98-6 (mod) Units mg/se Bat	ch: 2111469	Analyze: 12/28/21 1:34:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBC-A per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBC-Total per 3.75g [†]	< LOQ	mg/3.75g	0.224	
CBD per 3.75g	< LOQ	mg/3.75g	0.120	
CBD-A per 3.75g	< LOQ	mg/3.75g	0.120	
CBD-Total per 3.75g	< LOQ	mg/3.75g	0.224	
CBDV per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBDV-A per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBDV-Total per 3.75g [†]	< LOQ	mg/3.75g	0.223	
CBE per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBG per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBG-A per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBG-Total per 3.75g [†]	< LOQ	mg/3.75g	0.223	
CBL per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBL-A per 3.75g [†]	< LOQ	mg/3.75g	0.120	
CBL-Total per 3.75g [†]	< LOQ	mg/3.75g	0.224	
CBN per 3.75g	< LOQ	mg/3.75g	0.120	
CBT per 3.75g [†]	< LOQ	mg/3.75g	0.120	
$\Delta 8 ext{-THCV per }3.75g^{\dagger}$	< LOQ	mg/3.75g	0.120	
$\Delta 8$ -THC per 3.75g †	0.491	mg/3.75g	0.120	
Δ9-THC per 3.75g	11.0	mg/3.75g	0.120	
exo-THC per 3.75g [†]	< LOQ	mg/3.75g	0.120	
THC-A per 3.75g	< LOQ	mg/3.75g	0.120	
THC-Total per 3.75g	11.0	mg/3.75g	0.224	
THCV per 3.75g [†]	< LOQ	mg/3.75g	0.120	
THCV-A per 3.75g [†]	< LOQ	mg/3.75g	0.120	
THCV-Total per 3.75g [†]	< LOQ	mg/3.75g	0.225	
Total Cannabinoids per 3.75g	11.4	mg/3.75g		





Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/22/21 13:16

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/3.75g = Milligram per 3.75g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

12/22/21 13:16 Received:

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory (Quality Co	ntrol F	esults		
JAOAC2015 V98-6 Batch ID: 2111469								
Laboratory Contr	ol Sample							
Analyte	Result	Spike	Units	% Rec	L	imits.	Evaluation	Notes
CBDVA	0.0103	0.01	%	103	85.0	- 115	Acceptable	
CBDV	0.0107	0.01	%	107	85.0	- 115	Acceptable	
CBE	0.0106	0.01	%	106	85.0	- 115	Acceptable	
CBDA	0.0106	0.01	%	106	85.0	- 115	Acceptable	
CBGA	0.0103	0.01	%	103	85.0	- 115	Acceptable	
CBG	0.0104	0.01	%	104	85.0	- 115	Acceptable	
CBD	0.0104	0.01	%	104	85.0	- 115	Acceptable	
THCV	0.0103	0.01	%	103	85.0	- 115	Acceptable	
d8THCV	0.0101	0.01	%	101	85.0	- 115	Acceptable	
THCVA	0.00981	0.01	%	98.1	85.0	- 115	Acceptable	
CBN	0.0102	0.01	%	102	85.0	- 115	Acceptable	
exo-THC	0.00885	0.01	%	88.5	85.0	- 115	Acceptable	
d9THC	0.00959	0.01	%	95.9	85.0	- 115	Acceptable	
d8THC	0.00887	0.01	%	88.7	85.0	- 115	Acceptable	
CBL	0.00882	0.01	%	88.2	85.0	- 115	Acceptable	
CBC	0.00897	0.01	%	89.7	85.0	- 115	Acceptable	
THCA	0.00982	0.01	%	98.2	85.0	- 115	Acceptable	
CBCA	0.00955	0.01	%	95.5	85.0	- 115	Acceptable	
CBLA	0.00891	0.01	%	89.1	85.0	- 115	Acceptable	
CBT	0.00689	0.01	%	68.9	85.0	- 115	Acceptable	Q6

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBE	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBDA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBGA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBG	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBD	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THCV	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCVA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBN	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
exo-THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d9THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
d8THC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBL	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBC	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
THCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBCA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBLA	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	
CBT	<loq< td=""><td>0.0006</td><td>%</td><td>< 0.0006</td><td>Acceptable</td><td></td></loq<>	0.0006	%	< 0.0006	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q6 - Quality control outside QC limits. Data aceptable based on remaining QC.

Units of Measure:

%- Percent





Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 12/22/21 13:16

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

JAOAC2015 V	986		Batch ID: 2111469					
Sample Duplica	ite				Samp	ile ID: 21-014955-0001		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	0.0187	0.0185	0.003	%	1.28	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBD	0.0789	0.0782	0.003	%	0.812	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD -Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Q6 - Quality control outside QC limits. Data aceptable based on remaining QC.

Units of Measure:

%- Percent





Report Number: 21-014966/D002.R000

Report Date: 12/28/2021 ORELAP#: OR100028

Purchase Order:

Received: 12/22/21 13:16

Explanation of QC Flag Comments:

Code	Explanation				
Q	Matrix interferences affecting spike or surrogate recoveries.				
Q1	Quality control result biased high. Only non-detect samples reported.				
Q2	Quality control outside QC limits. Data considered estimate.				
Q3	Sample concentration greater than four times the amount spiked.				
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.				
Q5	Spike results above calibration curve.				
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.				
R	Relative percent difference (RPD) outside control limit.				
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.				
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.				
LOQ1	Quantitation level raised due to low sample volume and/or dilution.				
LOQ2	Quantitaion level raised due to matrix interference.				
В	Analyte detected in method blank, but not in associated samples.				
B1	The sample concentration is greater than 5 times the blank concentration.				
B2	The sample concentration is less than 5 times the blank concentration.				