CANNABIS & HEMP BEYOND COMPLIANCE 721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com

Delta 8 Grape Shot Sample Matrix: CBD/HEMP Beverages/Liquid/Water (Ingestion)



Certificate of Analysis

CBD LIVING WATER 705 E HARRISON ST, SUITE 100 CORONA, CA 92879	Batch # 2022 Batch Date: 2022-02-04	Test Reg State: Oregon	
Drder # CBD220204-040001 Drder Date: 2022-02-04 Sample # AACL220	Sampling Date: 2022-02-07 Lab Batch Date: 2022-02-07 Completion Date: 2022-02-11	Volume: 60 ml	
WE ID MALE	Potency Tested		

Tested (LCUV)



License No. 800025015 FL License # CMTL-0003 CLIA No. 10D1094068

Delta 8/Delta 10 Potencv 12

I Otency 12			
Specimen Weight: 47000.000 mg			
Analyte	LOD (%)	LOQ (%)	Result (µg/ml)
CBC	0.000018	0.001	
THCV	0.000007	0.001	
CBD	0.000054	0.001	
THCA-A	0.000032	0.001	
Delta-9 THC	0.000013	0.001	
Delta-8 THC	0.000026	0.001	717.700
Delta-10 THC	0.000003	0.001	
CBN	0.000014	0.001	
CBGA	0.00008	0.001	
CBG	0.000248	0.001	
CBDV	0.000065	0.001	

0.00001

0.001

Potency Summary		
Total Delta 8	Total Delta 10	
43.062mg	ND	
Total THC	Total CBD	
ND	ND	
Total CBG	Total CBN	
ND	ND	
Other Cannabinoids	Total Cannabinoids	
ND	43.062mg	

(77 an Lab Toxicologist Xueli Gao

Lab Director/Principal Scientist Aixia Sun D.H.Sc., M.Sc., B.Sc., MT (AAB)

Ph.D., DABT

CBDA



Definitions and Abbreviations used in this report: *Total CBD = CBD + (CBD-A * 0.877), *Total CBD = CBD + (CBDVA * 0.877), *Total CBD = CBD + (CBDVA * 0.877), *Total THC = THCV + (THCVA * 0.87), *CBG Total = (CBGA * 0.877) + CBG, *CBN Total = (CBDVA * 0.877) + CBN, *Total CBC = CBC + (CBCA * 0.877), *Total THC - 0-Acetate = Delta 8 THC - 0-Acetate + Delta 9 THC. •CAcetate = CBC + (CBCA * 0.877) + CBG, *CBN Total = (CBNA * 0.877) + CBN, *Total CBC = CBC + (CBCA * 0.877), *Total THC - 0-Acetate = Delta 8 THC - 0-Acetate + Delta 9 THC - 0-Acetate = Delta 8 THC - 0-Acetate + CBC + ACETA + CBC + Total CBC + CBL + Total CBC + Total CBC + Total CBC + CBL + Total CBC + Total CBC + Total CBC + CBL + Total THC + Total CBC + CBL + Total CBC + CBL + C

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Accredited by a third-party accrediting body as a competent testing laboratory pursuant to ISO/IEC 17025 of the International Organization for Standardization.