

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RK0595249

Certificate of Analysis

Nov 19, 2021 | Alternative Health Distribution

Mooresville, , 28012, US

PRODUCT IMAGE SAFETY RESULTS











NOT TESTED NO





Solvents



NOT TESTED





Kaycha Labs

THCO Gummy

Matrix: Edible

Sample: KN11117011-003

Sample Size Received: 3 gram Total Weight/Volume: N/A Retail Product Size: 3 gram

Completed: 11/19/21 Expires: 11/19/22 Sampling Method: SOP Client Method

Harvest/Lot ID: 111621

Ordered: 11/16/21 **sampled**: 11/16/21

PASSED

Page 1 of 1

Batch#: 01 Seed to Sale# N/A Batch Date: 11/16/21



NOT TESTED

CANNABINOID RESULTS



Total THC 0.000%



Total d8-THCO 0.254%



Total Cannabinoids 0.284%

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	EXO-THC	D9-THC	D8-THC	D10-THC	СВС	THCA	D8-THCO	D9-THCO
%	ND	<0.01	0.017	ND	ND	ND	0.254	0.013							
mg/g	ND	<0.1	0.17	ND	ND	ND	2.54	0.13							
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Extraction date : Extracted By :

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



11/19/21

Signature

Signed On