



SETUP INSTRUCTIONS

STYLE 2-2 (TWO SIDE AND ONE MIDDLE SWAG BACKDROP)







Backdrop size: 8'Wx8'H

Step 1		Base plates placement Place the base plates in the desired location at the width of the backdrop. You can use 8' crossbar to measure the width from pin to pin. *If you are making the backdrop on hardwood, laminate or other floor which may get damaged, we suggest using a plate size cardboard underneath the plates.
Step 2		Erecting uprights Check the base plate pin, it should not be wobbly. If needed, turn the pin in the clockwise direction to tighten. Now slide the upright lower section on to the pin.
Step 3		Additional Crossbar hanger Attach an "3" additional crossbar hanger "to the back slot of each upright.



SETUP INSTRUCTIONS





STYLE 2-2 (TWO SIDE AND ONE MIDDLE SWAG BACKDROP)

Step 4		<p>Preparing 1st layer Take an adjustable crossbar and extend it to 8' width. (check our hardware instructions if you need help in operating cross bar) Slide 4 to 6 drape panels depending on the type on to the cross bar. Here we are using 6 Champagne lycra drape panels.</p>
Step 5		<p>Hanging 1st layer cross bar Hang the crossbar on the additional crossbar hanger attached to the uprights. *It is recommended to take the help of another person here to hold the other end of the cross bar.</p>
Step 6		<p>Distributing Drapes on 1st layer crossbar Distribute all drape panels evenly on entire width of the cross bar.</p>
Step 7		<p>Preparing 2nd layer</p> <ol style="list-style-type: none">i. Take another adjustable crossbar and extend it to the same width as the first one.ii. Slide even number of drape panels onto the cross bar. Here we are using 4 – 12' long ivory sheer voile drapes



SETUP INSTRUCTIONS

STYLE 2-2 (TWO SIDE AND ONE MIDDLE SWAG BACKDROP)

Step 8		<p>Hang the 2nd crossbar Hang the second crossbar on upright slots. *It is recommended to take the help of another person here to hold the other end of the crossbar.</p>
Step 9		<p>Distributing Drape panels on 2nd layer cross bar</p> <ol style="list-style-type: none">Distribute 4 Ivory sheer voile drape panels evenly on 8' widthLock 1st drape panel's far end from each upright as shown with Velcro strap provided.At both ends of the cross bars, slide the pocket of sheer voile on to the uprights to cover them.
Step 10		<p>Raising the backdrop Raise the backdrop to the desired height by raising the upright in small sections. *Do not raise over 12' (check our hardware instructions if you need help in operating upright)</p>
Step 11		<p>Aligning and making swags</p> <ol style="list-style-type: none">Decide the tying point on the uprights.Gather first drape panel and tie it loosely to the tying point with Velcro strap.Repeat step ii for second upright.Stand right in the middle of the backdrop and gather the remaining 2 drapes at the same height as tying points on the uprights. Tie these 2 drapes with Velcro strap.Adjust the swag folds as needed.



SETUP INSTRUCTIONS

STYLE 2-2 (TWO SIDE AND ONE MIDDLE SWAG BACKDROP)

Step 12



Finishing touches

- i. Align and arrange first layer drapes nicely. Extra length at the bottom can be folded back of the backdrop.
- ii. Arrange 2nd layer drape under tying points as shown.

Optional:

Hang the chandelier in the middle or add flower bouquet on the tying points or add any other accessories you may like.

Enjoy your backdrop.