

STYLE 2-4 (MULTI SWAGS BACKDROP)



Backdrop size: 8'Wx8'H

Step 1	Backdrop Width 8'	Base plates placement Place the base plates in the desired location at the width of the backdrop. You can use 8' crossbar to measure the width from pin to pin. *If you are making the backdrop on hardwood, laminate or other floor which may get damaged, we suggest using a plate size cardboard underneath the plates.
Step 2		Erecting uprights Check the base plate pin, it should not be wobbly. If needed, turn the pin in the clockwise direction to tighten. Now slide the upright lower section on to the pin.
Step 3		Additional Crossbar hanger Attach an "3" additional crossbar hanger "to the back slot of each upright.

NOV 18, 2019



STYLE 2-4 (MULTI SWAGS BACKDROP)

Step 4



Preparing 1st layer

Take an adjustable cross bar and extend it to 8' width. (check our hardware instructions if you need help in operating cross bar)

Slide 4 to 6 drape panels depending on the type on to the cross bar. Here we are using 6 Champagne lycra drape panels.

Step 5



Hanging 1st layer cross bar

Hang the crossbar on the additional crossbar hanger attached to the uprights. It is recommended to take the help of another person here to hold the other end of the cross bar.

Step 6



Distributing Drapes on 1st layer crossbar

Distribute all drape panels evenly on entire width of the cross bar.

Step 7



Preparing 2nd layer

- i. Take another adjustable crossbar and extend it to the same width as the first one.
- ii. Slide even number of drape panels onto the cross bar. Here we are using $4-12^{\prime}$ long ivory sheer voile drapes

NOV 18, 2019 2



STYLE 2-4 (MULTI SWAGS BACKDROP)

Step 8




Hang the 2nd crossbar

Hang the second cross bar on upright slots.

*It is recommended to take the help of another person here to hold the other end of the crossbar.

Step 9



Distributing Drape panels on 2nd layer crossbar

- i. Distribute 4 Ivory sheer voile drape panels evenly on 8' width
- ii. Lock both ends of each drape panel with the Velcro strap provided

*In this example we are using single drape panel to make one swag, sometimes you may have more than 1 drape for making one swag, in that case lock 2 ends of the swag on the crossbar.

Step 10



Raising the backdrop

Raise the backdrop to the desired height by raising the upright in small sections.

*Do not raise over 12'

(check our hardware instructions if you need help in operating upright)

Step 11





Aligning and making swags

Decide the height where you would like the swag knots to be.

- Hold the first drape and gather to a point exactly at the middle of the swag width and height you decided.
- ii. Tie the gathered drape with the Velcro strap provided.
- iii. Repeat step i to ii for other 3 drapes.Make sure all the knots fall on the same height.

NOV 18, 2019 3



STYLE 2-4 (MULTI SWAGS BACKDROP)

Step 12







Finishing touches

- Align and arrange first layer drapes nicely.
 Extra length at the bottom can be folded back of the backdrop.
- ii. Arrange 2nd layer drape under the knots as shown.
- iii. Take one additional drape, gather one end and tie it with a Velcro strap. Hang this drape with tied end on the top of the upright to cover it. Repeat the same for other upright.

Optional:

Add flower bouquet or Tassel on the knots.

Enjoy your backdrop.

NOV 18, 2019 4