

KFM 18 LTX 3 RF (601754750) Cordless beveling tool 18V 2x5.5Ah LiHD; Charger ASC 30-36 V; MetaLoc

Order no. 601754750 EAN 4007430293459



Representative picture



- Most powerful cordless metal bevelling tool for 45° chamfers up to 4 mm and radii of 2 and 3 mm
- Surfaces free from oxide and burrs as ideal preparation for the application of powder or paint coatings for maximum protection from corrosion
- One-touch controller: Patented, tool-free setting of the cutting depth in 0.1 steps; stop points for short setting times, and protection against unintentional adjustment of the cutting depth when working
- Slim cutter head for working on tubes, on drilled holes from Ø 13 mm, and on exterior contours
- Parallel stop for a uniform finish when processing straight edges
- Battery pack can be swiveled for better working in hard to reach places.
- Overload protection: protects the motor from overheating
- Electronic soft start for smooth start-up
- Restart protection: prevents unintentional start-up after battery replacement
- Detachable dust filter protects motor from coarse particles
- LiHD Battery Pack for ultimate power, extremely long run time and service life
- Ultra-M Technology: highest power, gentle charging, and 3 year warranty on the battery pack

www.metabo.com 1/2



Technical values	
Parameters	
Type of battery pack	LiHD
Battery capacity	2 x 5.5 Ah
Battery voltage	18 V
No-load speed	7000 RPM
Type of edges	chamfer and radius
Max. chamfer width 45°	1/4 "
Max. chamfer height at 45°	5/32 "
Possible radii	R2 / R3
Grade cutting depth setting	0.00394 "
Curvature smallest internal Ø	13 mm
Weight (including battery pack)	6.8 lbs
Noise emission	
Sound pressure level	84 dB(A)
Sound power level (LwA)	95 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

2 Carbide indexable inserts 45° chamfer

MetaLoc case

2 Carbide indexable inserts radius R2

2 Carbide indexable inserts radius R3

Guide Stop

Screwdriver Torx 15

Bow type handle

Dust Protection Filter

2 LiHD Battery Packs (18 V/5.5 Ah)

Charger ASC 30-36 V "AIR COOLED"

www.metabo.com 2/2