

WELDING GLOVES

Designed by The Welding Experts





Traditional Stick / MIG Welding Gloves K2979-ALL



Heavy Duty Stick / MIG Welding Gloves K4082-M / -L / -XL

TIG



Leather TIG Welding Gloves K2981-M / -L / -XL



Premium TIG Welding Gloves K2983-M / -L / -XL

MIG







GENERAL PURPOSE



Welders Drivers Gloves K3770-M / -L / -XL / -2XL



Premium Leather SteelWorker™ Gloves K2977-S/ -M / -L / -XL / -2XL

SPECIAL PURPOSE



ROLL CAGE® Rigging / Welding Gloves K3109-S / -M / -L / -XL / -2XL



Heat-Resistant Welding Gloves K2982-L / -XL

WOMEN'S




Jessi Combs Stick / MIG Welding Gloves K3232-S / -M




Jessi Combs SteelWorker Gloves K3231-XS / -S / -M

Selecting Welding Gloves

It's as easy as . . .









WELDING GLOVE SELECTION EXAMPLES

Hank, a welder from Kentucky, primarily stick welds at 150 - 200 amps and values heat resistance and durability.

Product Recommendation:

Heavy Duty Stick/MIG Welding Gloves (K4082-Size)

Paul, a welder from Wisconsin, primarily MIG welds at 250 amps and values dexterity, comfort and price.

Product Recommendation:

DynaMIG MIG Welding Gloves (K3805-Size)

Traditional Stick / MIG **Welding Gloves**



TOP FEATURES



All Leather Construction

Designed for various applications, the complete leather outside construction protects the hands and wrist from spatter, flames and sparks while also providing heat resistance.



Reinforced Seams

Each seam of the glove is reinforced with a piece of leather, called a welt, to prevent tears and increase durability.



Comfortable & Heat **Resistant Liners**

The cotton hand liner provides heat resistance and comfort while the cotton twill inside cuff liner absorbs moisture.

Usage Recommendations:

Primary Welding Processes: Stick, Flux-Cored

Secondary Welding Processes: MIG, Pulsed MIG

Amperage Range: 50A - 325A

Heavy Duty Stick / **MIG Welding Gloves**



TOP FEATURES



Heavy Duty Leather Construction

Designed with meticulous leather specifications, this glove is built to provide excellent heat resistance. durability and safety.



Three Layers of Protection

The three layer FlameSoft™ design combines premium leather, flame retardant foam and soft flame retardant cotton. This supremely comfortable design offers excellent heat resistance and unique safety features.



Exceptional Durability

Stitched with 5 ply Kevlar® and reinforced with leather at high wear points and within each seam to increase durability.

Usage

Recommendations:

Primary Welding Processes:

Stick, Flux-Cored

Secondary Welding Processes: MIG, Pulsed MIG

Amperage Range: 50A - 500A











Usage Recommendations:

Primary Welding Processes: TIG, Pulsed TIG

Secondary Welding Processes: Low Amperage MIG

Amperage Range: 1A - 225A

TOP FEATURES



Grain Leather Construction

The form fitting grain goat skin leather provides optimal fit and feel for TIG welding. The split leather cuff provides abrasion for improved durability.



Superior Dexterity

The lightweight leather and unique seam patterns provide high hand flexibility for improved dexterity.



Reinforced Seams

The Kevlar stitched seams provide high tensile strength and the leather reinforced thumb seam fortifies a high wear point.

Leather TIG Welding Gloves



















Usage

Recommendations:

Primary Welding Processes: TIG, Pulsed TIG

Secondary Welding Processes: MIG

Amperage Range: 1A - 300A

TOP FEATURES



Keystone Thumb

The ergonomic keystone thumb design provides optimal fit and enhances flexibility.



Padded Palm

The cushioned palm improves grip and reduces hand fatigue for all day comfort.



Heat Resistance

Top hand cotton liner improves heat resistance without sacrificing dexterity.

Premium TIG Welding Gloves





















DynaMIG Traditional MIG Welding Gloves



TOP FEATURES



Grain & Split Leather The split leather top hand resists heat and abrasion while the grain leather palm

improves dexterity & comfort.



Integrated elastic band near the glove cuff creates a form fit for optimal comfort.



The full hand soft cotton liner improves heat resistance and comfort.

Usage Recommendations:

Primary Welding Processes: MIG, Flux-Cored

Secondary Welding Processes: Stick, TIG

Amperage Range: 1A - 300A

DynaMIG HD Heavy Duty MIG Welding Gloves



TOP FEATURES



Grain & Split Leather The split leather top hand resists heat and abrasion while the grain leather palm improves dexterity & comfort.



The inside top hand features a 3 layer cotton & foam liner while the bottom hand features a 2 layer cotton liner.

Unique Heat Resistant Liner



Moisture Absorbent Cuff The inside cuff is lined with a moisture absorbent twill cotton for all day comfort.

Usage Recommendations:

Primary Welding Processes: MIG, Flux-Cored

Secondary Welding Processes: Stick, TIG

Amperage Range: 50A - 400A











Usage Recommendations:

Primary Welding Processes: MIG, Flux-Cored

Secondary Welding Processes: Stick, TIG

Amperage Range: 50A - 400A

TOP FEATURES



Grain & Split Leather

The multi-leather design balances comfort, dexterity, heat resistance and durability to provide premium performance.



Padded & Leather Reinforced Palm

Leather palm reinforcements improve durability and heat resistance while the cushioned palm helps grip and provides material handling support.



FlameSoft Liner

The three layer liner combines premium leather, flame retardant foam and soft flame retardant cotton. This comfortable design offers great heat resistance and unique safety features.



















Welders Drivers Gloves



TOP FEATURES



10 Inch Length

The glove measures 10 inches in length to improve clearance when used for material handling or with hand tools.



Keystone Thumb

The ergonomic keystone thumb design improves fit and enhances flexibility.



Heat Resistant Liner

The full hand soft cotton liner improves heat resistance and comfort.

Usage Recommendations:

Primary Welding Processes: TIG, Pulsed TIG

Secondary Welding Processes: Low Amperage MIG

Amperage Range: 1A - 225A





TOP FEATURES



Grain Leather Construction

The 100% grain leather provides comfort, dexterity and durability for light welding and a variety of material handling applications.



Padded Palm

The cushioned palm provides a comfortable grip and material handling support.



Elastic & Velcro® Wrist

Comfortable snug wrist fit to prevent sparks, dirt and other particles from entering.

Usage Recommendations:

Primary Welding Processes: TIG, Pulsed TIG

Secondary Welding Processes: Low Amperage MIG

Amperage Range: 1A - 200A













Usage Recommendations:

Specialized Features: Impact Protection,

Cut Resistant

MIG. Flux-Cored

Primary Welding Processes:

Secondary Welding Processes: Stick

Amperage Range: 50A - 400A

TOP FEATURES



Silicone Impact Protection

High temperature silicone reinforcement on the top hand provides improved impact protection that can also withstand moderate ambient heat.



Reinforced Leather Hand

Reinforced grain leather hand for added proection and Kevlar stitched seams to help prevent rips or tears.



Cut Resistant Liner

The internal hand liner is a soft Kevlar knit fabric which can protect against cut hazards while also providing heat resistance.

Roll Cage Welding / **Rigging Gloves**



















Usage Recommendations:

Specialized Features: Aluminum PFR Rayon® top hand

Primary Welding Processes: MIG

Secondary Welding Processes: Flux-Cored

Amperage Range: 200A - 450A

TOP FEATURES



95% Radiant **Heat Reflection**

The top hand is made of an aluminized PFR Rayon® material which reflects 95% of radiant heat to keep your hands cool.



Grain Leather Palm with Padding

The bottom hand is made of grain leather and has an internal padded palm to provide comfort, heat resistance and dexterity.



Multi-Layer Inside Liner

The three layer top hand liner combines PFR Rayon, flame retardant foam and soft flame retardant cotton. This supremely comfortable design offers good heat resistance and unique safety features.

Heat-Resistant Welding Gloves





















Women's Traditional Stick / **MIG Welding Gloves**



TOP FEATURES



Designed for Women Specially designed for female hand sizes to provide a comfortable, snug fit that protects from select welding, cutting and handling hazards.



Designed for various applications, the complete leather outside construction protects the hands and wrist from spatter, flames and sparks while also providing heat resistance.



The cotton hand liner provides heat resistance and comfort while the cotton twill inside cuff liner absorbs moisture.

Resistant Liners

Usage Recommendations:

Primary Welding Processes: Stick, Flux-Cored

Secondary Welding Processes: MIG, Pulsed MIG

Recommended Amperage Range: 50A - 325A













Women's Full Leather **SteelWorker[™] Welding Gloves**



TOP FEATURES



Designed for Women

Specially designed for female hand sizes to provide a comfortable, snug fit that protects from select welding, cutting and handling hazards.



Grain Leather Construction

The high quality grain leather design provides comfort, dexterity and durability for light welding and a variety of material handling applications.



Padded Palm

The cushioned palm improves grip and provides material handling support. The Kevlar stitching adds durability for longer glove life.

Usage Recommendations:

Primary Welding Processes: TIG, Pulsed TIG

Secondary Welding Processes: Low Amperage MIG

Recommended Amperage Range: 1A - 200A









Quick Order Guide

PART #	DESCRIPTION	SIZE
STICK		
K2979-ALL	Traditional MIG / Stick Welding Gloves	All (Large)
K4082-M	Heavy Duty MIG / Stick Welding Gloves	Medium
K4082-L	Heavy Duty MIG / Stick Welding Gloves	Large
K4082-XL	Heavy Duty MIG / Stick Welding Gloves	XL
TIG		
K2981-M	Leather TIG Welding Gloves	Medium
K2981-L	Leather TIG Welding Gloves	Large
K2981-XL	Leather TIG Welding Gloves	XL
K2983-M	Premium Leather TIG Welding Gloves	Medium
K2983-L	Premium Leather TIG Welding Gloves	Large
K2983-XL	Premium Leather TIG Welding Gloves	XL
MIG		
K3805-M	DynaMIG Traditional MIG Gloves	Medium
K3805-L	DynaMIG Traditional MIG Gloves	Large
K3805-XL	DynaMIG Traditional MIG Gloves	XL
K3805-2XL	DynaMIG Traditional MIG Gloves	2XL
K3806-M	DynaMIG HD MIG Gloves	Medium
K3806-L	DynaMIG HD MIG Gloves	Large
K3806-XL	DynaMIG HD MIG Gloves	XL
K3806-2XL	DynaMIG HD MIG Gloves	2XL
K2980-M	Premium Leather MIG / Stick Welding Gloves	Medium
K2980-L	Premium Leather MIG / Stick Welding Gloves	Large
K2980-XL	Premium Leather MIG / Stick Welding Gloves	XL


PART#	DESCRIPTION	SIZE		
GENERAL PURPOSE				
K3770-M	Welders Drivers Gloves	Medium		
K3770-L	Welders Drivers Gloves	Large		
K3770-XL	Welders Drivers Gloves	XL		
K3770-2XL	Welders Drivers Gloves	2XL		
K2977-S	Full Leather SteelWorker Welding Gloves	Small		
K2977-M	Full Leather SteelWorker Welding Gloves	Medium		
K2977-L	Full Leather SteelWorker Welding Gloves	Large		
K2977-XL	Full Leather SteelWorker Welding Gloves	XL		
K2977-2XL	Full Leather SteelWorker Welding Gloves	2XL		
SPECIAL PURPOSE				
K3109-S	Roll Cage Welding / Rigging Gloves	Small		
K3109-M	Roll Cage Welding / Rigging Gloves	Medium		
K3109-L	Roll Cage Welding / Rigging Gloves	Large		
K3109-XL	Roll Cage Welding / Rigging Gloves	XL		
K3109-2XL	Roll Cage Welding / Rigging Gloves	2XL		
K2982-L	Heat-Resistant Welding Gloves	Large		
K2982-XL	Heat-Resistant Welding Gloves	XL		
WOMEN'S				
K3231-XS	Jessi Combs Women's SteelWorker Welding Gloves	XS		
K3231-S	Jessi Combs Women's SteelWorker Welding Gloves	Small		
K3231-M	Jessi Combs Women's SteelWorker Welding Gloves	Medium		
K3232-S	Jessi Combs Women's MIG / Stick Welding Gloves	Small		
K3232-M	Jessi Combs Women's MIG / Stick Welding Gloves	Medium		

Welding Gloves Size Chart

Instructions

 $\cdot\;$ To determine glove size, measure the circumference of your hand just below your knuckles.

Refer to the table to the right to determine your size:



Men's Gloves

GLOVE SIZE	HAND CIRCUMFERENCE - IN (CM)
Small	8 (20)
Medium	8.5 (21.5)
Large	9 (23)
XL	9.5 (24.5)
2XL	10 (25.5)

CUSTOMER ASSISTANCE POLICY
The business of The Lincoln Electric Company' is manufacturing and selling high quality welding equipment, consumables, and cutting equipment. Our challenge is to meet the needs of our customers and to exceed their expectations. On occasion, purchasers may ask Lincoln Electric for information or advice about their use of our products. Our employees respond to inquiries to the best of their ability based on information provided to them by the customers and the knowledge they may have concerning the application. Our employees, however, are not in a position to verify the information provided or to evaluate the engineering requirements for the particular weldment. Accordingly, Lincoln Electric does not warrant or guarantee or assume any liability with respect to such information or advice. Moreover, the provision of such information or advice does not create, expand, or alter any warranty on our products. Any express or implied warranty that might arise from the information or advice, including any implied warranty of merchantability or any warranty of fitness for any customers' particular purpose is specifically disclaimed.
Lincoln Electric is a responsive manufacturer, but the selection and use of specific products sold by Lincoln Electric is solely within the control of, and remains the sole responsibility of the customer. Many variables beyond the control of Lincoln Electric affect the results obtained in applying these types of fabrication methods and service requirements. Subject to Change – This information is accurate to the best of our knowledge at the time of printing. Please refer to www.lincolnelectric.com for any updated information.

 ${}^{\star}\!\text{All}$ trademarks and registered trademarks are the property of their respective owners.

Publication E14.745 | Issue Date 04/19

© Lincoln Global, Inc. All Rights Reserved.

The Lincoln Electric Company 22801 St. Clair Avenue · Cleveland, OH · 44117-1199 · U.S.A.

www.lincolnelectric.com