2013-14 Table of Contents



Linear Counter Balanced Smith

L	
ı	
u	J
н	
L	ì
u	
М	
IN	
1E	
к	J
u	Į
IA	-
ı	ı

Linear Counter Balanced Smith	1
Squat Rack	2
Hyper Extension	3
Adjustable Cable Crossover	4
Pec Dec / Rear Delt Combo	5
Seated Calf	5
Incline Olympic Bench	6
Decline Olympic Bench	6
Flat Olympic Bench	7
Flat Utility Bench	7
Vertical Knee Raise	8
O To 90° Bench	8
Power Rack	9
Shoulder Press	q



Big Bear Bench

BENCHES

Big Bear Bench2
Flat Incline Bench 2
Preacher Curl Bench2
Flat Incline / Decline Bench 2
Flat Roma Bench2



HIGOL Stationary Pro 68

BIKES

Recumbent	.30
Olympia Upright	30
Extended Stride Elliptical Trainer	3
HGOL Stationary 68	.3
HGOL Stationary Pro 34B	.3
HGOL Stationary Pro 68	.3:
Denali Spin Bike	3:



Caribou III

HOME GYMS

Caribou III	10-11
Wolverine	12-13
Power Rach	14



Olympic Plate Tree

PLATE TREE / RACKS

Heavy Duty Plate Rack	34
Olympic Plate Tree	34
Dumbbell Rack	34



Leg & Core Machine

UPPER / LOWER BODY

Leg & Core	15
Husky Hip & Leg Sled	16
HLS-2000	17
Angled Leg Press	18
Vertical Leg Press	19
Chin Dip / Leg Raise	20
Competitor Delt	21
Butt & Thigh Shaper	21
Economy Lat	22
45° Hyper Extension	22
Competitor Lat	23



ACCESSORIES / MISC.

\ccessories	35
1atts	35
)umbbells	35
300 lb. Olympic Set	



Ab Crunch

BACK & ABS

Inversion Table	24
Ab Crunch	24
Total Back System	25
Flat Hyper Extension	25
Back & Ab Machine	26
Angled Back Machine	26



Linear Counter Balanced Smith CBS-150 | 84"H x 84"W x 66"D | Light Commercial

- Light commercial series
- Linear bearings
- Self-spotting
- 11 gauge heavy duty steel tubing
- Sealed ball bearings on weight bar
- Machine weight: 400 lbs.Capacity: 1,000 lbs.

- 12" Commercial grade linear ball-bearing smith
- slides for smooth operation Weight bar counter balanced at 15 lbs.
- Counter weight shielded with smoked plexiglass
- Six olympic weight pegs covered with PVC for easy on/off action and low maintenance & convenient plate storage
- 1000 lb. test knurled olympic weight bar
- Fully adjustable bronzed bushed safety spotters
- 14 different height lock outs







Weights sold separately

NEW Squat Rack COM-SQR | 72"H x 48"W x 55"D | Light Commercial











- Commercial base frame tubing 3" x 2"
- All 1/2" hardware
 PVC coated plate holder storage
 sold separately
- Commercial grade chromed solid steel
- Commercial grade chromed solid steel safety spotters
- 1/4" solid steel reinforcement plates
- 15 adjustment points
- Pre-drilled base can be bolted to floor

Hyper Extension COM-HYP | 53"H x 26"W x 72"D | Light Commercial

- 11-gauge steel
- Commercially rated
- Heavy Duty Split Pad
- Commercial Nylon Covered Foam Rollers
- **New Platinum Finish**
- Extra Large Footprint for Stability 26'W x 72'L
- Extra Large Diamond Tread Footplate
- Large 1/2" Chrome Hardware
- Fully Adjustable to Accommodate Users 4'10" to 6'5"
- 8 Adjustment Points for the User Height Setting
- 5 Adjustment Points for the Leg Hold
- Handles on foot plate for ease of use and in-out convenience
- · Handles on pad to assist with back extensions










Adjustable Cable Crossover COM-300 | 88"H x 166"W x 39"L | Light Commercial



Pec Dec / Rear Delt

PRD-300 | 70"H x 30"W (Arms Folded) 50"W (Arms Extended) x 60"L | Light Commercial



Incline Olympic Bench COM-CIP | 51"H x 48"W x 61"L | Light Commercial



- Four position adjustable seat
- Can be bolted to the floor
- 2" x 3" heavy gauge steel built to last
- Reinforcement plates on all joints
- Machine Weight with spotter stand: 183 lbs.
- Capacity: 800 lbs.

OPTION: Diamond tread spotter stand 12" x 24" (shown with) COM-CSS

*Weights sold separately

Decline Olympic Bench

COM-CDB | 51"H x 48"W x 81"L | Light Commercial



- Multiple racking positions
- Commercial padding
- Handle on leg lock for convenient in-and-out
- Optional spotter stand
- Can be bolted to the floor

*Weights sold separately

Flat Olympic Bench COM-CFB | 51"H x 48"W x 57"L | Light Commercial



- Multiple racking positions
- **Commercial Padding**
- 2' x 3" commercial grade steel
- Can be bolted to the floor
- Machine Weight with spotter stand: 165 lbs.
- Capacity: 800 lbs.

OPTION: Diamond tread spotter stand 12" x 24" (shown with) COM-CSS

*Weights sold separately

Flat Utility Bench COM-CUB | 17-1/2"H x 27"W x 52"L | Light Commercial




- · Great for rack or cage
- Great for dumbbell work
- Back pad is 11"W x 48"L
- Machine Weight: 55 lbs.

*Dumbbells sold separately


Vertical Knee Raise


COM-VKR | 66"H x 29"W x 46"L | Light Commercial



Power Rack

COM-CPR | 91"H x 53"W x 55"L | Light Commercial





Caribou III...

FFATIIDES

- Self-oiling bushings
- Chin-up bar
- Dual bar holders & safety rail spotter arms
- Free low row foot plate
- Free 36" and 18" LAT Bars
- Integrated dip station mount for optional dip station attachment
- FID 141 bench with leg extension leg curl
- 10 1/4" reinforcement plates provide safety & stability
- Uses only olympic plates on smith machine
- Machine Weight: 240 lbs. (rack only)
- Capacity: 800 lbs.

CII-140 Caribou System



- Caribou Rack
- Gym system LAT Attachment
- FID Bench
- 1 Pair 7" Olympic Adapters for Gym System Lat (sold seperately)

CPKG-CCO

Caribou Package + Cable Crossover Attachment

 Same as CPKG but includes Cable Crossover Attachment

PACKAGES

CPR-142 Caribou III Rack



• Rack only: no bench, no LAT

CIII-CPKG Caribou Package



- Caribou Rack
- Gym system LAT Attachment
- FID Bench
- Pec Dec Attachment
- Preacher Curl Attachment
- Dip Station Attachment
- 1 9" Olympic Adapter for Leg Extension (sold seperately)






INCLINED BENCH PRESS



DECLINED BENCH PRESS



PEC DEC



CABLE CROSSOVER



MILITARY PRESS



LAT PULL DOWN




FLAT BENCH PRESS



SQUAT



TRICEP PULLDOWN



LOW ROW



CABLE CURL



PREACHER CURL

Wolverine Multistation Gymwms | 82"H x 80"W x 86"D | Home Gyms



DIMENSIONS

3 station (no seated leg press) with user's legs fully extended on leg curl WMS-200

82"H x 80"W x 110" D

WMS-SLP

4 station with seated leg press & leg curl with users' legs fully extended on both

82"H x 144"W x 110"D

Wolverine...

FEATURES

- Ergonomic pad design
- 200 lb. stack w/keeper for pin
- Leg hold-down for LAT machine
- Removable seat for military station/squat station
- · Large foot plate for low row/standing calf raise
- · Low row pulley swivels for ease of use
- Gym includes long LAT bar, short straight bar, ab crunch harness and single cable handle
- Bench press/pec station includes fully adjustable seat
- Removable squat pads for squat station
- Press handles swivel for wide range of motion
- Squat bar has four adjustments to accommodate different height users
- Machine Weight with 200 lb. stack: 560 lbs.
- Sealed Bearing rollers on seated leg press solid chrome rods

WMS-SLP 4th station -

Seated Leg Press (SLP-154)

- 58"L x 24" W x 34" T
- Weight Capacity of User: 300 lbs.
- Weight Capacity to Press: 500 lbs.

VERTICAL BENCH PRESS

PEC FLYES

CABLE CROSSOVER

LAT PULLDOWN (FRONT)

LAT PULLDOWN (BACK)

LOW ROW

TRICEP PUSHDOWNS

DIPS

VERTICAL KNEE RAISES

MILITARY PRESS

STANDING CURL

REVERSE CURL

TRICEPS EXTENSION TRICEPS KICK BACK

FRONT DELT RAISE

SIDE DELT RAISE

LATERAL DELT RAISE

UPRIGHT ROW

SHOULDER SHRUGS

LEG EXTENSION

STANDING LEG CURL

SQUATS

CALF RAISES

AB CRUNCHES

INNER THIGH KICKS

OUTER THIGH KICKS

...AND MANY MORE!



LAT PULL



LEG EXTENSION



CABLE CURI



AB CRUNCH




DELT



VERTICAL KNEE RAISE





SQUATS



DIP STATION








Seated Leg Press (SLP-154)

^{*}Seated Leg Press sold separately

Power Rack with lat attachment capability

PRK-200 | 82"H x 48"W x 67"D | Home Gyms



 Larger frame produces deeper inside area with 26" of unrestricted space for workouts

- Built-in chrome chin-up bar
- Heavy chrome spotter arms
- 8 1/4" heavy reinforcement plates provide great stability
- Great for squats & calf raises
- Larger interior makes bench movement easier
- 12 gauge 2 x 2 powder coated steel
- Machine Weight: 167 lbs.
- · Capacity: 800 lbs.

OPTIONAL

- Gyms System LAT (pictured) [GSL-144]
- Add a Seated Leg Press (SLP-154)
 see photo on page 13
- Pec Dec Attachment (PEC-175)
- Flat Incline/Decline Bench (FID-141),
 0° to 90° (COM-090) or
- Flat Roma Bench (FRB-124)

 Extra Spotters
- Weight Pegs
- Dip Station (pictured) (DIP-173)
- 7' Olympic Bar (pictured) (SDB-566)
- Cable Crossover Attachment (CCO-177)
- Weight Holders: [COMPLT-STRG]

PRK-127 also available for saving space!




82"H x 48"W x 46"D

*Weights sold separately







BARBELL

THKON



18



12




Leg and Core LAC-300 | 42"H x 46"W x 55"L | Upper / Lower Body

Revolutionary innovation at an affordable price

- Back pad accomodates users of all sizes
- Innovative 30 position cam provides expansive range of motion for proper knee alignment
- Wide assortment of positions for all five different exercises
- Machine Weight: 130 lbs.
- Capacity: 400 lbs.

- Leg Extensions
- 2. Seated Leg Curls
- Lying Leg Curls
- 4. Abdominal Crunch
- 5. Back Extensions














Husky Hip & Leg Sled Hack Squat & Leg Press Machine HLS-160 | 82"H x 68"W x 49"D | Upper / Lower Body

- Leading design using six nylon rollers with sealed bearings
- Easily converts from hack squat to leg press or power thrust
- Features dual heavy triangular frame producing the most stable & strongest machine in the industry
- Ergonomically angled shoulder supports with two position hand grips
- Multi-position stop locks for safety & ease of use
- · Heavy Duty, Solid Steel, Diamond Tread foot plate with 3 Adjustable positions (10"H x 28"W)
- Extra wide, fully adjustable back pad
- Built-in olympic plate storage
- Olympic plates only











HLS-2000 45° Competitor Hip & Leg Sled

HLS-2000 | 68"H x 47"W x 79"D | Upper / Lower Body

Yukon's heavy duty commercial sled

- Sealed ball bearings and four large rollers provide smooth weight carriage operation
- Space saving design (smaller footprint than HLS-160)
- Back pad elongated to provide head support
- Larger triangular frame for ultimate workout
 [2 1/2" x 2 1/2" 11 gauge steel]
- Heavy Duty, Solid Steel, Diamond Tread foot plate with 5 adjustable positions (13"H x 28"W)
- All tubing uses reinforcement plates to assure solid fit
- · Contemporary design
- 10 quarter inch heavy reinforcement plates provide great stability
- 2 1/2" thick pads for added comfort commercial quality
- Two different shoulder pad positions accommodates many users
- Multiple stop spotter arm design provides safety and ease of use
- Machine Weight: 465 lbs.
- Capacity: 1,500 lbs.










7° Angled Leg Press ALP-150 | 65"H x 68"W x 49"L | Upper / Lower Body



Vertical Leg Press VLP-154 | 68"H x 40"W x 43"L | Upper / Lower Body

Perform high intensity leg presses for complete development of quadriceps, glutes, hamstrings and calves.

...




- Large comfortable back support
- Heavy duty pad
- Head rest to reduce neck strain
- Large footplate 10" x 22"
- Narrow design good where space is minimal
- No-slip diamond tread foot plate
- Accepts standard or olympic plates
- Heavy 12 gauge 2" x 2" steel tubing
- · Suitable for any gym
- Machine Weight: 120 lbs.
- · Capacity: 600 lbs.



*Olympic adapters sold separately (OLY-165)

Chin Dip / Leg Raise CDL-153 | 83"H x 48"W x 57"L | Upper / Lower Body



Competitor Delt CDM-197 | 47"H x 46"W x 44"L | Upper / Lower Body



Designed to isolate your deltoid muscle and build a stronger, ripped back and shoulders.


- · Unique design for serious total shoulder & back development
- Independent action delt arms with dual weight pegs
- Built-in swivel handles for better range of motion
- Fully bushed at all pivot points
- Shoulder press has four different hand grips for wide range of motion
- Custom adjustable seat
- Four FREE olympic adapters
- An outstanding value
- Easy setup
- Machine Weight: 93 lbs.
- Capacity: 400 lbs.

*Weights sold separately



BTS-164 | 52"H x 35"W x 59"L

Upper / Lower Body



- Adjustable cam
- Footplate and straight bar included
- Instructional video
- Capacity: 70 lbs.

*Olympic adapters sold separately




OUTER THIGH



DONKEY KICKS-GLUTES




INNER THIGH



Economy Lat ELM-158 | 83"H x 22"W x 67"L | Upper / Lower Body





Inversion Table

GT-M0 | 61"H x 36"W x 82"L | Back & Abs

Help ease back pain or use as preventative maintenance! Please consult physician before starting an exercise routine.

- Compact design fits virtually anywhere
- Reduces muscle tension from everyday stress
- Adjustable angles to maximize effectiveness
- Improve flexibility of back muscles
- Recommended use: 10–15 min. for best results
- Machine Weight: 61 lbs.
- Capacity: 300 lbs.





ACM-190 | 52"H x 31"W x 34"L | Back & Abs

Isolates abdominal muscles to achieve powerful, tight abs!

- Suitable for standard or olympic plates
- Fully bushed leverage arms
- Foam handles
- Fixed foot hold
- Back pad for extra support
- Fully adjustable custom seat cushion
- Machine Weight: 91 lbs.
- Capacity: 200 lbs. (not including user)
- * Olympic adapters sold separately





Back & Ab Machine

BAM-160 | 33"H x 29"W x 52"D | Back & Abs

Develop two of the most important muscle groups in the body: the lower back & abdominal muscles

- Fully adjustable back pad and leg support
- Thick, comfortable pads and rollers
- Simple assemblu
- Heavy duty 12 gauge steel construction
- Unique space saving design



Angled Back Machine

ABM-157 | 36"H x 45"W x 59"D | Back & Abs

Build a massive, highly defined back

- Fully adjustable chest and seat pad
- Adjustable arms allow for independent or simultaneous motion
- · All pivot points equipped with oilite bushings
- Multiple grip handles for complete back development
- Shock bumpers
- Accepts standard or olympic plates (olympic adapters sold separately)
- Machine Weight: 110 lbs.
- Capacity: 300 lbs.

*Weights sold separately

Big Bear Bench BBB-159 | 38"H x 29"W x 50"L | Benches

Achieve your ultimate fitness goals with the industry's premier incline-flat-decline olympic bench!

- Flat-Incline-Decline Bench
- 12 gauge 2" x 2" heavy steel tubing
- Rugged back pad reinforced by a pair of 1" x 2" steel tubes
- Built-in chrome dip station
- Built-in bar catch
- Chrome uprights welded tightening pins for quick adjustments
- Leg-curl / Leg-extension with self-oiling bushings (removable)
- Fully adjustable
- Machine Weight: 123 lbs.
- Capacity: 600 lbs. (includes user)



*Weights sold separately



- Preacher curl attachment
- Accepts olympic adapters





PREACHER CURL ATTACHMENT



DECLINE

LEG CURL

Flat Incline Bench FIB-300 | 52"H x 25"W x 50"L | Benches

Gyms - Schools - Hotels & Resorts - Police & Fire Depts. - Apartment Gyms - Corporate Gyms - Personal Trainers - Rehab Centers... & more!

- Multiple position adjustments
- Seat adjusts in two positions
- Front handles & wheels on back side makes bench easy to move
- Machine Weight: 50 lbs.



Preacher Curl Bench PCB-183 | 42"H x 34"W x 32"L | Benches

The most versatile preacher curl bench ever developed

- Compact & affordable
- · Fully adjustable seat & elbow pads to accommodate any size user
- 2" x 2" powder coated steel tubing
- Machine Weight: 60 lbs
- Capacity: 350 lbs. (including user)



*Weights & Curl Bar sold separately



Flat Incline/Decline FID-141 | 21"H x 22"W x 48"L | Benches

New design incorporates separate handles to assist in leg development work

- Includes leg hold-down-pin to prevent body lift during lat workout
- Back pads supported by heavy duty 1/4" steel angle iron
- 7 adjustment points that include decline, flat and military positions (This bench is included in Caribou package and Caribou system)

OPTIONS:

Dip Station Preacher Curl

*Weights & Olympic Adapters sold separately

Flat Roma Bench

FRB-124 | 19"H x 17"W x 44"L | Benches

An absolute must for anyone serious about dumbbell workouts

- Sturdy 2" x 2" 12 gauge steel construction
- Thick, comfortable pad
- Easy to move
- Best value in the industry
- Machine Weight: 40 lbs
- Capacity: 450 lbs.




*Dumbbells sold separately



Recumbent Bike EZR-3.1 | 46"H x 26"W x 62"L | Bikes Adjustable seat Heartrate monitor handles Easy manual tension knob Fully functional computer w/SPEED, DISTANCE, TIME, CALORIES & PULSE Machine weight: 90 lbs Capacity: 250 lbs. Olympia Upright AL-601E | 56"H x 19"W x 39"L | Bikes A great bike at an affordable price Provides non-weight bearing exercise that is easier on knee joints, feet and ankle joints Heavy duty crank with sealed ball bearings Large easy-to-read LCD display console with workout SPEED, CALORIES CONSUMED, DISTANCE, etc. Heart rate sensors on handlebars Large wheels for easy transport Machine weight: 90 lbs Capacity: 250 lbs.

Extended Stride Elliptical Trainer SEG-1636 | 65"L x 26"W x 61"H | Bikes




HIGOL Stationary S-68 HGL-68 | 48"H (adjustable) x 26"W x 41"L | Bikes

Home Use

- Micro adjustable slide system on seat & handlebar - infinite position available no holes limiting adjustment options
- Tension control turn knob to adjust for light and heavy resistance push handle to stop
- Durable chain belt transmission
- Sealed bearings
- · Easy adjusting foot pad
- Dual rollers for easy moving
- · Ultra strong ball bearings & flywheel axles
- SPD pedals optional
- Sports drink holder
- Two year limited frame warranty
- One year limited part warranty
- Fly Wheel Weight: 40 lbs
- Machine Weight: 110 lbs
- Capacity: 350 lbs

HIGOL Stationary Pro 34B HGL-PR034B | 48"H (adjustable) x 26"W x 41"L | Bikes



Stable & Durable, Heavy Duty for professional ride

- **Belt transmission**
- Durable grooved V-Belt direct drive system
- Smooth & quiet ride
- Sweat resistant
- Fender on top in two sides of fly wheel
- Stainless steal stems
- Micro-adjustable slide system on seat & handlebar
- Ultra strong ball bearing & flywheel axles
- Sealed bearings
- Crank: oversized forged, durable
- Center balanced flywheel
- Tension control
- SPD pedals optional
- Fixed wheel drive system
- **Emergency stop**
- Transport: wheel in front foot tube for easy moving
- Floor levelers
- Low maintenance & easy assembly
- Fly Wheel Weight: 54 lbs
- Machine Weight: 135 lbs
- Capacity: 350 lbs



HIGOL Stationary Pro 68 HGL-PR068 | 48"H (adjustable) x 26"W x 41"L | Bikes For Commercial Use Stable & Durable, Heavy Duty for professional ride Patented construction Micro adjustable slide system on seat & handlebar infinite position available no holes limiting adjustment options Durable grooved V-Belt direct drive system - smooth & quiet ride Ultra strong ball bearing and flywheel axles Sealed bearings Crank: Oversized forged, durable Tension control - multi-control for light or heavy resistance Fixed wheel drive system Emergency Stop by pressing down on knob, simply and safely Transport: wheel in front foot tube for easy moving Fly Wheel Weight: 44 lbs Machine Weight: 126 lbs Capacity: 350 lbs Denali Spin Bike DEN-BIKE | 48"H (adjustable) x 20"W x 43"L Home Use - Available in Chain or Belt Drive DEN-Bike – Chain drive **DEN-Belt** - Belt drive Built to handle heavy daily usage Tough sealed ball bearings YUKON Powder coated to prevent corrosion & last for years Micro-adjustments for handle bars Height and pitch and seat positions handles riders of all sizes One-hand tension adjustment Heavy duty wheels installed on base for ease of movement · Fly Wheel Weight: 40 lbs · Machine Weight: 110 lbs. Capacity: 300 lbs



This improved tubular design is not prone to the warping and bending common to units constructed of flat steel. The stabilizing legs are constructed of heavy 2" x 2" tubing to produce a safer, more stable unit. Six staggered pegs accommodate standard or olympic plates on a single unit.

Olympic Plate Tree

OPT-184

47"H x 18"W x 20"L Plate Trees / Racks

With the same improved tubular design and 2 1/2" x 2 1/2" tubing, the OPT-184 accommodates olympic plates and has two built-in bushed bar holders.

*All weights sold separately

Dumbbell Rack

DPR-151 | 51"H x 29"W x 52"L | Plate Trees / Racks

Triple tier rack angled for easy access and storage of dumbbells. Designed to display a 5-65 lb. standard hex dumbbell set with pride. Slotted racks allow user to adjust each tier independently for use iwth pro-style or solid dumbbells for proper fit.




Replacement **Parts**

Yukon offers a wide selection of high quality replacement parts and other accessories for our strength training equipment. You may order seat pads, cable, pulleys etc by accessing the "replacement parts" on our website www.yukonfitness.com or call us for another specific part 800.799.8566



Accessories



Premium Mats

PRM-590

4' x 6' premium grade rubber composite mats protect and silence your workout room from the most grueling routines. Absorbs impact and prevents scratching and damage to your floors. Special composite materials prevent scuffing or color transfer, and eliminates rips or splits. Both surfaces are traction enhanced, so even if you can damage one side, the mat can be reversed. Available in Matte Black. Weight: 91 lbs



300 lb. Olympic Set

OLY-230

300 lbs. of muscle pumping iron to build the body definition you have always wanted. Complete with two 45 lb., two 35 lb., two 25 lb., two 10 lb., four 5 lb., two 2.5 lb., on 7' heavy duty olympic bar with knurling and two easy-on spring clips.

Dumbbells

HDS-311

Hammertone Grey Hex Dumbbells. The finest materials are used to produce quality Hex dumbbells by casting molted iron around a knurled steel handle creating the most durable dumbbell available. Sold as 5 to 50 lb. sets and sizes in 5 lb. increments to 100 lbs.





Equipment Specs

Frames

Yukon equipment is constructed of 2" x 2" and 2 1/2" x 2 1/2" heavy gauge structural rolled steel tubing. Our engineers select only the finest grade steel available to insure that you receive the highest quality machine. Yukon's volume buying power enables us to get the finest steel on the market at



the lowest prices. Yukon equipment is expertly hand crafted with state-of-the-art mig welding for superior strength and aesthetic appearance. Mig welding produces higher temperatures and smoother welds with less flash than conventional arc welding.

Cables

3/16" nylon coated mil-spec. aircraft cables with a 2,000 lb. test are built to last. All cable loop around steel alloy thimbles and terminate in machine sealed clamps eliminating the possibility of frayed cables or clamps loosening. All cables are color coordinated in black.



Upholstery

We spared no expense when purchasing our materials for the Yukon bench padding. The high standards set by our engineering department are carried through in all Yukon equipment. The padding consists of a top grade laminated wood base featuring recessed steel T-nuts overlaid with a high



density foam that is covered by a premium moisture resistant maring grade vinyl. The corners and seams are box stitched to help eliminate folds and pad stress.

Pulleys

All Yukon Fitness machines feature either 4" deep grooved nylatron pulleys or concave urethane rollers, fitted with sealed ball bearing assemblies, and covered by dust caps for ultra smooth action and minimal wear.



Finish

We take great pride in delivering you the highest quality finish possible. Our factory is equipped with the newest technology in electrostatic finishing. Each piece is dipped in a phosphate tank to clean and seal the interior and exterior surfaces against corrosion. The machine is then powder



coated in a high gloss finish and oven baked. The finished product is a beautiful chip resistant, durable, low maintenance machine that will give you years of enjoyment.

Warranty Policy

Yukon International, Inc. warrants its products against defects in materials and workmanship as outlined herein. Welded structures, pulleys, bearings and bushings are guaranteed for life of the registered owner. After receiving a return control number from the company, the customer is responsible for shipping the defective equipment to Yukon International, Inc. at 23700 Aurora Road, Bedford Hts., Ohio 44146 via prepaid freight for replacement or repair. Upholstery, grips and cables are also warranted for the life of the product. This warranty shall cover the original purchaser only. This warranty covers only failures due to defects in materials and workmanship that occur during normal use. This warranty does not cover the use or failure of equipment in commercial or institutional applications. Replacement or repair as provided for under this warranty is the sole remedy of the user. Yukon International, Inc. shall not be liable for incidental or consequential damages or for breach of any express or implied warranty on this product. Yukon reserves the right to send reconditioned replacement parts. YUKON WILL NOT ACCEPT OR REFUND ANY SHIPMENT THAT IS RETURNED WITHOUT THE FREIGHT BEING PREPAID BY THE CUSTOMER. RETURNED MERCHANDISE WILL BE APPLICABLE TO A 15% RE-STOCKING FEE CHARGED TO THE CUSTOMER. Yukon International reserves the right to use reconditioned parts as replacement parts at our discretion. We also reserve the right to request defective parts for repair.

Warranty for Light Commercial Equipment:

Pads: 90 Days

Welds: Lifetime

after warranty expires.

Cables & Pulleys: 6 Months

SATISFACTION POLICY

For the past 15 years, our goal at Yukon International has been to provide the best value in home equipment. We strive toward maintaining this goal today, and for years to come. Yukon International Fitness equipment is designed to be the best equipment for home use. We take pride in offering our consumers the best equipment available at competitive prices. We price our products fairly and honestly and stand behind each piece with a full money back guarantee.

If you are not completely satisfied with your purchase, you must obtain a "return materials control number" within 30 days of the date of purchase. Please call us directly at (800) 799-8566 in order to obtain this return authorization number. REFUNDS WILL NOT BE ISSUED/PROCESSED FOR PRODUCTS RECEIVED WITHOUT APPROPRIATE AUTHORIZATION. All returns must be in original packaging and in re-saleable condition. Customer returning product is responsible for shipping costs to our facility. Yukon Fitness will refund your purchase price less your original shipping costs. Yukon International reserves the right to impose a fifteen (15%) restocking fee.

Yukon's warehouse center is packed with equipment and is ready to ship your order Monday-Friday 9:00AM-5:00PM EST. Orders usually ship within 24 hours of receipt. Delivery time may vary around holidays and peak seasons.

WARRANTY INFORMATION

Yukon International warrants its products against defects in materials and workmanship outlined herein. Welded structures, pulleys, and bushings are guaranteed for the life of the registered owner and where noted, NOT including light commercial and/or aerobic equipment which carry only limited warranties. After receiving a "return materials control number," the customer is responsible for shipping the defective equipment to Yukon via prepaid freight for replacement or repair. This warranty covers only failures due to defects in materials and workmanship that occur during normal use. It does not cover damage that occurs in shipment or failures due to misuse, abuse, neglect, misapplication, alteration or improper assembly of the product. This warranty does not cover the use or failure of equipment in commercial or institutional applications.

REPLACEMENT PARTS

Replacement or repair as provided for under this warranty is the sole remedy of the user, and customer shall be responsible for paying freight charges. Replacement parts necessary to repair a defective product will be shipped at the customer's expense. Repair parts requested by anyone other than the original purchaser shall incur charges for requested parts and shipping costs. Yukon shall not be liable for any incidental or consequential damages or for breach of any express or implied warranty on this product. At its sole discretion, Yukon International reserves the right to use or provide reconditioned parts and/or to request a return and repair existing defective or broken parts.



yukonfitness.com - 800.799.8566

INTERNATIONAL CUSTOMERS

Customer orders shipped outside of the continental U.S. shall bear all costs for parts, including shipping costs, any duties and/or taxes, and any and all other charges imposed by customs agencies and any other taxing authorities, including, but not limited to, customs inspections.

CANCELLATION POLICY

Yukon Fitness's adherence to high standards of quality in customer service allows us to pick, pack and label orders immediately upon receipt. Due to the logistics of our warehouse operations, Yukon Fitness reserves the right to charge a cancellation fee on orders picked, but not yet shipped. Customer cancellations are subject to a fee equaling 10% of their order total.

Orders are cancellable without penalty ONLY if the order has not yet been processed. In all other cases, a cancellation fee totaling 10% of the order total will be imposed.

If a customer wishes to cancel an order that has already shipped, customer is responsible for paying shipping (both ways), and the additional 10% cancellation fee. Customer will also be responsible for any damage in shipping, and for a 15% restocking fee.

SHIPPING POLICY

Orders will be shipped using UPS, FedEx, or USPS. Large orders such as home gyms, smith machines and barbell sets will be shipped via motor freight trucking companies. Orders arriving by truck are CURBSIDE ONLY.

You will need to be present in order to receive the delivery, and it is your responsibility to unload the equipment. If you have any special delivery requests or instructions such as a request for inside delivery, please contact us ahead of time so that we can provide a price quotation for added services and make the proper arrangements.

