GARMENT PRINTER INK
DEAN ARMANDO
502 LARKFIELD RD, SUITE B
EAST NORTHPORT, NY 11731
US

Contact person

GARMENT PRINTER INK DEAN ARMANDO **Customer ID Number:** 0055676284 **Order number:** 7503302840, 7503302840, 7503302840, 7503302841, 7503302841, 7503302841, 7503302841, 7503302841,

7503302841, 7503302841 **Sales Organization:** US02

Print Date 11/05/2016

Please forward the enclosed documents to all appropriate departments of your Company for the following products:

130000144102	ARTISTRI® BRITE P6900 WHITE PIGMENT INK
130000128491	ARTISTRI® P5100+ CYAN PIGMENT INK
130000128531	ARTISTRI® P5200+ MAGENTA PIGMENT INK
130000129230	ARTISTRI® P5300+ YELLOW PIGMENT INK
130000129166	ARTISTRI® P5400+ BLACK TEXTILE INK
130000129461	ARTISTRI® P5910 WHITE TEXTILE INK
130000138905	ARTISTRI® P6100 CYAN INK
130000138907	ARTISTRI® P6200 MAGENTA INK
130000138909	ARTISTRI® P6300 YELLOW INK
130000138911	ARTISTRI® P6400 BLACK INK

E I DuPont de Nemours and Co

If you prefer to receive these documents in the fu select the method(s) below and provide the appr (Please print clearly)	uture by alternate methods of distribution, please opriate information:
Email: contact name	
Email: address	
Paper Mail: contact name and address (if different from above)	

Safety Data Sheet



ARTISTRI® P6400 BLACK INK

Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ARTISTRI® P6400 BLACK INK

Product Use : Printing ink

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer/Supplier : DuPont

974 Centre Road

Wilmington, DE 19805, USA

Product Information : 1-302-774-1000

Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Specific target organ toxicity - Category 2

repeated exposure

Label content

Pictogram



Signal word : Warning

Safety Data Sheet



ARTISTRI® P6400 BLACK INK

Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Hazardous warnings

: May cause damage to organs through prolonged or repeated exposure.

Hazardous prevention

measures

: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Get medical advice/ attention if you feel unwell.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 53.2356 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Ethane-1,2-diol	107-21-1	1 - 5 %
Restranging on use Employee	e product for any itema point the of the above	6 海 2 在 2

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice

: Never give anything by mouth to an unconscious person. When symptoms

persist or in all cases of doubt seek medical advice.



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If breathing

is irregular or stopped, administer artificial respiration. Get medical attention.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15

minutes while removing contaminated clothing and shoes. Get medical

attention if irritation develops and persists. Wash contaminated clothing before

re-use.

Eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty

of water, also under the eyelids, for at least 15 minutes. Get medical advice/

attention.

Ingestion : If swallowed, call a poison control centre or doctor immediately. Rinse mouth

with water. DO NOT induce vomiting unless directed to do so by a physician or

poison control center.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders

Notes to physician

: No applicable data available.

: No applicable data available.

: No specific intervention is indicated. Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Water spray, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: No applicable data available.

Specific hazards : Hazardous decomposition products formed under fire conditions. (see also

section 10) Avoid breathing decomposition products.

Special protective equipment

for firefighters

: Exposure to decomposition products may be a hazard to health. Wear self-

contained breathing apparatus for firefighting if necessary.



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Further information

: Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel)

: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Environmental precautions

: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Spill Cleanup

: Contain spill. Soak up with inert absorbent material. Collect and contain contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated floors and objects thoroughly while observing environmental regulations.

Accidental Release Measures

: Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel)

: Avoid inhalation, ingestion and contact with skin and eyes. Do not use in areas without adequate ventilation. For personal protection see section

"Exposure controls/personal protection"

Handle in accordance with good industrial hygiene and safety practice. Keep container closed. Keep away from food and drink. Wash hands before eating, drinking, or smaking. Perceyo contaminated slothing and protective.

drinking, or smoking. Remove contaminated clothing and protective

equipment before entering eating areas. Wash contaminated clothing before

re-use.

Handling (Physical Aspects)

: Normal measures for preventive fire protection.

Dust explosion class

Storage

: No applicable data available.

: Keep containers tightly closed in a cool, well-ventilated place. Do not store or

consume food, drink or tobacco in areas where they may become contaminated with this material. Do not reuse empty container.



Version 3 0

Revision Date 09/20/2016

Ref. 130000138911

Stable under normal conditions.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation. Maintain air concentrations below occupational

exposure standards. General mechanical ventilation is normally adequate but use local exhaust where necessary to maintain exposures below acceptable

Personal protective equipment

Respiratory protection

No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe

respirator use limitations specified by the manufacturer.

Hand protection : Material: Impervious gloves

Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses or coverall chemical splash goggles.

: Choose body protection in relation to its type, to the concentration and Skin and body protection

amount of dangerous substances, and to the specific work-place. Lightweight protective clothing and safety shoes are recommended.

Exposure Guidelines **Exposure Limit Values**



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Glycerol

Permissible (OS

(OSHA)

5 mg/m3

8 hr. TWA Respirable fraction.

exposure limit:

Permissible exposure limit:

(OSHA) 15 mg/m3

8 hr. TWA Total dust.

Ethane-1,2-diol

TLV

(ACGIH)

100 mg/m3

TLV-C Aerosol.

AEL*

(DuPont)

10 mg/m3

8 & 12 hr. TWA Particulate.

AEL*

(DuPont)

50 ppm

8 & 12 hr. TWA Vapor.

Carbon black

Permissible exposure limit:

(OSHA)

3.5 mg/m3

8 hr. TWA

TLV

(ACGIH)

3 mg/m3

TWA Inhalable fraction.

AEL*

(DuPont)

0.5 mg/m3

8 & 12 hr. TWA Polynuclear Aromatic

Hydrocarbons (PAH) < 0.1%

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid Form : liquid Color : black

Odor : acrylic-like

Odor threshold : No applicable data available.

pH : 8.2

Melting point/range : No applicable data available.

6/11

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Boiling point/boiling range : Boiling point

no data available

Flash point : > 93 °C

Method: Pensky-Martens closed cup - PMCC

Evaporation rate : No applicable data available.

Flammability (solid, gas) : No applicable data available.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Density : 1.1 g/cm3

Specific gravity (Relative

density)

: No applicable data available.

Water solubility : dispersible

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : 11 mPa.s at 32 °C (90 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Chemical stability

: The product is chemically stable under recommended conditions of storage,

use and temperature.

Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

: None reasonably foreseeable.

Conditions to avoid

: Avoid extreme heat. Do not freeze.

Incompatible materials

: Acids, bases and strong oxidizing agents

Hazardous decomposition

products

No decomposition if stored and applied as directed.

Under fire conditions:, Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

ARTISTRI® P6400 BLACK INK

Further information

There is no data available for this product.

Ethane-1,2-diol

Inhalation

no data available

Dermal LD50

> 3,500 mg/kg , Mouse

Oral LD50

1,650 mg/kg , Cat

Skin irritation

: No skin irritation, Rabbit

Eye irritation

: No eye irritation, Rabbit

Skin sensitization

Does not cause skin sensitisation., human

Repeated dose toxicity

Oral

Rat

-

Target Organs: Kidney

Kidney damage

Carcinogenicity

: Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity

: Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Reproductive toxicity

: No toxicity to reproduction No effects on or via lactation

Animal testing showed no reproductive toxicity.

Teratogenicity

Evidence suggests the substance is not a developmental toxin in

animals.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material

IARC

NTP

OSHA

Carbon black

2B

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity Ethane-1,2-diol

96 h LC50 : Pimephales promelas (fathead minnow) 72,860 mg/l

96 h ErC50 : Pseudokirchneriella subcapitata (green algae) 6,500 mg/l

48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Environmental Fate

Ethane-1,2-diol

Biodegradability : Readily biodegradable. 90 - 100 % OECD Test Guideline 301

Bioaccumulation : Bioaccumulation is unlikely.

Additional ecological information : There is no data available for this product.

SECTION 13. DISPOSAL CONSIDERATIONS



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

Waste disposal methods -

Product

: If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain.

Waste disposal methods -

Container

: Do not reuse empty container.

Contaminated/not cleaned containers should be treated/handled like product

waste.

Dispose of container properly.

Refer to applicable Local, State/Provincial, and Federal Regulations, as well

as industry Standards.

Contaminated packaging

: No applicable data available.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 313 Regulated

Chemical(s)

: Ethane-1,2-diol

PA Right to Know

Regulated Chemical(s)

: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances):

Humectant, Ethane-1,2-diol, Carbon black

NJ Right to Know

Regulated Chemical(s)

: Substances on the New Jersey Workplace Hazardous Substance List present

at a concentration of 1% or more (0.1% for substances identified as

carcinogens, mutagens or teratogens): Humectant, Ethane-1,2-diol, Carbon

black

CERCLA Reportable

Quantity

: 100503 lbs

Based on the percentage composition of this chemical in the product .:

Ethane-1.2-diol



Version 3.0

Revision Date 09/20/2016

Ref. 130000138911

California Prop. 65

: WARNING! This product contains a chemical or chemicals known to the State

of California to cause cancer.

WARNING! This product contains a chemical known to the State of California

to cause birth defects or other reproductive harm.

SECTION 16. OTHER INFORMATION

The DuPont Oval Logo, DuPont[™] and all products denoted with [®] or [™] are registered trademarks or trademarks of E. I. du Pont de Nemours and Company or its affiliates.

Revision Date

: 09/20/2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.