



375 Oser Ave  
Hauppauge, NY 11788  
631-858-0114  
sales@garmentprinterink.com

# PRE-INSTALLATION CHECKLIST

---

## Roland SG3 300/540



*Congratulations on your printer purchase! We know you are excited to get going. In order to create the best experience possible, you need to read, initial, sign, and send back this checklist / site survey so that we can make sure everything is in place before installation is scheduled.*

Business Name:

---

Contact:

---

Phone Number:

---

Installation Address:

---

Email Address:

---

### **DELIVERY:**

All printers are shipped freight, CURBSIDE DELIVERY. It is the customer's responsibility to bring their equipment into their desired location. In most scenarios you will need 2-3 people to assist with lifting and moving the printer. You might require tools for uncrating (like a forklift, pallet jack, dolly or rolling cart, crowbar). You will be called in advance by the shipping company to schedule delivery, so please plan accordingly. If you require rigging, please request a quote before your printer has shipped.

**PRINTER DIMENSIONS:****SG3-300**

Width: 80" Height: 52" Depth 29.5" Weight: 331 lbs Media: 66 lbs.

**SG3-540**

Width: 104" Height: 52" Depth 29.5" Weight: 417lbs. Media: 77 lbs.

Doorways must be equal to or greater than 32" wide and corridors must be able to maneuver a turn of 110".

**DO NOT TURN YOUR PRINTER UPRIGHT OR SIDEWAYS:**

Your printer cannot be tilted, turned on its back or stood on end in any way otherwise it may void the warranty.

**Printer Area Requirements:**

Recommended minimum area around printer 15'

Initials

**NETWORK**

(Check one of three Ethernet options)

Connecting one computer directly to the TrueVIS • Requires one Category 5 Ethernet Cable (Most Common)

Connecting one computer to the TrueVIS via a simple hub/switch • Requires two Category 5 Ethernet patch cables • Ensure hub/switch is within cable's length of both computer and VersaUV

Connecting one computer to the TrueVIS via a managed network • Requires two Category 5 Ethernet patch cables • Ensure that the network administrator or IT department will be present to configure the computer and the VersaUV, please list contact \_\_\_\_\_ (\_\_\_\_) \_\_\_\_\_ - \_\_\_\_\_

\* Ethernet (100BASE-TX)

## Printer Climate Requirements

The dedicated area for your printer must be climate controlled (65-90 degrees Fahrenheit and humidity between 35% and 80% with no condensation) and Installation should not take place in direct sunlight, on an uneven surface, high vibration area, in direct line of an air conditioner or open flame, within high dust production or an area with harmful chemicals.

Initials
----------

## Power Requirements:

Voltage and frequency: AC 100 to 240V  $\pm$ 10%, 50/60 Hz Required  
Power capacity: 5.5 A or more.

Initials
----------

## Technology Requirements:

*To keep your RIP software working at its peak performance, a PC with the following is recommended:*

Dual Core CPU, 2.0 GHz CPU or faster, 16 GB RAM or more, 100 GB Free Space on Hard Drive, Windows 10, 100 Mb/s Ethernet network card, High-Resolution monitor - SXGA (1,280 X 1,024 pixels) or better.

Initials
----------

RIP software is included with the printer and you will be trained on it during installation.

## Supply Requirements:

Your printer can be set up in the following ink configurations. Please select ONE of the following.

CMYK + CMYK

(You need to have ONE TR2-CL2 Cleaning pouch on site at the time of installation)

Initials
----------

**Installation:**

Depending on which model printer you purchased, it may require four (4) people to lift your printer to put it on its stand during installation. Please plan accordingly.

Initials
----------

**Important Notes:** *Please check each box*

- Please refrain from booking print jobs until you have been trained to operate your new equipment.
- Design training is not included, you must have a General knowledge of graphics programs like Illustrator or Corel Draw and have some designs you would like to see prepared for installation beforehand.
- Please retain the shipping containers in case the printer ever needs to be sent back for service.
- Be sure to inspect the packages upon arrival. If damage to either the crate or boxes are present, please take pictures and report to [sales@garmentprinterink.com](mailto:sales@garmentprinterink.com) immediately.

*Customer certifies that they have received and understand the installation requirements laid out in this pre-installation checklist. The customer agrees that all requirements have been met prior to the installation appointment. If any of these requirements have not been met on the day of your installation by a Garment Printer Ink technician, the printer cannot be installed, and the installation and training will be rescheduled at the customer's expense.*

Signature:

---

Printed Name:

---

Business Name:

---

Date:

---