

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 1/13



1. Identification of the substance/mixture and of the company/undertaking

Product name: Specialty Black Ink, Type EKDTG1

Product code: 7442627

Synonyms: None.

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: ink or inkjet chemical

Supplier: EASTMAN KODAK COMPANY, 343 State Street, Rochester, New York 14650

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, call (800) 242-2424.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Eye irritation	Category 2A	--
Skin sensitisation	Category 1A	--
Specific target organ toxicity - repeated exposure	Category 2	Oral
Acute aquatic toxicity	Category 3	--
Chronic aquatic toxicity	Category 3	--

GHS-Labeling

Contains:

Ethylene glycol (107-21-1), Oxirane, methyl-, polymer with oxirane, ether with 2,4,7,9-tetramethyl-5-decyne-4,7-diol (2:1) (9CI) (182211-02-5), N,N-diethylethanamine (121-44-8), 1,2-Benzisothiazol-3(2H)-one (2634-33-5), 2-methyl-2H-isothiazol-3-one (2682-20-4)

Symbol(s):

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 2/13



Signal word: Warning

Hazard statements: Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure if swallowed. (Kidney.) Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention: Wash skin thoroughly after handling. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Get medical advice/ attention if you feel unwell.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS IV Hazard Ratings: Health - 2*, Flammability - 1, Physical Hazard - 0

NFPA Hazard Ratings: Health - 2, Flammability - 1, Instability - 0

NOTE: HMIS IV and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight percent	Components - (CAS-No.)
5 - 10	Ethylene glycol (107-21-1)
5 - 10	Glycerol (56-81-5)
1 - 5	Carbon black (1333-86-4)

Safety Data Sheet

Revision Date: 03/26/2020

000000057272/Version: 6.0

Print Date: 05/27/2020

Page: 3/13

1 - < 5	Oxirane, methyl-, polymer with oxirane, ether with 2,4,7,9-tetramethyl-5-decyne-4,7-diol (2:1) (9CI) (182211-02-5)
0.1 - < 1	N,N-diethylethanamine (121-44-8)
0.01 - < 0.05	1,2-Benzisothiazol-3(2H)-one (2634-33-5)
0.001 - < 0.005	2-methyl-2H-isothiazol-3-one (2682-20-4)

4. First aid measures

Inhalation: If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If easy to do, remove contact lens, if worn. If eye irritation persists: Get medical advice/ attention.

Skin: Wash off immediately with soap and plenty of water. Get medical attention if symptoms occur. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Destroy or thoroughly clean contaminated shoes.

Ingestion: If swallowed, only induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.

Most important symptoms and effects, both acute and delayed: Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. Eye Irritation: Signs/symptoms may include localized redness, swelling, lachrymation, itching, dryness, and pain. Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Kidney/Bladder Effects: Signs/symptoms may include changes in urine production, abdominal or lower back pain, increased protein in urine, increased blood urea nitrogen (BUN), blood in urine, and painful urination.

Indication of any immediate medical attention and special treatment needed:

Treatment: No information available.

5. Firefighting measures

Extinguishing Media: Water spray, Dry chemical, Carbon dioxide (CO₂), Foam.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: Carbon oxides, Nitrogen oxides (NO_x)

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective suit. Fire or excessive heat may produce hazardous decomposition products.

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 4/13

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination.

Environmental precautions: Prevent runoff from entering drains, sewers, or streams.

For Large Spills: Prevent runoff from entering drains, sewers, or streams.

7. Handling and storage

Precautions for safe handling

Personal precautions: Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapour. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: Keep from contact with oxidizing materials.

Ventilation: Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8).

Conditions for safe storage, including any incompatibilities: Keep in a dry, cool and well-ventilated place. Cool conditions (5 - 30°C). Keep container tightly closed. Keep away from food, drink and animal feeding stuffs. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical name	Regulatory List	Value Type	Value
Ethylene glycol	ACGIH	Time weighted average	25 ppm <i>Form of exposure: vapor fraction</i>
Ethylene glycol		Short term exposure limit	50 ppm <i>Form of exposure: vapor fraction</i>
		Short term exposure limit	10 mg/m ³

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 5/13

			<i>Form of exposure: inhalable particulate matter, aerosol only</i>
		Ceiling Limit Value	50 ppm 125 mg/m3
Glycerol	OSHA		<i>Form of exposure: vapor</i>
		Time weighted average	5 mg/m3
			<i>Form of exposure: mist, respirable fraction</i>
		Time weighted average	15 mg/m3
			<i>Form of exposure: mist, total particulate</i>
		Time weighted average	10 mg/m3
			<i>Form of exposure: total dust</i>
			<i>Remarks: mist</i>
		Time weighted average	5 ppm
			<i>Form of exposure: respirable fraction</i>
			<i>Remarks: mist</i>
Carbon black	ACGIH	Time weighted average	3 mg/m3
			<i>Form of exposure: inhalable particulate matter</i>
	OSHA	Time weighted average	3.5 mg/m3
		Time weighted average	3.5 mg/m3
		Short term exposure limit	7 mg/m3

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye protection: Wear safety glasses with side shields (or goggles).

Hand protection: Wear protective gloves/ protective clothing.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: liquid

Colour: black

Odour: No data available - testing not performed

Specific gravity: No data available - testing not performed

Vapour pressure: No data available - testing not performed

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 6/13

Vapour density: No data available - testing not performed

Water solubility: No data available - testing not performed

pH: No data available - testing not performed

Flash point: No data available - testing not performed

Evaporation rate: No data available - testing not performed

Flammability (Solid; gas): No data available - testing not performed

Upper explosion limit: No data available - testing not performed

Lower explosion limit: No data available - testing not performed

Partition coefficient: n-octanol/water: No data available - testing not performed

Auto-ignition temperature: No data available - testing not performed

Decomposition temperature: No data available - testing not performed

Viscosity: No data available - testing not performed

Explosive properties: No data available - testing not performed

Oxidizing properties: No data available - testing not performed

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: None under normal conditions of use.

11. Toxicological information

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 7/13

Effects of Exposure

General advice:

Contains: Ethylene glycol. severe effects after repeated or prolonged exposure Can cause kidney damage.

Contains: Carbon black. Since the 2006 IARC Monograph for carbon black was published, several investigators have challenged the animal evidence of carcinogenicity as being linked to species specific responses to lung overload that should not be used to predict human risk. While carbon black is carcinogenic to rats following inhalation or intratracheal exposure, it is not carcinogenic to mice, guinea pigs, rabbits or non-human primates by the inhalation route of exposure, or to hamsters by inhalation or intratracheal exposure. In their discussion of interspecies extrapolation, IARC notes that the inflammation seen with lung overload is associated with fibrosis and tumor formation in rats, while in humans fibrosis is reported, but not tumor formation. In December 2006, following publication of the monograph, Carter et al, detailed mechanisms of lung inflammation demonstrating that rats, as compared to mice and hamsters, exhibited the greatest pro-inflammatory response. In addition, a 2008 community based case-control study of cancer risk from occupational exposure to carbon black found no excess risk of lung cancer, further supporting the classification of inadequate evidence in humans. Collectively, the available animal data and human epidemiology studies suggest that carbon black, as contained in this product, does not present a cancer risk to the end user if the handling and personal protective measures contained within this Safety Data Sheet are understood and followed.

Contains: N,N-diethylethanamine. Airborne exposure may cause visual disturbances.

Inhalation: Expected to be a low hazard for recommended handling.

Eyes: Causes serious eye irritation.

Skin: Causes mild skin irritation. May cause an allergic skin reaction.

Ingestion: May cause irritation of the gastrointestinal tract if swallowed. May cause damage to organs through prolonged or repeated exposure if swallowed.

Data for Ethylene glycol (CAS 107-21-1):

Acute Toxicity Data:

Oral LDLo (Humans): 1,600 mg/kg

- Oral LD50 (Rat): 4,700 mg/kg
- Inhalation (Rat): 2.5 mg/l / 6 hr
- Dermal LD50 (Rabbit): 10,607 mg/kg
- Dermal LD50 (Rat): 10,600 mg/kg

Safety Data Sheet

Revision Date: 03/26/2020

000000057272/Version: 6.0

Print Date: 05/27/2020

Page: 8/13

- Skin irritation: Mild skin irritation
- Sensitisation (human): none
- Sensitisation (Guinea pig): none
- Eye irritation: none

Data for Glycerol (CAS 56-81-5):

Acute Toxicity Data:

Oral LD50 (Rat): 12,600 mg/kg

- Inhalation LC50 (Rat): > 570 mg/m³ / 1 hr
- Dermal LD50 (Rabbit): > 10 g/kg
- Skin irritation: slight
- Eye irritation: very slight

Data for Carbon black (CAS 1333-86-4):

Acute Toxicity Data:

Oral LD50 (Rat): > 5,000 mg/kg

- Oral LD50 (Rat): > 15,400 mg/kg
- Dermal LD50 (Rabbit): > 3,000 mg/kg
- Skin irritation: No skin irritation
- Sensitisation (Guinea pig): Did not cause sensitisation on laboratory animals.
- Eye irritation: No eye irritation

Mutagenicity/Genotoxicity Data:

- Salmonella typhimurium assay (Ames test) (TA98, TA100, TA1535, TA1537, TA1538): negative (in presence and absence of activation)
- Mouse lymphoma assay: negative (in presence of activation)

Data for Oxirane, methyl-, polymer with oxirane, ether with 2,4,7,9-tetramethyl-5-decyne-4,7-diol (2:1) (9CI) (CAS 182211-02-5):

Acute Toxicity Data:

Oral LD50 (Rat): > 2,000 mg/kg

- Inhalation LC50 (Rat): > 20 mg/l / 1 hr
- Dermal LD50 (Rabbit): > 2,000 mg/kg
- Skin irritation: Mild skin irritation
- Eye irritation: severe

Data for N,N-diethylethanamine (CAS 121-44-8):

Acute Toxicity Data:

Oral LD50 (Rat): 460 mg/kg

- Inhalation LC50: 1,000 mg/l / 4 hr
- Inhalation LC50 (Rat): 1250 ppm / 4 hr
- Dermal LD50: 570 mg/kg
- Dermal LD50 (Rabbit): 415 mg/kg

Safety Data Sheet

Revision Date: 03/26/2020

000000057272/Version: 6.0

Print Date: 05/27/2020

Page: 9/13

- Skin irritation: Extremely corrosive and destructive to tissue.
- Eye irritation: severe

Mutagenicity/Genotoxicity Data:

- Ames test: negative (in presence and absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)

Data for 1,2-Benzisothiazol-3(2H)-one (CAS 2634-33-5):

Acute Toxicity Data:

Oral LD50 (Rat): 1,020 mg/kg

Data for 2-methyl-2H-isothiazol-3-one (CAS 2682-20-4):

Acute Toxicity Data:

Oral LD50 (Rat): 232 - 249 mg/kg (50% in water)

- Oral LD50 (Rat): 120 mg/kg (50% in water)
- Inhalation LC50 (Rat): 0.11 mg/l / 4 hr
- Dermal LD50 (Rabbit): 200 mg/kg
- Sensitisation: positive

Carcinogenicity

American Conference of Governmental Industrial Hygienists (ACGIH):	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Carbon black
International Agency for Research on Cancer (IARC):	Group 2B - Possibly Carcinogenic to Humans: Carbon black
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	OSHA Carcinogen or Potential Carcinogen: Carbon black
California Prop. 65	WARNING! This product contains a chemical known to the State of California to cause cancer. WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

12. Ecological information

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 10/13

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 10 - 100 mg/l estimated

Toxicity to daphnia (EC50): 10 - 100 mg/l estimated

Persistence and degradability: Not readily biodegradable.

This product has not been tested for environmental effects.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	None listed
EINECS	Not all listed

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 11/13

ELINCS	Listed
NLP	None listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed
TCSI	Not all listed
TSCA 12(b)	Listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Ethylene glycol
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	No components of this product are subject to the SARA Section 302 (40 CFR 355) reporting requirements.
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Ethylene glycol
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Ethylene glycol , Carbon black
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Glycerol , Ethylene glycol , Carbon black

Safety Data Sheet

Revision Date: 03/26/2020
000000057272/Version: 6.0
Print Date: 05/27/2020
Page: 12/13

U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Glycerol , Ethylene glycol , Carbon black
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Glycerol , Ethylene glycol , Carbon black
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Water , Non-hazardous components (59476) , Ethylene glycol , Glycerol , Carbon black , N,N-diethylethanamine

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

Specialty Black Ink, Type EKDTG1

Contains:

Ethylene glycol (107-21-1), Oxirane, methyl-, polymer with oxirane, ether with 2,4,7,9-tetramethyl-5-decyne-4,7-diol (2:1) (9CI) (182211-02-5), N,N-diethylethanamine (121-44-8), 1,2-Benzisothiazol-3(2H)-one (2634-33-5), 2-methyl-2H-isothiazol-3-one (2682-20-4)

Symbol(s):



Signal word: Warning

Hazard statements: Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure if swallowed. (Kidney.) Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention: Wash skin thoroughly after handling. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Safety Data Sheet

Revision Date: 03/26/2020

000000057272/Version: 6.0

Print Date: 05/27/2020

Page: 13/13

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Get medical advice/ attention if you feel unwell.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

This Safety Data Sheet has been compiled and is solely intended for this product. The information is based upon the present state of our knowledge.

R-1, S-3, F-1, C-0