SAFETY DATA SHEET

```
______
         Section 1 -- PRODUCT AND COMPANY IDENTIFICATION
                                                             HMIS CODES
PRODUCT NAME
                                                          Health
   Leak Freeze with Magic Frost
                                                          Flammability
                                                          Reactivity
PRODUCT CODES
   45321, 45322, 45323, 45324
USE
   Sealant and additive
MANUFACTURER'S NAME
                                             EMERGENCY TELEPHONE NO.
                                               Chemtrec 24 Hours
   The RectorSeal Corporation
   2601 Spenwick Drive
                                               (800)424-9300 USA
   Houston, Texas 77055 USA
                                               (703)527-3887 International
DATE OF VALIDATION
                                               TECHNICAL SERVICE TELEPHONE NO.
   December 29, 2015
                                                (800)231-3345 or (713)263-8001
DATE OF PREPARATION
  December 29, 2015
 Section 2 -- HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW
OSHA Hazards
  This material is not considered hazardous according to OSHA criteria.
TARGET ORGANS
Not Classified
GHS CLASSIFICATION
PHYSICAL HAZARDS
None
HEALTH HAZARDS
Acute Toxicity
Oral: Not Classified
Dermal: Not Classified
Inhalation: Not Classified
Skin Corrosion/Irritation: Not Classified
Serious Eye Damage/Eye Irritation: Not Classified
Skin Sensitization: Not Classified
Respiratory Sensitization: Not Classified Germ Cell Mutagenicity: Not Classified
Carcinogenicity: See Section 11
Reproductive Toxicology: Not Classified
Target Organ Systemic Toxicity - Single Exposure: Not Classified
Target Organ Systemic Toxicity - Repeated Exposure: Not Classified
Aspiration Toxicity: Not Classified
GHS Label elements, including precautionary statements
Pictogram: None required.
Signal word: None required.
Hazard Statements: None required.
Precautionary Statements:
P102 - Keep out of reach of children.
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking P262 - Do not get in eyes, on skin, or on clothing. P264 - Wash hands thoroughly after handling.
P362 - Take off contaminated clothing and wash before reuse.
P370 + P378 - In case of fire: Use water fog, CO2, foam or dry chemicals to extinguish.
P390 - Absorb spillage to prevent material damage.
SUMMARY OF ACUTE HAZARDS
  None known.
ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS
INHALATION
   Expected to have a low degree of toxicity by inhalation.
EYE CONTACT
   Not known to be an eye irritant.
SKIN CONTACT
   Not known to be a skin irritant. No harmfuleffects from skin absorption have been reported.
INGESTION
   No harmful effects reported from ingestion.
SUMMARY OF CHRONIC HAZARDS
   Prolonged skin contact may result in irritation and dermatitis.
   Prolonged eye contact may result in irritation.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE
   Individuals with pre-existing or chronic diseases of the eyes, skin
```

or persons with chemical sensitivity may have increased susceptibility to excessive exposures. _______ Section 3 -- COMPOSITION/INFORMATION ON INGREDIENTS % by WT CAS No. INGREDIENT UNITS None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200. ______ Section 4 -- FIRST AID MEASURES ______ First aid is not normally required. If breathing difficulties develop, move victim away from source of exposure and into If INHALED: fresh air. Seek immediate medical attention. First aid is not normally required. However, it is good If on SKIN: practice to wash any chemical from the skin. If irritation or redness develops from exposure, flush eyes with If in EYES: clean water. If symptoms persist, seek medical attention. First aid is not normally required; however, if swallowed Tf SWALLOWED: and symptoms develop, seek medical attention. NOTES TO PHYSICIAN: Acute aspirations of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities _____ Section 5 -- FIRE FIGHTING MEASURES EXTINGUSING MEDIA Foam, dry chemical, carbon dioxide or water fog. SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10). UNUSUAL FIRE AND EXPLOSION HAZARDS: This material may burn, but will not ignite readily. ______ Section 6 -- ACCIDENTAL RELEASE MEASURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup. ______ Section 7 -- HANDLING AND STORAGE ______ PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames. OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN. ______ Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air purifying or supplied air respirators. VENTILATION - LOCAL EXHAUST: Acceptable SPECIAL: Explosion-proof equipment. MECHANICAL (GENERAL): Preferable OTHER: N/A PROTECTIVE GLOVES: Wear rubber gloves. EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent) OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.
WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse. ______ Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES ______ BOILING POINT: 320 F (160 C) @ 760mm Hg SPECIFIC GRAVITY (H20 = 1): 0.85-0.88 @ 60 F (15.6 C) VAPOR PRESSURE (mm Hg): <0.1 mm Hg MELTING POINT: N/A VAPOR DENSITY (AIR = 1): N/D EVAPORATION RATE (ETHYL ACETATE = 1): N/D

Green Oil/Petroleum Odor

Insoluble

>379 F (193 C)

0 q/L

APPEARANCE/ODOR:

VOC LEVEL:

Flash POINT

SOLUBILITY IN WATER:

LOWER EXPLOSION LIMIT N/D UPPER EXPLOSION LIMIT N/D ______ Section 10 -- STABILITY AND REACTIVITY STABILITY: Stable CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing conditions. INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen and strong oxidizing materials. HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons. HAZARDOUS POLYMERIZATION: Will not occur. ______ Section 11 -- TOXICOLOGY INFORMATION CHRONIC HEALTH HAZARDS No ingredient in this product is an IARC, NTP or OSHA listed carcinogen. TOXICOLOGY DATA Ingredient Name Oral-Rat LD50: >5 g/Kg Inhalation-Rat LC50: >5 mg/L ______ Section 12 -- Ecological Information ECOLOGICAL DATA Ingredient Name Food Chain Concentration Potential N/D WATERFOWL TOXICITY N/D BOD N/D AQUATIC TOXICITY ______ Section 13 -- DISPOSAL CONSIDERATIONS Waste Classification: Non-regulated waste oil Disposal Method: Used oil recycler Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State, and Local regulation regarding pollution. ______ Section 14 -- TRANSPORTATION INFORMATION DOT: Non-Regulated OCEAN (IMDG): Non-Regulated AIR (IATA): Non-Regulated ADR: Non-Regulated Non-Regulated RTD: ADN: Non-Regulated ______ Section 15 -- REGULATORY INFORMATION REGULATORY DATA Ingredient Name SARA 313 No TSCA Inventory Yes N/A CERCLA RQ RCRA Code N/A PROPOSITION 65 WARNING: The PVC hose adapter included with this product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Section 16 -- OTHER INFORMATION This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001