

MSDS Professional paint for airbrushing trademark

OneAir™ Professional

28.01.2019

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/

UNDERTAKING

Identification of the substance	Professional paint for airbrushing trademark OneAir™ Professional
---------------------------------	--

Article number	
----------------	--

Registration number (REACH)	This information is not available
-----------------------------	-----------------------------------

EC number	missing
-----------	---------

CAS number	missing
------------	---------

Relevant identified uses of the substance or mixture and uses advised against

Installed applications:	Used in artwork
-------------------------	-----------------

Details of the supplier of the safety data sheet

Individual entrepreneur Kraynova Svetlana Yuryevna

Mailing address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44

Legal address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44

Phone:	+7(800)600-55-75
--------	------------------

Fax:	-
------	---

Email:	info@oneair.pro
--------	-----------------

Web site:	www.oneairprofessional.com
-----------	----------------------------

Emergency numbers	+7(800)600-55-75
-------------------	------------------

Emergency Information Service	+7(800)600-55-75
-------------------------------	------------------

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) № 1272/2008 (CLP)

missing

Remarks

Full text of Hazard - Hazard and EU statements: see section 16.

2.2 Label elements

Labeling in accordance with Regulation (EC) № 1272/2008 (CLP)

Signal word Missing

Hazard

missing

Precautionary measures



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

Precautionary measures - reaction

missing

Packet marking where the content is not more than 125 ml

Signal word: Missing

2.3 Other hazards

No further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Purified water, H2O	70-100 %
Number EC	231-791-2
Number CAS	7732-18-5
Pigment	30 %
Number EC	236-675-5
Number CAS	13463-67-7
Polyurethane dispersion - (C9-H6-N2-O2.C6-H14-O3)x-, (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 1,3-diisocyanatomethylbenzene)	>30 %
Number EC	missing
Number CAS	9017-09-8
Non-ionic polyurethane rheology modifier	5-8 %
Number EC	missing
Number CAS	missing
Emulsifier (ethoxylated alcohol)	<1 %
Number EC	939-518-5
Number CAS	68439-49-6
Preservative - (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3)	0.1 %
Number EC	911-418-6
Number CAS	55965-84-9
2- (Dimethylamino) ethanol, C4H11NO	<0.5 %
Number EC	203-542-8
Number CAS	108-01-0

4. MEASURES FOR FIRST AID



4.1 Description of first aid measures



General remarks

Remove contaminated clothing.

After inhalation

Fresh air, rest, heat.

Upon contact with skin

Remove excess material with a cotton swab, rinse with running water and soap.

Eye Contact

Rinse under running water at a wide open gap in the eye for 15 minutes.

If swallowed,

Do not induce vomiting, careful to drink plenty of water

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects known to date

4.3 Indication of immediate medical attention and special treatment

Missing

5. MEASURES AND FIRE-FIGHTING

5.1 Extinguishing media

Suitable extinguishing means

Atomized water, chemical or air-mechanical foam, sand, all kinds of fire extinguishers

Unsuitable extinguishing media

There are no

5.2 Special hazards arising from the substance or mixture

Incombustible

Hazardous combustion products

In case of fire: sulfur oxides (SO_x)

5.3 Advice for firefighters

Fight fire from a distance, observing the usual precautions. Wear self-contained breathing apparatus.

6. MEASURES FOR THE PREVENTION AND ELIMINATION OF ACCIDENTAL AND THEIR CONSEQUENCES



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

The wearing of suitable protective equipment (including personal protective equipment specified in Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Do not breathe dust. Avoid contact with skin, eyes and clothing

6.2 Environmental precautions

Keep away from the sewage system, surface water and groundwater.

6.3 Methods and materials for cleaning

Advice on how to prevent leakage

Covering sewerage

Tips on how to clean up the leak

Remove mechanically.

Other information relating to spills and releases

Put into suitable containers for disposal.

Reference to other sections

Hazardous products of combustion: see section 5. Personal protective equipment: see section 8.

Incompatible materials: see section 10. Disposal: see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Special precautions are not necessary.

industrial hygiene advice

Before breaks and after work wash your hands. Keep away from food, drink and animal feed.

7.2 Conditions for safe storage, including any incompatibilities

Stored in a dry place.

Incompatible substance or mixture

Follow the instructions for the combined storage

Consideration of other tips

Ventilation requirements

Use local and general ventilation.

Specific projects for storage rooms or vessels

Recommended storage temperature: 15 - 25 ° C.



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

28.01.2019

SAFETY DATA SHEET

7.3 Specific (s) is finite (s) use (s) of

No further information.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

National limits

Restrictions for occupational exposure (Occupational Exposure Limits)

no data

8.2 Means of exposure control

PPE (personal protective equipment)

Eye / face protection



Use safety glasses with side shields.

Skin protection



• hand protection

Suitable protective gloves. Suitable chemical protective gloves, which are tested in accordance with EN 374. advisable to check the chemical resistance of the gloves for specific applications, as well as a supplier of the gloves.

• material type

NBR (Nitrile rubber)

• material thickness

> 0,11 mm.

• Breakthrough time of glove material


> 480 minutes (permeability: Level 6)

• other protection measures

Accept recovery periods for skin regeneration. Preventive skin protection (protective creams, ointments)

Controlling the environmental impact

Keep away from the sewage system, surface water and groundwater.



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

Identification of the substance	Professional paint for airbrushing trademark OneAir™ Professional
Article number	
Registration number (REACH)	This information is not available
EC number	missing
CAS number	missing
Relevant identified uses of the substance or mixture and uses advised against	
Installed applications:	Used in artwork
Details of the supplier of the safety data sheet	
Individual entrepreneur Kraynova Svetlana Yuryevna	
Mailing address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44	
Legal address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44	
Phone:	+7(800)600-55-75
Fax:	-
Email:	info@oneair.pro
Web site:	www.oneairprofessional.com
Emergency numbers	+7(800)600-55-75
Emergency Information Service	+7(800)600-55-75

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) № 1272/2008 (CLP)

missing

Remarks

Full text of Hazard - Hazard and EU statements: see section 16.

2.2 Label elements

Labeling in accordance with Regulation (EC) № 1272/2008 (CLP)

Signal word Missing

Hazard

missing

Precautionary measures



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

4.1 Description of first aid measures



General remarks

Remove contaminated clothing.

After inhalation

Fresh air, rest, heat.

Upon contact with skin

Remove excess material with a cotton swab, rinse with running water and soap.

Eye Contact

Rinse under running water at a wide open gap in the eye for 15 minutes.

If swallowed,

Do not induce vomiting, careful to drink plenty of water

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects known to date

4.3 Indication of immediate medical attention and special treatment

Missing

5. MEASURES AND FIRE-FIGHTING

5.1 Extinguishing media

Suitable extinguishing means

Atomized water, chemical or air-mechanical foam, sand, all kinds of fire extinguishers

Unsuitable extinguishing media

There are no

5.2 Special hazards arising from the substance or mixture

Incombustible

Hazardous combustion products

In case of fire: sulfur oxides (SOx)

5.3 Advice for firefighters

Fight fire from a distance, observing the usual precautions. Wear self-contained breathing apparatus.

6. MEASURES FOR THE PREVENTION AND ELIMINATION OF ACCIDENTAL AND THEIR CONSEQUENCES



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

7.3 Specific (s) is finite (s) use (s) of

No further information.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

National limits

Restrictions for occupational exposure (Occupational Exposure Limits)

no data

8.2 Means of exposure control

PPE (personal protective equipment)

Eye / face protection



Use safety glasses with side shields.

Skin protection



• hand protection

Suitable protective gloves. Suitable chemical protective gloves, which are tested in accordance with EN 374. advisable to check the chemical resistance of the gloves for specific applications, as well as a supplier of the gloves.

• material type

NBR (Nitrile rubber)

• material thickness

> 0,11 mm.

• Breakthrough time of glove material

> 480 minutes (permeability: Level 6)

• other protection measures

Accept recovery periods for skin regeneration. Preventive skin protection (protective creams, ointments)

Controlling the environmental impact

Keep away from the sewage system, surface water and groundwater.



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

9.2 Other information

No further information

10. STABILITY AND REACTIVITY

10.1 Reactivity

This material does not react under normal ambient conditions.

10.2 Chemical stability

The material is resistant to normal environmental conditions and under the anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

There are no known hazardous reactions

10.4 Situations to Avoid

No additional information.

10.5 Incompatible materials

No additional information.

10.6 Hazardous decomposition products


Hazardous combustion products: see section 5.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

acute toxicity

Route of exposure	The final temperature	Value	View	A source
Pigment				
oral	LD50	> 2 000 mg/kg	rat	ECHA
inh.	LC50	5.09 mg/l	rat	ECHA
Emulsifier (ethoxylated alcohol)				
oral	LD50	> 10 000 mg/kg	rat	ECHA
inh.	LC50	> 1.6 mg/l	rat	ECHA
dermal	LD50	> 2 000 mg/kg	rat	ECHA
Preservative - (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3)				
oral	LD50	457 mg/kg	rat	ECHA
inh.	LC50	2.36 mg/l	rat	ECHA
dermal	LD50	660 mg/kg	rabbit	ECHA



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

Identification of the substance	Professional paint for airbrushing trademark OneAir™ Professional
Article number	
Registration number (REACH)	This information is not available
EC number	missing
CAS number	missing
Relevant identified uses of the substance or mixture and uses advised against	
Installed applications:	Used in artwork
Details of the supplier of the safety data sheet	
Individual entrepreneur Kraynova Svetlana Yuryevna	
Mailing address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44	
Legal address: 191144, St. Petersburg, ul. 5 Sovetskaya, 44	
Phone:	+7(800)600-55-75
Fax:	-
Email:	info@oneair.pro
Web site:	www.oneairprofessional.com
Emergency numbers	+7(800)600-55-75
Emergency Information Service	+7(800)600-55-75

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) № 1272/2008 (CLP)

missing

Remarks

Full text of Hazard - Hazard and EU statements: see section 16.

2.2 Label elements

Labeling in accordance with Regulation (EC) № 1272/2008 (CLP)

Signal word Missing

Hazard

missing

Precautionary measures



MSDS Professional paint for airbrushing trademark**OneAir™ Professional**

28.01.2019

SAFETY DATA SHEET**Precautionary measures - reaction**

missing

Packet marking where the content is not more than 125 ml

Signal word: Missing

2.3 Other hazards

No further information

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Purified water, H2O	70-100 %
Number EC	231-791-2
Number CAS	7732-18-5
Pigment	30 %
Number EC	236-675-5
Number CAS	13463-67-7
Polyurethane dispersion - (C9-H6-N2-O2.C6-H14-O3)x-, (1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 1,3-diisocyanatomethylbenzene)	>30 %
Number EC	missing
Number CAS	9017-09-8
Non-ionic polyurethane rheology modifier	5-8 %
Number EC	missing
Number CAS	missing
Emulsifier (ethoxylated alcohol)	<1 %
Number EC	939-518-5
Number CAS	68439-49-6
Preservative - (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3)	0.1 %
Number EC	911-418-6
Number CAS	55965-84-9
2- (Dimethylamino) ethanol, C4H11NO	<0.5 %
Number EC	203-542-8
Number CAS	108-01-0

4. MEASURES FOR FIRST AID

MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

4.1 Description of first aid measures



General remarks

Remove contaminated clothing.

After inhalation

Fresh air, rest, heat.

Upon contact with skin

Remove excess material with a cotton swab, rinse with running water and soap.

Eye Contact

Rinse under running water at a wide open gap in the eye for 15 minutes.

If swallowed,

Do not induce vomiting, careful to drink plenty of water

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects known to date

4.3 Indication of immediate medical attention and special treatment

Missing

5. MEASURES AND FIRE-FIGHTING

5.1 Extinguishing media

Suitable extinguishing means

Atomized water, chemical or air-mechanical foam, sand, all kinds of fire extinguishers

Unsuitable extinguishing media

There are no

5.2 Special hazards arising from the substance or mixture

Incombustible

Hazardous combustion products

In case of fire: sulfur oxides (SOx)

5.3 Advice for firefighters

Fight fire from a distance, observing the usual precautions. Wear self-contained breathing apparatus.

6. MEASURES FOR THE PREVENTION AND ELIMINATION OF ACCIDENTAL AND THEIR CONSEQUENCES



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

28.01.2019

SAFETY DATA SHEET

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

The wearing of suitable protective equipment (including personal protective equipment specified in Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Do not breathe dust. Avoid contact with skin, eyes and clothing

6.2 Environmental precautions

Keep away from the sewage system, surface water and groundwater.

6.3 Methods and materials for cleaning

Advice on how to prevent leakage

Covering sewerage

Tips on how to clean up the leak

Remove mechanically.

Other information relating to spills and releases

Put into suitable containers for disposal.

Reference to other sections

Hazardous products of combustion: see section 5. Personal protective equipment: see section 8.

Incompatible materials: see section 10. Disposal: see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Special precautions are not necessary.

Industrial hygiene advice

Before breaks and after work wash your hands. Keep away from food, drink and animal feed.

7.2 Conditions for safe storage, including any incompatibilities

Stored in a dry place.

Incompatible substance or mixture

Follow the instructions for the combined storage

Consideration of other tips

Ventilation requirements

Use local and general ventilation.

Specific projects for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.



MSDS Professional paint for airbrushing trademark
OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

7.3 Specific (s) is finite (s) use (s) of

No further information.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

National limits

Restrictions for occupational exposure (Occupational Exposure Limits)

no data

8.2 Means of exposure control

PPE (personal protective equipment)

Eye / face protection



Use safety glasses with side shields.

Skin protection



• hand protection

Suitable protective gloves. Suitable chemical protective gloves, which are tested in accordance with EN 374, advisable to check the chemical resistance of the gloves for specific applications, as well as a supplier of the gloves.

• material type

NBR (Nitrile rubber)

• material thickness

> 0,11 mm.

• Breakthrough time of glove material

> 480 minutes (permeability: Level 6)

• other protection measures

Accept recovery periods for skin regeneration. Preventive skin protection (protective creams, ointments)

Controlling the environmental impact

Keep away from the sewage system, surface water and groundwater.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

State of aggregation liquid
Smell a faint smell of paint
Odor threshold 0.0011 mg/l

Other physical and chemical parameters

pH (value) 8.0
Density at 20 ° C no data available
Melting point / freezing 273.1 K / 0
Initial boiling point and boiling range 100°C
Flash point closed cup not flammable
Evaporation rate 0,05 g/h
Flammability (solid gas) non-flammable

explosive limits

• lower explosion limit (LEL) This information is not available
• upper explosion limit (UEL) This information is not available

Explosive limits of dust clouds

gas pressure This information is not available

Vapor density 20 mm Hg

Bulk density This information is not available

Relative density 9.4 kg/m³

Solubility (u)

Solubility in water soluble in water and alcohols and not soluble in toluene

distribution factor

n-octanol / water (log KOW) This information is not available

Ignition point

Autoignition Temperature. This information is not available

Decomposition temperature


Decomposition temperature 380°C

Viscosity

Risk of explosion 40-60 MPA

Oxidising properties

Oxidising properties not applicable



MSDS Professional paint for airbrushing trademark
OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

9.2 Other information

No further information

10. STABILITY AND REACTIVITY

10.1 Reactivity

This material does not react under normal ambient conditions.

10.2 Chemical stability

The material is resistant to normal environmental conditions and under the anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

There are no known hazardous reactions

10.4 Situations to Avoid

No additional information.

10.5 Incompatible materials

No additional information.

10.6 Hazardous decomposition products


Hazardous combustion products: see section 5.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

acute toxicity

Route of exposure	The final temperature	Value	View	A source
Pigment				
oral	LD50	> 2 000 mg/kg	rat	ECHA
inh.	LC50	5.09 mg/l	rat	ECHA
Emulsifier (ethoxylated alcohol)				
oral	LD50	> 10 000 mg/kg	rat	ECHA
inh.	LC50	> 1.6 mg/l	rat	ECHA
dermal	LD50	> 2 000 mg/kg	rat	ECHA
Preservative - (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3)				
oral	LD50	457 mg/kg	rat	ECHA
inh.	LC50	2.36 mg/l	rat	ECHA
dermal	LD50	660 mg/kg	rabbit	ECHA



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

28.01.2019

SAFETY DATA SHEET

2- (Dimethylamino) ethanol, C₄H₁₁NO

oral	LD50	1 203.2 mg/kg	rat	ECHA
inh.	LC50	1641 ppm	rat	ECHA
dermal	LD50	3.53 ml/kg	rabbit	ECHA

Skin corrosion / irritation

Not classified as corrosive / irritant to the skin.

Serious eye damage / irritation

Not classified as serious povrezhditel eye or eye irritant.

Respiratory or skin sensitization

Not classified as a respiratory irritant or allergen skin.

Summary CMR evaluation of properties

It is not classified as a mutagen germ cells, or carcinogen toxin for reproduction

• Specific target organ toxicity individual target organs

single exposure

Not classified as a specific target organ toxicant (single exposure).

Symptoms associated with physical, chemical and toxicological characteristics

• If swallowed,

no data

• Eye Contact

slightly irritating, but not subject to classification

• After inhalation

no data

• After contact with skin

no data

Other information

Missing

12. ECOLOGICAL INFORMATION

12.1 Toxicity

acc. with 1272/2008 / EC: Not classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

The final temperature	Value	View	A source	Exposure time
Pigment				
NOEC	≥ 100 mg/l	Carassius auratus	ECHA	96 h
EC50	> 1 000 mg/l	Daphnia Magna	ECHA	48 h
NOEC	≥ 1 mg/l	Synedra ulna	ECHA	32 d
Emulsifier (ethoxylated alcohol)				
LC50	108 mg/l	Danio Rherio	ECHA	96 h
EL50	51 mg/l	Daphnia Magna	ECHA	48 h
EL50	> 10 mg/l	Pseudokirchneriella subcapitata	ECHA	72 h
Preservative - (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-Methyl-2,3-dihydroisothiazol-3)				
LC50	0.19 mg/l	Oncorhynchus mykiss	ECHA	96 h
LC50	0.18 mg/l	Daphnia Magna	ECHA	48 h
NOEC	0.49 mg/l	Skeletonema costatum	ECHA	48 h
2- (Dimethylamino) ethanol, C4H11NO				
LC100	215 mg/l	Leuciscus idus	ECHA	96 h
EC100	250 mg/l	Daphnia Magna	ECHA	48 h
EC50	66.08 mg/l	Desmodesmus subspicatus	ECHA	72 h

12.2 The decomposition process

Methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

No data.

12.5 Results of PBT and vPvB

No data.

12.6 Other side effects

No data.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

The material and its container must be disposed of as hazardous waste. Dispose of contents in accordance with local / regional / national / international regulations.

Disposal of wastewater - current information



SAFETY DATA SHEET

The sewers are not drained.

13.2 The relevant provisions relating to waste

Assignment of the code numbers / waste marking carried out in accordance with Directive on the list of hazardous materials in accordance with the industry and process.

13.3 Notes

Waste must be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the respective national or regional regulations.

14. TRANSPORT INFORMATION

14.1 UN number	(Not subject to transport regulations)
14.2 UN proper shipping name	it does not matter
14.3 Class (es) during transport class	it does not matter -
14.4 Packing group	it does not matter
14.5 Environmental hazards	offline (not dangerous for the environment acc. to technical regulations)

14.6 Special precautions for user

No additional information.

14.7 Transportation of containers in accordance with Annex II of MARPOL 73/78 and IBC Code

Cargo for carriage in bulk.

14.8 Information on each of the UN Model Regulations

- **Transport of dangerous goods by road, rail and inland waterway (ADR / RID / ADN)**

Not subject to ADR, RID and ADN.

- **International Maritime Dangerous Goods (IMDG)**

It is not subject to the IMDG Code.

- **International Air Transport Association (ICAO-IATA / DGR)**


It is not subject to ICAO-IATA.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental laws / regulations specific for the substance or mixture

The relevant provisions of the European Union (EU)

- **Regulation 649/2012 / EC on the export and import of hazardous chemicals (PIC)**



MSDS Professional paint for airbrushing trademark

OneAir™ Professional

SAFETY DATA SHEET

28.01.2019

not listed

- Regulation 1005/2009 / EC on substances that deplete the ozone layer (ODS)

not listed

- Regulation 850/2004 / EC on persistent organic pollutants (POPs)

not listed

- Restrictions under REACH, Annex XVII

not listed

- List of substances subject to authorization (REACH, Appendix XIV)

not listed

- Directive 2011/65 / EC on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

- Regulation 166/2006 / EC establishing the European Pollutant Release and Transfer Registers (PRTR)

not listed

- Directive 2000/60 / EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National regulations

The substance is included in the following national regulations:

- EINECS / ELINCS (Europe)

15.2 Chemical Safety Assessment

None of the chemical safety assessment was not carried out for this substance.

16. OTHER INFORMATION

Abbr.	Descriptions of the abbreviations used
CAS	Chemical Abstracts Service (a service that supports the most comprehensive list of chemicals)
CLP	Regulation (EC) № 1272/2008 on the classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, mutagenic or toxic to the reproductive system

