
SALAMANDER ENTERPRISES LTD

MID SLEEPER





WARNING

TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS:

- * Stand No : SA/NZS 4220 : 2010
- * Never allow child under 9 years on upper bunk.
- * Use only mattress meeting the specification on the upper bunk :

Bed typeLengthWidthStandard length1914 mm934 mm

- * Ensure thickness of mattress and foundation combined does not exceed 200mm (8") and mattress is at least 160mm below upper edge of guardrails .
- * Guardrails must be attacched on both side of upper bunk for strength and stability of bed.
- * Prohibit horseplay on or under the bed(s).
- * Prohibit more than one person on upper bunk .
- * Ladder must be used when entering and leaving upper bunk bed .
- * Distributor's name : Salamander Enterprises Ltd

WARNING: TOP BUNKS AND ELEVATED BEDS ARE DANGEROUS

AND ARE NOT RECOMMENDED FOR CHILDREN UNDER THE AGE OF 9.

WARNING: TOP BUNKS ARE FOR USE BY CHILDREN UNDER 50 KG ONLY.

Falls from elevated beds can be fatal and deaths have occurred where children have fallen from elevated beds . This is relevant for all ages . The risk is greater for younger children .

The risk of injury or death from a fall from an elevated bed compared to a non - elevated bed is :

10 x greated for 7 - 8 years old

7 x greated for 9 - 10 years old

3 x greated for 11 - 12 years old

WARNING: The upper bunk bed must be more than 2 m from any ceiling fan .

ASSEMBLY INSTRUCTION


ASSEMBLY TIPS:


- 1. Remove hardware from box and sort by size.
- 2. Please check to see that all hardware and parts are present prior start of assembly .
- 3. Please follow attacched instruction in the same sequence as numbered to assure fast and easy assembly.
- 4. Do not use power tools as they can over tighten and damage components.

HARDWARE LIST


Component part and fittings contained in the box		
(H1) 16pcs	H2 16pcs	H3 16pcs
Bolt	Cam Lock	Wooden dowel: Ø8x30(mm)
(H4) 24pcs	H5 24pcs	H6 8pcs
& Managara Marie Control of the Cont	E Production of the contract o	
Screw: Ø4x30(mm)	Screw: Ø4x20(mm)	Hexagon screw: Ø6x30(mm)
H7 8pcs	H8 1pc	H9 24pcs
Flat washer: Ø6	Allen key 4 mm	White stickes
H10 4pcs	H11 8pcs	
Hexagon screw: Ø6x40(mm)	Wooden dowel: Ø12x50(mm)	

LIST DETAIL







Page 4/10




Page 5/10




Page 6/10



Page 7/10





Page 9/10

