



#### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Wolfsteins Pro-Series Premium Glass Water Repellent & Scratch Resister
Product ID	: 01172
Product Use Description	: Glass Water Repellent & Scratch Resister
Intended Use	: Glass

#### Manufacturer or supplier's details

Company	Wolfsteins Pro-Series
Address	3040 Amwiler Road
	Suite A
Telephone	Atlanta, GA 30360
Fax	(770) 395-0020
	(770) 395-1353
Hour emergency telephone number:	· · ·

24 Hour emergency telephone number: CHEMTREC (800) 424-9300 or (703) 527-3887

#### SECTION 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION:	Eye Irritation - Classification Not Possible Skin Irritation - Classification Not Possible Acute Toxicity - Not Classified; <b>6%</b> of ingredients(s) have no known acute toxicity Respiratory Sensitization - Classification Not Possible Skin Sensitization - Classification Not Possible	
GHS LABEL REQUIREMENTS:	Symbol - Signal Word - Hazard Statement(s) - Precautionary Statement(s)	None None None - None
Other Hazards:	May cause skin, and respira if inhaled.	tory irritation. It may also be harmful





#### SECTION 3. INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	PERCENT
Water	7732-18-5	90-95
Isopropyl Alcohol	67-63-0	1-5
Proprietary Polymers	Trade Secret	Trade Secret

Toxicological Data on Ingredients: Isopropyl alcohol: ORAL (LD50): Acute: 5045 mg/kg [Rat]. 3600 mg/kg [Mouse]. 6410mg/kg [Rabbit]. DERMAL (LD50): Acute: 12800 mg/kg [Rabbit].

#### **SECTION 4. FIRST AID MEASURES**

INGESTION: Consult a physician immediately.

EYE CONTACT: Flush with large amounts of water for 10-15 minutes. Consult a physician if needed.

SKIN CONTACT: Wash affected area with soap and water. Remove contaminated clothing and shoes.

INHALATION: Leave the contaminated area and seek fresh air. If breathing is difficult, contact a physician.

#### SECTION 5. FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Alcohol foam, CO2,dry chemical or water spray
PROTECTIVE EQUIPMENT:	Use NIOSH/MSHA approved SCBA and bunker gear. Evolution of acidic gases may require complete wash down of protective clothing prior to removal.
HAZARDOUS COMBUSTION PRODUCTS:	CO, CO2.





#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Ensure cleanup is done only by trained personnel wearing appropriate personal protective equipment. Ventilate area and cover with absorbent material. Collect spilled material in a container and seal. Spilled material is a slipping hazard.

#### **SECTION 7. HANDLING & STORAGE**

#### HANDLING

Follow safe industrial hygiene practices and wear proper protective equipment. Use only in well ventilated areas. Wash hands thoroughly after handling. Wash clothing after use. Avoid contact with skin or eyes. Do not breathe vapor or spray. As with any chemical do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. If smoking tobacco becomes contaminated by this material, exposure to toxic gases through inhalation can occur. Therefore, do not smoke in the work areas and wash hands and face after handling in order to avoid transfer of material onto tobacco.

#### STORAGE

Store material at 5°C (40°F) to 40°C (104°F). Perishable if frozen. Keep from freezing. Keep away from heat, steam, sunlight, sparks and open flame. Store containers tightly closed when not in use.





#### SECTION 8. EXPOSURE CONTROLS & PERSONAL PROTECTIVE EQUIPMENT

EXPOSURE LIMITS:	No exposure limits available for the product.
RESPIRATORY PROTECTION:	Use with adequate ventilation and/or respirator suitable for protection when spraying this material.
EYE PROTECTION:	Safety glasses with side shields or goggles.
PROTECTIVE CLOTHING:	Chemical resistant gloves and protective clothing should be worn when handling this material.
VENTILATION:	Use local exhaust ventilation.
OTHER PROTECTIVE EQUIPMENT:	Eyewash station and safety shower.

#### SECTION 9. PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE:	
ODOR:	Not available
ODOR THRESHOLD:	Not available
pH:	5.5 - 6.5
MELTING POINT:	Not Applicable
FREEZING POINT:	Approximately 0°C (32°F)
BOILING POINT/RANGE:	Approximately 100°C (212°F) (water)
FLASH POINT:	Doesn't flash





FLAMMABLE LIMITS:	LEL - Not Available UEL - Not Available
EVAPORATION RATE (Butyl acetate=1):	Not Available
VAPOR PRESSURE:	Not Available
VAPOR DENSITY:	Not Available
SPECIFIC GRAVITY (H20=1):	Approximately .992 at 25°C
APPARENT DENSITY:	Not Available
SOLUBILITY(IES):	Miscible in water
PARTITION COEFFICIENT (n-octanol/water):	Not Available
AUTO-IGNITION TEMPERATURE:	Not Available
DECOMPOSITION TEMPERATURE:	Not Available
VISCOSITY:	Not Available





#### SECTION 10. STABILITY & REACTIVITY

STABILITY:	Stable
CONDITIONS TO AVOID:	Excessive heat, sparks and open flame
INCOMPATIBILITIES:	None Known
HAZARDOUS POLYMERIZATION:	Should not occur
HAZARDOUS DECOMPOSITION:	CO, CO2.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### ACUTE EFFECTS OF EXPOSURE

	Ingestion: Eye Contact: Skin contact: Inhalation:	May be harmful if swall May cause mild irritatio May cause skin irritation May cause respiratory i	n n
CHRO	NIC EFFECTS C	OF EXPOSURE:	No Data Available
ACUTE TOXICITY:		No Data Available	
SKIN CORROSION/IRRITATION:		No Data Available	
SERIOUS EYE DAMAGE/IRRITATION:		No Data Available	
RESPIRATORY OR SKIN SENSITIZATION:		No Data Available	





GERM CELL MUTAGENICITY:	No Data Available	
CARCINOGENICITY:	None of the components in this material are listed by NTP, OSHA or IARC.	
REPRODUCTIVE TOXICITY:	No Data Available	
STOT-SINGLE EXPOSURE:	No Data Available	
STOT-REPEATED EXPOSURE:	No Data Available	
ASPIRATION HAZARD:	Not applicable	
SECTION 12. ECOLOGICAL INFORMATION		
BIODEGRADABILITY:	No data	

BIOACCUMULATION: No data

#### SECTION 13. DISPOSAL CONSIDERATIONS

Comply with Federal, State and Local regulations concerning health and environment when disposing of materials. Regulations may also apply to empty containers, liners, or rinsate.





#### **SECTION 14. TRANSPORT INFORMATION**

UN CLASSIFICATION:	Not applicable
DOT HAZARD DESCRIPTION:	Not applicable
CANADIAN TRANSPORTATION OF	
DANGEROUS GOODS (TDG):	Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

TSCA:	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.
California Prop 65	None
Canada	All components are listed on DSL
EINECS	All components are in compliance with inventory listing in EINECS
REACH	Polymer exemption.

Other: State and local regulations may have specific requirements for this product or components of this product; consult specific state and local regulatory requirements for additional information.





#### **SECTION 16. OTHER INFORMATION**

Wolfsteins Pro-Series believes the information in the SDS to be correct as of the date issued, but assumes no liability for the accuracy or completeness of the data relied on in preparing this SDS. Wolfsteins Pro-Series makes no warranties in this SDS, either express or implied, and excludes all warranties, including without limitation any implied warranty of merchantability, fitness for a particular purpose or course of performance, or usage of trade.

Wolfsteins Pro-Series may provide SDS information in electronic form as a customer service. Due to the remote possibility that electronic transfer may result in errors, omissions or alterations in this information, Wolfsteins Pro-Series makes no representation or warranty as to its completeness or accuracy when so transferred.

SDS Issued: 10/27/2023