



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020336.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

**Customer** Saint Jane Beauty  
**Address** PO Box 566  
 Manhattan Beach, CA 90267

**Date Received** 2/8/2023  
**Condition** Good  
**Temp** Ambient

**Sample Name** Beauty Serum

**PO #**

**Sample Lot #** NA

**Remarks**

THC Detection Limit: 0.01%

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	02/09/2023
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromopropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etrimphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfathion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinate	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by  **FEB 28 2023**  
 Murali Muniandy / Laboratory Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020336.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

**Customer** Saint Jane Beauty  
**Address** PO Box 566  
 Manhattan Beach, CA 90267

**Date Received** 2/8/2023  
**Condition** Good  
**Temp** Ambient

**Sample Name** Beauty Serum

**PO #**

**Sample Lot #** NA

**Remarks**

THC Detection Limit: 0.01%

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraoxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraoxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Cannabinoids				
Cannabidiol (CBD)	N/A	512.09mg / 30mL	HPLC/UPLC	02/14/2023
Cannabidivarin (CBDV)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidivarinic Acid (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above

Authorized by

Murali Muniandy / Laboratory Director

FEB 28 2023

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020336.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Saint Jane Beauty	<b>Date Received</b>	2/8/2023
<b>Address</b>	PO Box 566 Manhattan Beach, CA 90267	<b>Condition</b>	Good
<b>Sample Name</b>	Beauty Serum	<b>Temp</b>	Ambient
<b>Sample Lot #</b>	NA	<b>PO #</b>	
	THC Detection Limit: 0.01%	<b>Remarks</b>	

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	13.21mg / 30mL	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	6.04mg / 30mL	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
<b>Residual Solvents</b>				
Methanol	N/A	Pass <3000 ppm	USP <467>	02/14/2023
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
<b>Heavy Metals</b>				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	02/14/2023
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	0.003 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.007 ppm	ICP-MS (STP-021)	as above

Authorized by **FEB 28 2023**  
 Murali Muniandy / Laboratory Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020336.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Saint Jane Beauty	<b>Date Received</b>	2/8/2023
<b>Address</b>	PO Box 566 Manhattan Beach, CA 90267	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Beauty Serum	<b>PO #</b>	
<b>Sample Lot #</b>	NA	<b>Remarks</b>	
	THC Detection Limit: 0.01%		

Analysis	Specification	Test Result	Test Method	Test Date
Microbiology				
TPC	N/A	<10 cfu/g	AOAC 966.23	02/17/2023
Yeast	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Mold	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Aflatoxins				
B1	N/A	<1.3 ppb	LC-MS / MS	02/22/2023
B2	N/A	<1.2 ppb	LC-MS / MS	as above
G1	N/A	<1.1 ppb	LC-MS / MS	as above
G2	N/A	<1.6 ppb	LC-MS / MS	as above
Total Aflatoxins	N/A	<5.2 ppb	LC-MS / MS	as above

  
 Authorized by Murali Muniandy / Laboratory Director FEB 28 2023

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020337.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Saint Jane Beauty	<b>Date Received</b>	2/8/2023
<b>Address</b>	PO Box 566 Manhattan Beach, CA 90267	<b>Condition</b>	Good
<b>Sample Name</b>	Body Serum	<b>Temp</b>	Ambient
<b>Sample Lot #</b>	NA	<b>PO #</b>	
	THC Detection Limit: 0.01%	<b>Remarks</b>	

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	02/09/2023
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromopropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etrimphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfathion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinate	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by **FEB 28 2023**  
 Murali Muniandy / Laboratory Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020337.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Saint Jane Beauty	<b>Date Received</b>	2/8/2023
<b>Address</b>	PO Box 566 Manhattan Beach, CA 90267	<b>Condition</b>	Good
<b>Sample Name</b>	Body Serum	<b>Temp</b>	Ambient
<b>Sample Lot #</b>	NA	<b>PO #</b>	
	THC Detection Limit: 0.01%	<b>Remarks</b>	

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraoxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraoxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Cannabinoids				
Cannabidiol (CBD)	N/A	230.53mg / 120mL	HPLC/UPLC	02/14/2023
Cannabidiol (CBD)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidiol (CBD)	N/A	Not Detected	HPLC/UPLC	as above
Cannabidiol (CBD)	N/A	Not Detected	HPLC/UPLC	as above

Authorized by **FEB 28 2023**  
 Murali Muniandy / Laboratory Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020337.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

**Customer** Saint Jane Beauty  
**Address** PO Box 566  
 Manhattan Beach, CA 90267

**Date Received** 2/8/2023  
**Condition** Good  
**Temp** Ambient

**Sample Name** Body Serum


**PO #**

**Sample Lot #** NA

**Remarks**

THC Detection Limit: 0.01%

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	Not Detected	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	Not Detected	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
<b>Residual Solvents</b>				
Methanol	N/A	Pass <3000 ppm	USP <467>	02/14/2023
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
<b>Heavy Metals</b>				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	02/14/2023
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	0.007 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.007 ppm	ICP-MS (STP-021)	as above

Authorized by  **FEB 28 2023**  
 Murali Muniandy / Laboratory Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
 5555 Brooks St  
 Montclair, CA 91763  
 Tel 909-230-6210  
 Fax 909-230 6211  
 www.iLab-US.com  
 info@ilab-us.com

CoA # 23020337.1  
 CoA Date 02/28/2023  
 CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Saint Jane Beauty	<b>Date Received</b>	2/8/2023
<b>Address</b>	PO Box 566 Manhattan Beach, CA 90267	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Body Serum	<b>PO #</b>	
<b>Sample Lot #</b>	NA	<b>Remarks</b>	
	THC Detection Limit: 0.01%		

Analysis	Specification	Test Result	Test Method	Test Date
Microbiology				
TPC	N/A	190 cfu/g	AOAC 966.23	02/08/2023
Yeast	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Mold	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Aflatoxins				
B1	N/A	<1.3 ppb	LC-MS / MS	02/22/2023
B2	N/A	<1.2 ppb	LC-MS / MS	as above
G1	N/A	<1.1 ppb	LC-MS / MS	as above
G2	N/A	<1.6 ppb	LC-MS / MS	as above
Total Aflatoxins	N/A	<5.2 ppb	LC-MS / MS	as above

  
 Authorized by Murali Muniandy / Laboratory Director

FEB 28 2023

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
 Estimation of uncertainty of measurement available upon request.