CRAFT TABLE (1 LEAF)







ASSEMBLY INSTRUCTIONS

Position the top of the Craft Table (CT-TOP) and the leaf of the work table (CT-FLAP) on a smooth flat surface (the floor is best) as shown below. You will be building the table upside down turning it over at the final step.

Using hinge H2 and screw 30-15S join the top and leaf together.





Screw CB1 bolts as indicated below into all of the holes marked with a red circle.




Insert CL1 locks as indicated below.

Screw CB1 bolts as indicated below into all of the holes marked with a red circle.







Attach the Centre Panel (CT-70CDIV) to the Side (CT-70SIDE) as indicated. Once slotted together ensure you tighten the connecting locks.




Attach hinge H1 using screw 30-15S to the Leg (CT-70LEG).




With the Top and Leaf still laying on the the floor attach the Centre Panel & Side which you joined together in STEP 4 as indicated. Once slotted together ensure you tighten the connecting locks. Ensure you attach the top of the side to the CT-TOP this should be marked with a label.




Attach the Leg to the Side using the Hinge which you have already attached to the Leg and the 30-15S screws provided. Ensure the leg is the correct way up with the white nylon pad which is attached the leg touching the underside of the leaf.




Screw CB1 bolts as indicated below into all of the holes marked with a red circle.






Attach the Base (CT-BASE) to the parts which you have already constructed. Once slotted together ensure you tighten the connecting locks.



Attach the four casters to the Base (CT-BASE) using screw 30-17S




Attach the one caster to the Leg (CT-70LEG) using screw 30-17S




IT IS HIGHLY RECOMMENDED TO HAVE TWO PEOPLE PRESENT TO COMPLETE THIS STEP


Fold the Leg in as indicated below and lift the leaf up so that the table is closed. DO NOT LET GO OF THE FLAP.

Carefully turn the table over so that it is sat on its wheels, supporting the leaf at all times.





Now that the table is the correct way up you can fit your shelves by using the mini connecting bolts (CB2). Select your shelf position screw into place four of the mini connecting bolts. Locate your shelf onto the bolts and tighten the locks which are pre-fitted into the underside of the shelf.





Designed and Manufactured by:

Storage 4 Crafts

www.storage 4 crafts.co.uk

tel. 0800 048 8606