


évo
by Landlite™



2024


**PROFESSIONAL
DOWNLIGHTS SERIES**

FIXED & TILTABLE ROUND DOWNLIGHTS




EVO-AZ0101 *FIXED*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø78mm
- 230V 60Hz




EVO-AZ0102

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø78mm
- 230V 60Hz



EVO-AZ0103* *FIXED*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø78mm
- 230V 60Hz



EVO-AZ0104*


- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø78mm
- 230V 60Hz



EVO-AZ0105*


- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø78mm
- 230V 60Hz

FIXED & TILTABLE TRIMELESS ROUND DOWNLIGHTS




EVO-AZ0201 *FIXED*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø75mm
- 230V 60Hz




EVO-AZ0202

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø75mm
- 230V 60Hz




EVO-AZ0203* *FIXED*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø75mm
- 230V 60Hz



EVO-AZ0204*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø75mm
- 230V 60Hz



EVO-AZ0205*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø75mm
- 230V 60Hz

AZ SERIES

DOWNLIGHT FIXTURES

(BULB NOT INCLUDED)


évo

TILTABLE SQUARE DOWNLIGHTS




EVO-AZ0501

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 82 x 82 mm
- 230V 60Hz



EVO-AZ0502*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 82 x 82 mm
- 230V 60Hz




TILTABLE TRIMLESS SQUARE DOWNLIGHTS




EVO-AZ0601

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 82 x 79 mm
- 230V 60Hz



EVO-AZ0602*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 82 x 79 mm
- 230V 60Hz




TILTABLE RECTANGULAR DOWNLIGHTS




EVO-AZ0701

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 163 x 80 mm
- 230V 60Hz



EVO-AZ0702*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 163 x 80 mm
- 230V 60Hz




TILTABLE TRIMLESS RECTANGULAR DOWNLIGHTS




EVO-AZ0801

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 163 x 80 mm
- 230V 60Hz



EVO-AZ0802*

- GU10 / LED Modular Bulb
- Die-cast Aluminum
- Cutout: 163 x 80 mm
- 230V 60Hz




TILTABLE OVAL DOWNLIGHTS




EVO-AZ0301

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø94 x 182mm
- 230V 60Hz




EVO-AZ0302

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø94 x 182mm
- 230V 60Hz




EVO-AZ0303*

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø94 x 182mm
- 230V 60Hz



EVO-AZ0304*

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- Cutout: Ø94 x 182mm
- 230V 60Hz




TILTABLE TRIMLESS OVAL DOWNLIGHTS




EVO-AZ0401

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- 182 x 145 x 72 mm
- Cutout: 92 x 182 mm
- 230V 60Hz




EVO-AZ0402

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- 182 x 145 x 72 mm
- Cutout: 92 x 182 mm
- 230V 60Hz




EVO-AZ0403*

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- 182 x 145 x 72 mm
- Cutout: 92 x 182 mm
- 230V 60Hz



EVO-AZ0404*

- GU10 Bulb / LED Modular Bulb
- Die-cast Aluminum
- 182 x 145 x 72 mm
- Cutout: 92 x 182 mm
- 230V 60Hz





BY SERIES

BUILT-IN LED

(DRIVER SOLD SEPERATELY)

évo

FIXED LED DOWNLIGHTS



EVO-BY0101-9W24D30K WHT / BLK

Wattage: **9W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **630** | Voltage: **36V** | Current: **200mA**
Size: **Ø87 x H65mm** | Cutout: **Ø75 mm**

Compatible with **LF-GIR009YS0200H** driver

EVO-BY0101-9W50D30K WHT / BLK

Wattage: **9W** | Beam Angle: **50°** | CCT: **3000K**
Lumen: **630** | Voltage: **36V** | Current: **200mA**
Size: **Ø87 x H65mm** | Cutout: **Ø75 mm**

Compatible with **LF-GIR009YS0200H** driver

EVO-BY0102-15W24D30K WHT / BLK

Wattage: **15W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **1050** | Voltage: **36V** | Current: **350mA**
Size: **Ø110 x H75mm** | Cutout: **Ø100 mm**

Compatible with **LF-GIR013YS0350H** driver

EVO-BY0102-15W50D30K WHT / BLK

Wattage: **15W** | Beam Angle: **50°** | CCT: **3000K**
Lumen: **1050** | Voltage: **36V** | Current: **350mA**
Size: **Ø110 x H75mm** | Cutout: **Ø100 mm**

Compatible with **LF-GIR013YS0350H** driver

EVO-BY0103-24W24D30K WHT / BLK

Wattage: **24W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **1680** | Voltage: **36V** | Current: **600mA**
Size: **Ø135 x H95mm** | Cutout: **Ø120 mm**

Compatible with **LF-GIR024YS0600H** driver

EVO-BY0103-24W50D30K WHT / BLK

Wattage: **24W** | Beam Angle: **50°** | CCT: **3000K**
Lumen: **1680** | Voltage: **36V** | Current: **600mA**
Size: **Ø135 x H95mm** | Cutout: **Ø120 mm**

Compatible with **LF-GIR024YS0600H** driver

EVO-BY0104-35W24D30K WHT / BLK

Wattage: **35W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **2450** | Voltage: **36V** | Current: **850mA**
Size: **Ø160 x H109mm** | Cutout: **Ø150 mm**

Compatible with **LF-GIF040YS850H** driver

EVO-BY0104-35W50D30K WHT / BLK

Wattage: **35W** | Beam Angle: **50°** | CCT: **3000K**
Lumen: **2450** | Voltage: **36V** | Current: **850mA**
Size: **Ø160 x H109mm** | Cutout: **Ø150 mm**

Compatible with **LF-GIF040YS850H** driver

EVO-BY0105-45W24D30K WHT / BLK

Wattage: **45W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **3150** | Voltage: **36V** | Current: **1050mA**
Size: **Ø186 x H121mm** | Cutout: **Ø175 mm**

Compatible with **LF-GIF040YS1050H** driver

EVO-BY0105-45W50D30K WHT / BLK

Wattage: **45W** | Beam Angle: **50°** | CCT: **3000K**
Lumen: **3150** | Voltage: **36V** | Current: **1050mA**
Size: **Ø186 x H121mm** | Cutout: **Ø175 mm**

Compatible with **LF-GIF040YS1050H** driver

LED DRIVERS



LF-GIR009YS0200H

Input: **220-240V 60Hz Max. 0.1A**
Output Voltage: **25-42V**

LF-GIR024YS0600H

Input: **220-240V 60Hz Max. 0.25A**
Output Voltage: **25-39V**

LF-GIR009YS0220H

Input: **220-240V 60Hz Max. 0.1A**
Output Voltage: **25-42V**

LF-GIF040YS850H

Input: **220-240V 60Hz Max. 0.28A**
Output Voltage: **33-40V**

LF-GIR013YS0350H

Input: **220-240V 60Hz Max. 0.15A**
Output Voltage: **25-38V**

LF-GIF040YS1050H

Input: **220-240V 60Hz Max. 0.28A**
Output Voltage: **33-40V**



DET-60K

Input: **220-240V 60Hz**
Output: **12V~ Max. 3.0A**

230V NON-DIMMABLE BULBS



EVO-GU10-5W15D30K

Wattage: **5W** | Beam Angle: **15°** | CCT: **3000K**
Lumen: **400** | Voltage: **230V**

EVO-GU10-5W24D30K

Wattage: **5W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **400** | Voltage: **230V**

EVO-GU10-5W36D30K

Wattage: **5W** | Beam Angle: **36°** | CCT: **3000K**
Lumen: **400** | Voltage: **230V**



230V DIMMABLE BULBS



EVO-GU10-5W15D30KDIM

Wattage: **5W** | Beam Angle: **15°**
CCT: **3000K** | Lumen: **400**
Voltage: **230V**

EVO-GU10-5W24D30KDIM

Wattage: **5W** | Beam Angle: **24°**
CCT: **3000K** | Lumen: **400**
Voltage: **230V**

EVO-GU10-5W36D30KDIM

Wattage: **5W** | Beam Angle: **36°**
CCT: **3000K** | Lumen: **400**
Voltage: **230V**

EVO-GU10-7W15D30KDIM

Wattage: **7W** | Beam Angle: **15°**
CCT: **3000K** | Lumen: **560**
Voltage: **230V**

EVO-GU10-7W24D30KDIM

Wattage: **7W** | Beam Angle: **24°**
CCT: **3000K** | Lumen: **560**
Voltage: **230V**

EVO-GU10-7W36D30KDIM

Wattage: **7W** | Beam Angle: **36°**
CCT: **3000K** | Lumen: **560**
Voltage: **230V**



12V NON-DIMMABLE BULBS

EVO-MR1612V-5W15D30K

Wattage: **5W** | Beam Angle: **15°** | CCT: **3000K**
Lumen: **400** | Voltage: **12V**

Compatible with DET-60K

EVO-MR1612V-5W24D30K

Wattage: **5W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **400** | Voltage: **12V**

Compatible with DET-60K

EVO-MR1612V-5W36D30K

Wattage: **5W** | Beam Angle: **36°** | CCT: **3000K**
Lumen: **400** | Voltage: **12V**

Compatible with DET-60K



MODULAR BULBS



EVO-GU10M-10W20D30K

Wattage: **10W** | Beam Angle: **20°** | CCT: **3000K**
Lumen: **850** | Voltage: **36V** | Current: **220mA**

Compatible with LF-GIR009YS0220H driver



EVO-GU10M-15W20D30K

Wattage: **15W** | Beam Angle: **20°** | CCT: **3000K**
Lumen: **1125** | Voltage: **36V** | Current: **350mA**

Compatible with LF-GR013YS0350H driver

EVO-GU10M-10W40D30K

Wattage: **10W** | Beam Angle: **40°** | CCT: **3000K**
Lumen: **850** | Voltage: **36V** | Current: **220mA**

Compatible with LF-GIR009YS0220H driver

EVO-GU10M-15W40D30K

Wattage: **15W** | Beam Angle: **40°** | CCT: **3000K**
Lumen: **1125** | Voltage: **36V** | Current: **350mA**

Compatible with LF-GR013YS0350H driver



EVO-IP65GU10M-10W24D30K

Wattage: **10W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **750** | Voltage: **36V** | Current: **220mA**

Compatible with LF-GIR009YS0220H driver



EVO-IP65GU10M-15W24D30K

Wattage: **15W** | Beam Angle: **24°** | CCT: **3000K**
Lumen: **1125** | Voltage: **36V** | Current: **350mA**

Compatible with LF-GR013YS0350H driver



MAIN OFFICE

2162-2168 F.B. Harrison St., Pasay City,
Philippines 1300

Trunk Line: +632 7358.8855

Retail Sales: loc. 71
Email: sales@landlitephilcorp.com

LANDLITE DESIGNER LIGHTINGS SHOWROOM

Unit 1 Jose P. Laurel Bldg., Roxas Blvd.,
corner Pedro Gil St., Ermita, Manila 1004


Tel: +632 8559.5363
Mobile: +63 917.704.6891
Email: ldl_roxas@landlitephilcorp.com

VISAYAS BRANCH

Landlite Philippines Corporation (Cebu)
J. De Veyra St., Brgy. Carreta, North Reclamation Area,
Cebu City, Philippines 6000

Tel: +6332 268.8855 | 238.9373 | 232.2056
Mobile: +63 917.714.8193
Email: cebusales@landlitephilcorp.com

LET'S CONNECT!

 /landlitephils

 @landlitephils

www.landlitephilcorp.com

