



Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21020396  
CoA Date 02/18/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	2/10/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Refocus Tincture	<b>PO #</b>	
<b>Sample Lot #</b>	003	<b>Remarks</b>	
	THC Detection Limit 0.001%		

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	02/15/2021
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromopropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etriphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfothion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinate	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

FEB 18 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21020396  
CoA Date 02/18/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

**Customer** Sojen Inc  
**Address** 101 6th Ave Fl 8  
New York, NY 10013

**Date Received** 2/10/2021

**Condition** Good

**Temp** Ambient

**Sample Name** Refocus Tincture

**PO #**

**Sample Lot #** 003

**Remarks**

THC Detection Limit 0.001%

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraaxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraaxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Cannabinoids				
Cannabidiol (CBD)	N/A	778.4mg / 30mL	HPLC/UPLC	02/16/2021
Cannabidivarin (CBDV)	N/A	13.8mg / 30mL	HPLC/UPLC	as above
Cannabidivarinic Acid (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above

Authorized by

Guy Webrasekera, Ph.D. / Lab Director

FEB 18 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.





Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21020396  
CoA Date 02/18/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	2/10/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
<b>Sample Name</b>	Refocus Tincture	<b>Temp</b>	Ambient
<b>Sample Lot #</b>	003	<b>PO #</b>	
	THC Detection Limit 0.001%	<b>Remarks</b>	

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	0.847mg / 30mL	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	0.480mg / 30mL	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
Residual Solvents				
Methanol	N/A	Pass <3000 ppm	USP <467>	02/12/2021
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
Terpenes				
alpha-Pinene	N/A	0.12mg / mL	GC	02/15/2021
Camphene	N/A	Not Detected	GC	as above
Beta-Myrcene	N/A	0.08mg / mL	GC	as above
Beta-Pinene	N/A	0.14mg / mL	GC	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

FEB 18 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21020396  
CoA Date 02/18/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	2/10/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Refocus Tincture	<b>PO #</b>	
<b>Sample Lot #</b>	003	<b>Remarks</b>	
	THC Detection Limit 0.001%		

Analysis	Specification	Test Result	Test Method	Test Date
3-Carene	N/A	Not Detected	GC	as above
alpha-Terpinene	N/A	0.09mg / mL	GC	as above
Ocimene	N/A	0.09mg / mL	GC	as above
Limonene	N/A	0.08mg / mL	GC	as above
P-Cymene	N/A	0.09mg / mL	GC	as above
Beta-Ocimene	N/A	Not Detected	GC	as above
Eucalyptol	N/A	0.42mg / mL	GC	as above
gamma-Terpinene	N/A	0.07mg / mL	GC	as above
Terpinolene	N/A	Not Detected	GC	as above
Linalool	N/A	0.07mg / mL	GC	as above
Isopulegol	N/A	Not Detected	GC	as above
Geraniol	N/A	0.21mg / mL	GC	as above
Beta-Caryophyllene	N/A	2.86mg / mL	GC	as above
alpha-Humulene	N/A	0.27mg / mL	GC	as above
Nerolidol 1	N/A	Not Detected	GC	as above
Nerolidol 2	N/A	Not Detected	GC	as above
Guaiol	N/A	0.29mg / mL	GC	as above
Caryophyllene oxide	N/A	0.16mg / mL	GC	as above
alpha-Bisabolol	N/A	Not Detected	GC	as above
Heavy Metals				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	02/16/2021
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.001 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	0.008 ppm	ICP-MS (STP-021)	as above
Microbiology				
TPC	N/A	<10 cfu/g	AOAC 966.23	02/12/2021
Yeast	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Mold	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Staphylococcus aureus	N/A	Negative / 10g	AOAC 2003.07	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

FEB 18 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.



## GCND2520-05

Sample ID: 2011CSALA2982.7534

Matrix: Concentrates &amp; Extracts

Type: Other

Sample Size: 1 units

Batch Size:

Batch#:

Produced: N/A

Collected: 11/05/2020

Received: 11/05/2020

Completed: 11/11/2020


**ND**

Total THC

**27.4953  
mg/serving**

Total CBD

**28.1495  
mg/serving**

Total Cannabinoids

### Cannabinoids

Pass

Testing method: HPLC-SOP 101

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/serving	mg/g
CBD	0.0059	0.018	27.4953	65.4650
CBDV	0.0042	0.0126	0.6542	1.5576
CBC	0.0009	0.0027	ND	ND
CBDa	0.0012	0.0037	ND	ND
CBG	0.0047	0.0143	ND	ND
CBGa	0.0016	0.005	ND	ND
CBN	0.0014	0.0041	ND	ND
THCa	0.002	0.006	ND	ND
THCV	0.0036	0.0111	ND	ND
$\Delta 8$ -THC	0.0038	0.0115	ND	ND
$\Delta 9$ -THC	0.0038	0.0115	ND	ND
<b>Total</b>			<b>28.1495</b>	<b>67.0226</b>

1 serving = 1 soft gel capsule, 0.42 grams; 30.0 servings per package; 0.0 mg/package Total THC; 824.8588 mg/package Total CBD;

Date Tested: 11/09/2020

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Douglas Duncan  
Lab Director  
11/11/2020



Musa Aman  
COA Review  
11/11/2020

The values reported pertain only to the product tested, R&amp;D Sample Only. Tested as-is/received from client. Unless otherwise stated all Laboratory Quality Control (LQC) samples performed within specifications established by the BCC in 16 CCR section 5730. Sample tested per CALIFORNIA CODE OF REGULATIONS, TITLE 16, DIVISION 42. BUREAU OF CANNABIS CONTROL.

## GCND2520-05

Sample ID: 2011CSALA2982.7534

Matrix: Concentrates &amp; Extracts

Type: Other

Sample Size: 1 units

Batch Size:

Batch#:

Produced: N/A

Collected: 11/05/2020

Received: 11/05/2020

Completed: 11/11/2020

## Pesticides

Testing method: LCMS &amp; GCMS-SOP 301 and 302

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0009	0.003	0.1	ND	Pass	Fludioxonil	0.0143	0.048	0.1	ND	Pass
Acephate	0.005	0.017	0.1	ND	Pass	Hexythiazox	0.0237	0.079	0.1	ND	Pass
Acequinocyl	0.0193	0.064	0.1	ND	Pass	Imazalil *	0.0077	0.026	0.0077	ND	Pass
Acetamiprid	0.0073	0.024	0.1	ND	Pass	Imidacloprid	0.0053	0.018	5	ND	Pass
Aldicarb *	0.0094	0.031	0.0094	ND	Pass	Kresoxim Methyl	0.0182	0.061	0.1	ND	Pass
Azoxystrobin	0.015	0.05	0.1	ND	Pass	Malathion	0.015	0.05	0.5	ND	Pass
Bifenazate	0.0129	0.043	0.1	ND	Pass	Metaxyl	0.0076	0.025	2	ND	Pass
Bifenthrin	0.029	0.097	3	ND	Pass	Methiocarb *	0.0103	0.034	0.0103	ND	Pass
Boscalid	0.0172	0.058	0.1	ND	Pass	Methomyl	0.0109	0.036	1	ND	Pass
Captan	0.036	0.12	0.7	ND	Pass	Methyl Parathion *	0.0091	0.0303	0.0091	ND	Pass
Carbaryl	0.0542	0.181	0.5	ND	Pass	Mevinphos *	0.0041	0.014	0.0041	ND	Pass
Carbofuran *	0.0077	0.026	0.0077	ND	Pass	Myclobutanil	0.01	0.033	0.1	ND	Pass
Chlorantraniliprole	0.0095	0.032	10	ND	Pass	Naled	0.0107	0.036	0.1	ND	Pass
Chlordane *	0.0055	0.0182	0.0055	ND	Pass	Oxamyl	0.0071	0.024	0.5	ND	Pass
Chlorfenapyr *	0.0048	0.0159	0.0048	ND	Pass	Paclobutrazol *	0.0092	0.031	0.0092	ND	Pass
Chlorpyrifos *	0.0197	0.066	0.0197	ND	Pass	Pentachloronitrobenzene	0.0084	0.0279	0.1	ND	Pass
Clofentezine	0.0216	0.072	0.1	ND	Pass	Permethrin	0.0142	0.048	0.5	ND	Pass
Coumaphos *	0.0196	0.065	0.0196	ND	Pass	Phosmet	0.0138	0.046	0.1	ND	Pass
Cyfluthrin	0.0107	0.036	2	ND	Pass	Piperonyl Butoxide	0.0156	0.052	3	ND	Pass
Cypermethrin	0.0105	0.035	1	ND	Pass	Prallethrin	0.018	0.06	0.1	ND	Pass
Daminozide *	0.0052	0.017	0.0052	ND	Pass	Propiconazole	0.013	0.043	0.1	ND	Pass
DDVP *	0.0081	0.027	0.0081	ND	Pass	Propoxur *	0.0097	0.033	0.0097	ND	Pass
Diazinon	0.0134	0.045	0.1	ND	Pass	Pyrethrins	0.0025	0.008	0.5	ND	Pass
Dimethoate *	0.0083	0.028	0.0083	ND	Pass	Pyridaben	0.0236	0.079	0.1	ND	Pass
Dimethomorph	0.0025	0.008	2	ND	Pass	Spinetoram	0.0042	0.014	0.1	ND	Pass
Ethoprophos *	0.0112	0.037	0.0112	ND	Pass	Spinosad	0.0002	0.001	0.1	ND	Pass
Etofenprox *	0.0247	0.082	0.0247	ND	Pass	Spiromesifen	0.0199	0.066	0.1	ND	Pass
Etoxazole	0.0269	0.09	0.1	ND	Pass	Spirotetramat	0.0068	0.023	0.1	ND	Pass
Fenhexamid	0.0215	0.072	0.1	ND	Pass	Spiroxamine *	0.0065	0.022	0.0065	ND	Pass
Fenoxycarb *	0.0186	0.062	0.0186	ND	Pass	Tebuconazole	0.0099	0.033	0.1	ND	Pass
Fenpyroximate	0.0253	0.084	0.1	ND	Pass	Thiacloprid *	0.0094	0.031	0.0094	ND	Pass
Fipronil *	0.0228	0.076	0.0228	ND	Pass	Thiamethoxam	0.005	0.017	5	ND	Pass
Flonicamid	0.0073	0.024	0.1	ND	Pass	Trifloxystrobin	0.0192	0.064	0.1	ND	Pass

Date Tested: 11/09/2020

\* Denotes Category I pesticides, which fail when detected; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Douglas Duncan  
Lab Director  
11/11/2020



Musa Aman  
COA Review  
11/11/2020

## GCND2520-05

Sample ID: 2011CSALA2982.7534

Matrix: Concentrates &amp; Extracts

Type: Other

Sample Size: 1 units

Batch Size:

Batch#:

Produced: N/A

Collected: 11/05/2020

Received: 11/05/2020

Completed: 11/11/2020

### Residual Solvents

Pass

Testing method: HSGCMS-SOP 202

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.4	1	ND	Pass
Acetone	64.0	214.0	5000	ND	Pass
Acetonitrile	36.0	119.0	410	ND	Pass
Benzene	0.1	0.2	1	ND	Pass
Butane	42.0	141.0	5000	ND	Pass
Chloroform	0.1	0.4	1	ND	Pass
Ethanol	59.0	197.0	5000	334	Pass
Ethyl-Acetate	43.0	144.0	5000	ND	Pass
Ethylene Oxide	0.2	0.6	1	ND	Pass
Ethyl-Ether	40.0	134.0	5000	ND	Pass
Heptane	46.0	154.0	5000	ND	Pass
Isopropanol	41.0	138.0	5000	ND	Pass
Methanol	160.0	534.0	3000	ND	Pass
Methylene-Chloride	0.1	0.4	1	ND	Pass
n-Hexane	42.0	139.0	290	ND	Pass
Pentane	69.0	229.0	5000	ND	Pass
Propane	21.0	70.0	5000	ND	Pass
Toluene	47.0	156.0	890	ND	Pass
Trichloroethene	0.1	0.4	1	ND	Pass
Xylenes	86.0	287.0	2170	ND	Pass

Date Tested: 11/09/2020

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.


ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Douglas Duncan  
Lab Director  
11/11/2020



Musa Aman  
COA Review  
11/11/2020

.GCND2520-05

Sample ID: 2011CSALA2982.7534  
Matrix: Concentrates & Extracts  
Type: Other  
Sample Size: 1 units  
Batch Size:  
Batch#:

Produced: N/A  
Collected: 11/05/2020  
Received: 11/05/2020  
Completed: 11/11/2020

Pass

## Traditional Microbials

Testing method: Petrifilm-SOP 402

Analyte	Limit	Results	Status
Enterobacter	ND	ND	Pass
Salmonella	ND	ND	Pass
E. Coli	ND	ND	Pass
Total aerobic plate count	< 1000	210	Pass
Total coliforms	ND	ND	Pass
Total Yeast & Mold	< 100	ND	Pass

Date Tested: 11/11/2020  
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653

Douglas Duncan  
Lab Director  
11/11/2020

Musa Aman  
COA Review  
11/11/2020



## GCND2520-05

Sample ID: 2011CSALA3208.8077

Matrix: Other

Type: Other

Sample Size: 1 units

Batch Size:

Batch#:

Produced: 11/11/2020

Collected: 11/11/2020

Received: 11/11/2020

Completed: 11/12/2020



### Summary

Pass

Not Tested

Total Cannabinoids

Not Tested

Pesticides

Not Tested

Residual Solvents

Not Tested

Microbials

Not Tested

Mycotoxins

Not Tested

Heavy Metals

### Terpenes

Complete

Testing method: HS-GC-FID - SOP 201

Analyte	LOD	LOQ	Results	Results
	%	%	%	mg/g
β-Caryophyllene	0.006	0.0173	1.35	13.49
Caryophyllene Oxide	0.029	0.0874	<LOQ	<LOQ
α-Humulene	0.006	0.0173	0.08	0.76
γ-Terpinene	0.006	0.0168	0.06	0.55
Guaiol	0.011	0.0334	<LOQ	<LOQ
Camphene	0.005	0.0163	ND	ND
Eucalyptol	0.006	0.0175	ND	ND
Geraniol	0.007	0.0205	ND	ND
Isopulegol	0.009	0.0282	ND	ND
Linalool	0.008	0.0228	ND	ND
Ocimene	0.004	0.0109	ND	ND
p-Cymene	0.005	0.0162	ND	ND
Terpinolene	0.006	0.0168	ND	ND
trans-Nerolidol	0.007	0.0219	ND	ND
α-Bisabolol	0.01	0.0295	ND	ND
α-Pinene	0.006	0.0175	ND	ND
α-Terpinene	0.005	0.0165	ND	ND
β-Myrcene	0.008	0.024	ND	ND
β-Pinene	0.005	0.0147	ND	ND
δ-3-Carene	0.005	0.016	ND	ND
δ-Limonene	0.005	0.0159	ND	ND
<b>Total</b>			<b>1.48</b>	<b>14.81</b>

Date Tested: 11/12/2020

NT

Moisture

Moisture Analyzer SOP-103

NT

Water Activity

Water Activity Meter SOP-102

NT

Foreign Matter

Visual Inspection SOP-690


ISO / IEC 17025:2017 ACCREDITED  
LABORATORY  
Accreditation No. 73653



Douglas Duncan  
Lab Director  
11/12/2020



Musa Aman  
COA Review  
11/12/2020



Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21030868  
CoA Date 04/07/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	3/29/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Refocus Balm	<b>PO #</b>	
<b>Sample Lot #</b>	003	<b>Remarks</b>	
	THC Detection Limit 0.001%		

Analysis	Specification	Test Result	Test Method	Test Date
Pesticides				
DDT	N/A	Pass <0.500 ppm	GC-MS	04/02/2021
Alachlor	N/A	Pass <0.500 ppm	GC-MS	as above
Aldin	N/A	Pass <0.025 ppm	GC-MS	as above
Azinphos-ethyl	N/A	Pass <3.000 ppm	GC-MS	as above
Azinphos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Bromophos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Bromophos-methyl	N/A	Pass <0.500 ppm	GC-MS	as above
Brompropylate	N/A	Pass <2.000 ppm	GC-MS	as above
Chlordane	N/A	Pass <0.025 ppm	GC-MS	as above
Chlorfenvinphos	N/A	Pass <0.500 ppm	GC-MS	as above
Chlorpyrifos	N/A	Pass <0.150 ppm	GC-MS	as above
Chlorpyrifos-methyl	N/A	Pass <2.000 ppm	GC-MS	as above
Chlorthal-dimethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Cyfluthrin	N/A	Pass <0.100 ppm	GC-MS	as above
Cyhalothrin-Lambda	N/A	Pass <0.150 ppm	GC-MS	as above
Cypermethrin	N/A	Pass <0.150 ppm	GC-MS	as above
Deltamethrin	N/A	Pass <0.500 ppm	GC-MS	as above
Diazinon	N/A	Pass <2.000 ppm	GC-MS	as above
Dichlofluanid	N/A	Pass <1.000 ppm	GC-MS	as above
Dichlorvos	N/A	Pass <0.050 ppm	GC-MS	as above
Dicofol	N/A	Pass <0.500 ppm	GC-MS	as above
Dieldrin	N/A	Pass <0.025 ppm	GC-MS	as above
Dimethoate	N/A	Pass <1.000 ppm	GC-MS	as above
Endosulfan	N/A	Pass <0.250 ppm	GC-MS	as above
Endrin	N/A	Pass <0.025 ppm	GC-MS	as above
Ethion	N/A	Pass <0.500 ppm	GC-MS	as above
Etrimphos	N/A	Pass <0.250 ppm	GC-MS	as above
Fenchlorophos	N/A	Pass <0.500 ppm	GC-MS	as above
Fenitrothion	N/A	Pass <1.000 ppm	GC-MS	as above
Fenpropathrin	N/A	Pass <0.050 ppm	GC-MS	as above
Fensulfathion	N/A	Pass <0.500 ppm	GC-MS	as above
Fenthion	N/A	Pass <0.250 ppm	GC-MS	as above
Fenvalerate	N/A	Pass <0.010 ppm	GC-MS	as above
Flucytrinate	N/A	Pass <0.100 ppm	GC-MS	as above
Fluvalinate-Tau	N/A	Pass <0.250 ppm	GC-MS	as above
Fonofos	N/A	Pass <0.150 ppm	GC-MS	as above
Heptachlor	N/A	Pass <0.075 ppm	GC-MS	as above
Hexachlorbenzene	N/A	Pass <0.100 ppm	GC-MS	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

APR 07 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.





Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21030868  
CoA Date 04/07/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	3/29/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Refocus Balm	<b>PO #</b>	
<b>Sample Lot #</b>	003	<b>Remarks</b>	
	THC Detection Limit 0.001%		

Analysis	Specification	Test Result	Test Method	Test Date
Hexachlorocyclohexane	N/A	Pass <0.025 ppm	GC-MS	as above
Lindane	N/A	Pass <0.250 ppm	GC-MS	as above
Malaoxon	N/A	Pass <0.100 ppm	GC-MS	as above
Malathion	N/A	Pass <0.250 ppm	GC-MS	as above
Mecarbam	N/A	Pass <0.500 ppm	GC-MS	as above
Methacrifos	N/A	Pass <0.025 ppm	GC-MS	as above
Methamidophos	N/A	Pass <0.005 ppm	GC-MS	as above
Methidathion	N/A	Pass <0.100 ppm	GC-MS	as above
Methoxychlor	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-ethyl	N/A	Pass <1.000 ppm	GC-MS	as above
Mirex	N/A	Pass <1.000 ppm	GC-MS	as above
Monocrotophos	N/A	Pass <0.050 ppm	GC-MS	as above
Omethoate	N/A	Pass <0.500 ppm	GC-MS	as above
Paraoxon-ethyl	N/A	Pass <0.025 ppm	GC-MS	as above
Paraoxon	N/A	Pass <2.000 ppm	GC-MS	as above
Parathion-methyl	N/A	Pass <1.000 ppm	GC-MS	as above
Pendimethalin	N/A	Pass <1.000 ppm	GC-MS	as above
Pentachloroanisole	N/A	Pass <0.025 ppm	GC-MS	as above
Permethrin	N/A	Pass <0.025 ppm	GC-MS	as above
Phosalone	N/A	Pass <2.000 ppm	GC-MS	as above
Phosmet	N/A	Pass <0.500 ppm	GC-MS	as above
Piperonylbutoxide	N/A	Pass <1.000 ppm	GC-MS	as above
Pirimiphos-ethyl	N/A	Pass <0.050 ppm	GC-MS	as above
Pirimiphos-methyl	N/A	Pass <0.250 ppm	GC-MS	as above
Procymidone	N/A	Pass <1.000 ppm	GC-MS	as above
Profenofos	N/A	Pass <2.000 ppm	GC-MS	as above
Prothiofos	N/A	Pass <0.500 ppm	GC-MS	as above
Pyrethrum	N/A	Pass <0.250 ppm	GC-MS	as above
Quinalphos	N/A	Pass <0.500 ppm	GC-MS	as above
Quintozene	N/A	Pass <1.000 ppm	GC-MS	as above
S-421	N/A	Pass <0.500 ppm	GC-MS	as above
Tecnazene	N/A	Pass <0.100 ppm	GC-MS	as above
Tetradifon	N/A	Pass <0.250 ppm	GC-MS	as above
Vinclozolin	N/A	Pass <1.000 ppm	GC-MS	as above
Cannabinoids				
Cannabidiol (CBD)	N/A	825.5mg / 43g	HPLC/UPLC	03/30/2021
Cannabidiol (CBDV)	N/A	9.49mg / 43g	HPLC/UPLC	as above
Cannabidiol (CBDVA)	N/A	Not Detected	HPLC/UPLC	as above

Authorized by

Guy Wehrsekera, Ph.D. / Lab Director

APR 07 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.



Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21030868  
CoA Date 04/07/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	3/29/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
		<b>Temp</b>	Ambient
<b>Sample Name</b>	Refocus Balm	<b>PO #</b>	
<b>Sample Lot #</b>	003	<b>Remarks</b>	
	THC Detection Limit 0.001%		

Analysis	Specification	Test Result	Test Method	Test Date
Cannabidiolic Acid (CBDA)	N/A	Not Detected	HPLC/UPLC	as above
Cannabigerol (CBG)	N/A	Not Detected	HPLC/UPLC	as above
Cannabinol (CBN)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinol (THC)	N/A	Not Detected	HPLC/UPLC	as above
delta-8-Tetrahydrocannabinol	N/A	Not Detected	HPLC/UPLC	as above
Cannabichromene (CBC)	N/A	Not Detected	HPLC/UPLC	as above
Tetrahydrocannabinolic (THCA)	N/A	Not Detected	HPLC/UPLC	as above
Residual Solvents				
Methanol	N/A	Pass <3000 ppm	USP <467>	03/30/2021
Acetonitrile	N/A	Pass <410 ppm	USP <467>	as above
Dichloromethane	N/A	Pass <600 ppm	USP <467>	as above
trans-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
cis-1, 2-Dichloroethene	N/A	Pass <1870 ppm	USP <467>	as above
Tetrahydrofuran	N/A	Pass <720 ppm	USP <467>	as above
Cyclohexane	N/A	Pass <3880 ppm	USP <467>	as above
Methylcyclohexane	N/A	Pass <1180 ppm	USP <467>	as above
1,4-Dioxane	N/A	Pass <380 ppm	USP <467>	as above
Toluene	N/A	Pass <890 ppm	USP <467>	as above
Chlorobenzene	N/A	Pass <360 ppm	USP <467>	as above
Ethylbenzene	N/A	Pass <368.9 ppm	USP <467>	as above
m-Xylene	N/A	Pass <1302 ppm	USP <467>	as above
p-Xylene	N/A	Pass <368.9 ppm	USP <467>	as above
o-Xylene	N/A	Pass <195.3 ppm	USP <467>	as above
n-Hexane	N/A	Pass <290 ppm	USP <467>	as above
Nitromethane	N/A	Pass <50 ppm	USP <467>	as above
Chloroform	N/A	Pass <60 ppm	USP <467>	as above
1,2-Dimethoxyethane	N/A	Pass <100 ppm	USP <467>	as above
Trichloroethylene	N/A	Pass <80 ppm	USP <467>	as above
Pyridine	N/A	Pass <200 ppm	USP <467>	as above
2-Hexanone	N/A	Pass <50 ppm	USP <467>	as above
Tetralin	N/A	Pass <100 ppm	USP <467>	as above
Ethanol	N/A	Pass <5000 ppm	USP <467>	as above
Terpenes				
alpha-Pinene	N/A	14.70mg / 43g	GC	04/02/2021
Camphene	N/A	Not Detected	GC	as above
Beta-Myrcene	N/A	4.63mg / 43g	GC	as above
Beta-Pinene	N/A	3.32mg / 43g	GC	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.





Innovational Laboratories, LLC.  
5555 Brooks St  
Montclair, CA 91763  
Tel 909-230 6210  
Fax 909-230 6211  
www.iLab-US.com  
info@ilab-us.com

CoA # 21030868  
CoA Date 04/07/2021  
CoA Status Final

## CERTIFICATE OF ANALYSIS

<b>Customer</b>	Sojen Inc	<b>Date Received</b>	3/29/2021
<b>Address</b>	101 6th Ave Fl 8 New York, NY 10013	<b>Condition</b>	Good
<b>Sample Name</b>	Refocus Balm	<b>Temp</b>	Ambient
<b>Sample Lot #</b>	003	<b>PO #</b>	
	THC Detection Limit 0.001%	<b>Remarks</b>	

Analysis	Specification	Test Result	Test Method	Test Date
3-Carene	N/A	0.10mg / 43g	GC	as above
alpha-Terpinene	N/A	0.02mg / 43g	GC	as above
Ocimene	N/A	0.58mg / 43g	GC	as above
Limonene	N/A	21.81mg / 43g	GC	as above
P-Cymene	N/A	0.21mg / 43g	GC	as above
Beta-Ocimene	N/A	0.03mg / 43g	GC	as above
Eucalyptol	N/A	284.32mg / 43g	GC	as above
gamma-Terpinene	N/A	0.18mg / 43g	GC	as above
Terpinolene	N/A	Not Detected	GC	as above
Linalool	N/A	57.51mg / 43g	GC	as above
Isopulegol	N/A	0.06mg / 43g	GC	as above
Geraniol	N/A	0.17mg / 43g	GC	as above
Beta-Caryophyllene	N/A	127.34mg / 43g	GC	as above
alpha-Humulene	N/A	0.19mg / 43g	GC	as above
Nerolidol 1	N/A	Not Detected	GC	as above
Nerolidol 2	N/A	Not Detected	GC	as above
Guaiol	N/A	2.67mg / 43g	GC	as above
Caryophyllene oxide	N/A	4.38mg / 43g	GC	as above
alpha-Bisabolol	N/A	Not Detected	GC	as above
Heavy Metals				
Arsenic (As)	N/A	<0.005 ppm	ICP-MS (STP-021)	04/06/2021
Cadmium (Cd)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Mercury (Hg)	N/A	<0.001 ppm	ICP-MS (STP-021)	as above
Lead (Pb)	N/A	<0.005 ppm	ICP-MS (STP-021)	as above
Microbiology				
TPC	N/A	<10 cfu/g	AOAC 966.23	03/30/2021
Yeast	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Mold	N/A	<10 cfu/g	FDA BAM Ch.18	as above
Coliforms	N/A	<10 cfu/g	AOAC 991.14	as above
E. coli	N/A	Negative / 10g	AOAC 991.14	as above
Salmonella	N/A	Negative / 10g	AOAC 989.13	as above
Staphylococcus aureus	N/A	Negative / 10g	AOAC 2003.07	as above

Authorized by

Guy Weerasekera, Ph.D. / Lab Director

APR 07 2021

These results apply only to the items tested. This certificate of analysis shall not be reproduced except in full without written consent of iLab.  
Estimation of uncertainty of measurement available upon request.