

Prepared for:

GATAKA

1124 KRAMERIA ST.
DENVER, CO USA 80220

OHHO Night Milk

Batch ID or Lot Number:	Test: Potency	Reported: 28Feb2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000236779	Started: 24Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Feb2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.002	0.006	0.010	0.10	
Cannabichromenic Acid (CBCA)	0.002	0.005	ND	ND	
Cannabidiol (CBD)	0.005	0.015	0.260	2.60	
Cannabidiolic Acid (CBDA)	0.005	0.016	ND	ND	
Cannabidivarin (CBDV)	0.001	0.004	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.002	0.006	ND	ND	
Cannabigerol (CBG)	0.001	0.003	0.010	0.10	
Cannabigerolic Acid (CBGA)	0.005	0.014	ND	ND	
Cannabinol (CBN)	0.002	0.004	0.070	0.70	
Cannabinolic Acid (CBNA)	0.003	0.009	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.006	0.016	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.005	0.015	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.005	0.013	ND	ND	
Tetrahydrocannabivarin (THCV)	0.001	0.003	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.004	0.011	ND	ND	
Total Cannabinoids			0.350	3.50	
Total Potential THC			0.000	0.00	
Total Potential CBD			0.260	2.60	

Final Approval



Karen Winternheimer
28Feb2023
09:21:00 AM MST

PREPARED BY / DATE



Sam Smith
28Feb2023
09:28:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/07ca2608-38e9-4534-a8f6-883dfc195ea9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
07ca260838e94534a8f6883dfc195ea9.1