

Prepared for:

GATAKA

1124 KRAMERIA ST.
DENVER, CO USA 80220

CBDay Milk oHhO

Batch ID or Lot Number:	Test: Potency	Reported: 11Jan2024	USDA License: N/A
Matrix: Unit	Test ID: T000267086	Started: 09Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 08Jan2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.388	3.731	6.200	0.10	# of Servings = 1, Sample Weight=64g
Cannabichromenic Acid (CBCA)	1.269	3.413	ND	ND	
Cannabidiol (CBD)	3.809	9.792	166.250	2.60	
Cannabidiolic Acid (CBDA)	3.906	10.043	ND	ND	
Cannabidivarin (CBDV)	0.901	2.316	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	1.630	4.189	ND	ND	
Cannabigerol (CBG)	0.788	2.118	2.960	0.00	
Cannabigerolic Acid (CBGA)	3.294	8.856	ND	ND	
Cannabinol (CBN)	1.028	2.764	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	2.247	6.042	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	3.924	10.551	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.564	9.582	<LOQ	<LOQ	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.158	8.490	ND	ND	
Tetrahydrocannabivarin (THCV)	0.717	1.927	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.785	7.488	ND	ND	
Total Cannabinoids			175.410	2.70	
Total Potential THC			0.000	0.00	
Total Potential CBD			166.250	2.60	

Final Approval



Karen Winternheimer
11Jan2024
02:54:00 PM MST

PREPARED BY / DATE



Sam Smith
11Jan2024
02:56:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5d5c29d3-cfa9-4582-9199-b6ea68217549>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
5d5c29d3cfa945829199b6ea68217549.1