

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US DEA Number: RC0639128

Labstat

Recovery Balm



Matrix: Infused Product

Certificate of Analysis

Sample: KN31206003-004 Harvest/Lot ID: OHRB405

> Batch#: OHRB405 Batch Date: 12/01/23

Sample Size Received: 14 gram Retail Product Size: 56 gram

Ordered: 12/01/23 Sampled: 12/01/23 Completed: 12/07/23

Page 1 of 1

Dec 07, 2023 | Emerald City NY, LLC

46 Foster Road, Suite 1 Hopewell Junction, NY, 12533, US



PRODUCT IMAGE

SAFETY RESULTS







Heavy Metals

Microbials



Mycotoxins



Residuals Solvents



Filth NOT TESTED



Water Activity



Moisture





Terpenes NOT TESTED

PASSED

Potency





2.0547%



Total Cannabinoids 2.8744%

<0.01 <0.1	0.089 0.89	D10-THC ND ND	D8-THC 0.0173 0.173	D9-THC 0.0657 0.657	CBN <0.01 <0.1	D8-THCV ND ND	D9-THCV ND ND	2.0547 20.547	CBG 0.6326 6.326	CBGA ND ND	CBDA ND ND	CBDV 0.0151 0.151	CBDVA ND ND	% mg/g
0.001 %														LOD

Running on : N/A

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Billion, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson Lab Director

State License # n/a ISO Accreditation # 17025:2017



12/07/23

Signed On