



Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name BRAWO-I (Komponente B)

 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: KOB GmbH

BRAWOLINER - Sanierungssysteme

Lauterstraße 50 D-67752 Wolfstein

Germany

Tel: +49(0)631-205 61 100 Fax: +49(0)631-205 61 101

Informing department: Technische Abteilung

msds@brawoliner.de

· 1.4 Emergency telephone

number: +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361fd Suspected of damaging fertility. Suspected of damaging the unborn

child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated

exposure.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No

1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05 GHS07 GHS08

· Signal word Danger

(Contd. on page 2)





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 1)

· Hazard-determining

components of labelling: 3-aminomethyl-3,5,5-trimethylcyclohexylamine

2-piperazin-1-ylethylamine

Amine polymer

Polyoxypropylentriamin

1,3-Cyclohexanedimethanamine H302 Harmful if swallowed.

Hazard statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

• **Precautionary statements** P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

P310

· 3.2 Chemical characterisation: Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous componer	nts:	
EC number: 949-140-2	Amine polymer	25-50%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine	25-50%
EINECS: 220-666-8	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 39423-51-3	Polyoxypropylentriamin	≥5-<25%
	Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312	
CAS: 140-31-8	2-piperazin-1-ylethylamine	<i>≥</i> 5-<10%
EINECS: 205-411-0	Acute Tox. 3, H311; Repr. 2, H361fd; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	

(Contd. on page 3)





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

		ontd. of page 2
CAS: 15520-10-2	2-methylpentane-1,5-diamine	≥5-<10%
EINECS: 239-556-6	Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	_
CAS: 2579-20-6	1,3-Cyclohexanedimethanamine	≥1-<5%
EINECS: 219-941-5	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	_
CAS: 100-51-6	Benzyl alcohol	<5%
EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 69-72-7	Salicylic acid	≥1-<3%
EINECS: 200-712-3	Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

> Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the

accident.

· After inhalation Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Call a doctor immediately. Instantly call for doctor. · After swallowing

Drink copious amounts of water and provide fresh air. Instantly call

for doctor.

· 4.2 Most important

symptoms and effects, both

acute and delayed

No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 3)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case product reaches water or

sewage system.

· 6.3 Methods and material for containment and cleaning

up:

Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Store in cool, dry place in tightly closed containers.

Open and handle container with care.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

(Contd. on page 5)





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

			(Conto	d. of pa
DNEL				
2855-1			nomethyl-3,5,5-trimethylcyclohexylamine	
Oral			0.526 mg/kg bw/Tag (ArL)	
Inhalat	tive D	NEL	20.1 mg/m³ (ArL)	
		-	oxypropylentriamin	
Inhalat	tive D	NEL	14 mg/m³ (ArL)	
140-31	1-8 2-p	oipera	azin-1-ylethylamine	
Derma	ıl D	NEL	3.33 mg/kg bw/day (ArL)	
Inhalat	tive D	NEL	10.6 mg/m³ (ArL)	
15520-	-10-2 2	2-me	thylpentane-1,5-diamine	
Derma	l D	NEL	1.5 mg/kg bw/day (ArL)	
Inhalat	tive D	NEL	0.25 mg/m³ (ArL)	
			0.5 mg/m³ (Ark)	
2579-2	20-6 1,	,3-Cy	vclohexanedimethanamine	
Inhalat	tive D	NEL	0.00947 mg/m³ (Workers)	
100-51	1-6 Be	nzyl	alcohol	
Oral	D	NEL	4 mg/kg bw/Tag (ArL)	
			20 mg/kg bw/Tag (Ark)	
Derma	ıl Di	NEL	8 mg/kg bw/day (ArL)	
			40 mg/kg bw/day (Ark)	
Inhalat	tive D	NEL	22 mg/m³ (ArL)	
			110 mg/m³ (Ark)	
PNEC	s			
2855-1	13-2 3-	-amir	nomethyl-3,5,5-trimethylcyclohexylamine	
			/I (Mew)	
		•	(Suw)	
PNEC		_	/kg dwt (Sediment)	
		_	/kg dwt (Fresh water sediment)	
39423-			oxypropylentriamin	
PNEC	10 m	ig/I (S	Sewage Treatment Plant)	
			ng/l (Mew)	
			g/l (Suw)	
PNEC		_	/kg dwt (Bod)	
		_	/kg dwt (Sediment)	
		_	kg dwt (Fresh water sediment)	
140-31		_	razin-1-ylethylamine	
PNEC	-	-		
_			g/I (Mew)	
	1 - 1 - 0 - 0	-		
	0.058	8 ma/	/I (Suw)	





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

	(Contd. of page 5)
	21.5 mg/kg dwt (Sediment)
	215 mg/kg dwt (Fresh water sediment)
15520-	10-2 2-methylpentane-1,5-diamine
PNEC	0.042 mg/l (Mew)
	0.42 mg/l (Suw)
2579-2	0-6 1,3-Cyclohexanedimethanamine
PNEC	0.003 mg/l (Mew)
PNEC	0.033 mg/l (Fresh water)
100-51	-6 Benzyl alcohol
PNEC	0.527 mg/l (Marine water sediment)
	0.1 mg/l (Mew)
	1 mg/l (Fresh water sediment)
PNEC	0.456 mg/kg dwt (Bod)
	5.27 mg/kg dwt (Fresh water sediment)

Additional information:

The lists that were valid during the compilation were used as

basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Protection of hands: Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

* Material of gloves*

The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to

the application.

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

Tightly sealed safety glasses.

· **Body protection:** Protective work clothing.

GE





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 6)

SECTION 9: Ph	ysicai and chemicai į	properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
Colour: Whitish
Smell: Amine-like

· Change in condition

Melting point/freezing point: Not determined

Initial boiling point and boiling range: 232 °C

· Flash point: 110 °C
· Ignition temperature: 380 °C

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Product is not explosive.

· Steam pressure at 20 °C: 0.1 hPa

· Density at 20 °C 0.96 g/cm³

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix

• **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

 Oral
 LD50
 1,030 mg/kg (rat)

 NOAEL
 250 mg/kg (rat)

 Dermal
 LD50
 1,840 mg/kg (rabbit)

(Contd. on page 8)





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

		(Contd. of page
		>2,000 mg/kg (rat)
39423-51-	3 Polyoxypropylentriai	min
Oral	LD50	550 mg/kg (rat)
Dermal	LD50	>1,000 mg/kg (rat)
140-31-8	2-piperazin-1-ylethylam	ine
Oral	LD50	2,140 mg/kg (rat)
Dermal	LD50	866 mg/kg (rabbit)
15520-10-	2 2-methylpentane-1,5-	diamine
Oral	LD50	1,170 mg/kg (rat)
Dermal	LD50	1,870 mg/kg (rabbit)
Inhalative	LC50/4 h	19.6 mg/l (rat)
2579-20-6	1,3-Cyclohexanedimet	hanamine
Oral	LD50	700 mg/kg (rat)
Dermal	LD50	1,700 mg/kg (rat)
100-51-6 I	Benzyl alcohol	
Oral	LD50	1,230 mg/kg (rat)
	NOAEL 2nd year study	200 mg/kg (mouse)
		200 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4,178 mg/l (rat)
69-72-7 S	alicylic acid	
Oral	LD50	891 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

Primary irritant effect:

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Suspected of damaging fertility. Suspected of damaging the

unborn child.

• STOT-single exposure Based on available data, the classification criteria are not met.
• STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

GB





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 8)

Aquatic to	12.1 Toxicity Aquatic toxicity:	
-	3-aminomethyl-3,5,5-trimethylcyclohexylamine	
LC50/96h	110 mg/l (Leucidus idus)	
EC50	1,120 mg/l (Pseudomonas putida)	
EC50/48h	23 mg/l (Daphnia magna)	
NOEC	1.5 mg/l (Desmodesmus subspicatus)	
	3 mg/l (Daphnia magna)	
ErC50/72h	>50 mg/l (Desmodesmus subspicatus)	
39423-51-3	Polyoxypropylentriamin	
LC50/96h	>100 mg/l (Oncorhynchus mykiss)	
EC50/48h	13 mg/l (Daphnia magna)	
ErC50/72h	4.4 mg/l (algae)	
140-31-8 2	piperazin-1-ylethylamine	
EC50/72h	>1,000 mg/l (algae)	
LC50/96h	2,190 mg/l (fish)	
15520-10-2	2-methylpentane-1,5-diamine	
EC50/72h	>100 mg/l (algae)	
EC50	1,825 mg/l (fish)	
EC50/48h	19.8 mg/l (Daphnia magna)	
2579-20-6	1,3-Cyclohexanedimethanamine	
EC50/24h	90 mg/l (Pseudokirchneriella subcapitata)	
EC50	90 mg/l (Pseudomonas putida)	
LC50/48h	130 mg/l (Leucidus idus)	
100-51-6 B	enzyl alcohol	
IC50/72h	700 mg/l (algae)	
LC50/96h	460 mg/l (Pimephales promelas)	
	10 mg/l (Lepomis macrochirus)	

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
 No further relevant information available.
 12.4 Mobility in soil
 No further relevant information available.

Ecotoxical effects:

· Remark: Toxic for fish

· Additional ecological information:

· General notes: Must not reach sewage water or drainage ditch undiluted or

unneutralised.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water bodies or

sewage system.

(Contd. on page 10)





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 9)

Danger to drinking water if even small quantities leak into soil.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Waste disposal key number: 55352

Bez.: aliphatische Amine Entsorgungshinweise: Sonderabfallverbrennung

· Europea	· European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS		
08 01 00	wastes from MFSU and removal of paint and varnish		
08 01 11	waste paint and varnish containing organic solvents or other dangerous substances		

· Uncleaned packagings:

• Recommendation: Dispose of packaging according to regulations on the disposal of

packagings.

Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14.1 UN-Number ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name ADR IMDG, IATA	1760 CORROSIVE LIQUID, N.O. (ISOPHORONEDIAMINE Polyoxypropylentriamin) CORROSIVE LIQUID, N.O (ISOPHORONEDIAMINE Polyoxypropylentriamin)
14.3 Transport hazard class(es)	
ADR	
Class	8 (C9) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

	(Contd. of page 1
Label	8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	no No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B Alkalis A SW2 Clear of living quarters.
14.7 Transport in bulk according to And of Marpol and the IBC Code	nex II Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 50 ml
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 50 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S (ISOPHORONEDIAMINE POLYOXYPROPYLENTRIAMIN), 8, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- REGULATION (EC) No

1907/2006 ANNEX XVII

Conditions of restriction: 3

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.





Printing date 01.04.2020 Version number 8 Revision: 01.04.2020

Trade name BRAWO-I (Komponente B)

(Contd. of page 11)

SECTION 16: Other information

Relevant phrases H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361d Suspected of damaging the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H372 Causes damage to organs through prolonged or repeated

xposure.

H411 Toxic to aquatic life with long lasting effects.H412 Harmful to aquatic life with long lasting effects.

Department issuing data

specification sheet: Environment protection department.

· Contact: Mr. Hemming

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses

par chemin de fer (Regulations Concerning the International Transport of Dangerous

Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral - Category 4
Acute Tox. 3: Acute toxicity - dermal - Category 3
Skin Corr. 1A: Skin corrosion/irritation - Category 1A
Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1B. Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.