

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

118427-CN			
ID	Weight %	Concentration (mg/g)	
∆9-THC	ND	ND	
THCV	ND	ND	
CBD	2.17	21.7	
CBDV	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBG	0.0133	0.133	
CBC	0.0176	0.176	
CBN	0.0130	0.130	
THCA	ND	ND	
CBDA	ND	ND	
CBGA	ND	ND	
CBDVA	ND	ND	
$\Delta 8$ -THC	ND	ND	
exo-THC	ND	ND	
Total	2.21	22.1	0% Cannabinoids (wt%) 2.17%
Total THC	ND	ND	Limit of Quantitation (LOQ) = 0.0102 wt%
Total CBD	2.17	21.7	Limit of Detection (LOD) = 0.00340 wt%
May THC (and May CDD) and	coloulated values for total as	makingida often hasting accuming ac	malete description of the said to the neutral

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

END OF REPORT

110 108 (1)

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com