



Empty State








S78-01


Product Breakdown	Tier1	313mm OD
Dimensions	OD	313mm
	Height	358mm
Weight	Brass	4.5kg
	Aluminium	2.5kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage	13.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-02


Product Breakdown	Tier1	363mm OD
Dimensions	OD	363mm
	Height	358mm
Weight	Brass	5kg
	Aluminium	2.7kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	13.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



Metal Finish

Glass Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass



-  Frosted Ombre

Empty State








S78-03


Product Breakdown	Tier1	413mm OD
Dimensions	OD	413mm
	Height	358mm
Weight	Brass	5.5kg
	Aluminium	2.8kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	13.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish

-  Frosted Ombre

Empty State



S78-04

Product Breakdown Tier1 545mm OD

Dimensions OD 545mm
Height 358mm

Weight Brass 11.3kg
Aluminium 5.8kg



Light Source Led Matrix
3000k
Decorative Lighting Only

Power Light Wattage 27w
Driver Wattage 40w
Voltage 110-130v / 220-240v
IP20 Rated






Hanging We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.

Driver Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.


Driver Dimensions 137 x 81.5 x 31mm
Ceiling Rose Dimensions 162 x 48mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish

-  Frosted Ombre

Empty State



S78-05

Product Breakdown Tier1 591mm OD

Dimensions OD 592mm
Height 358mm

Weight Brass 11.7kg
Aluminium 5.9kg

Light Source Led Matrix
3000k
Decorative Lighting Only

Power Light Wattage 27w
Driver Wattage 40w
Voltage 110-130v / 220-240v
IP20 Rated

Hanging We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.

Driver Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.

Driver Dimensions 137 x 81.5 x 31 mm
Ceiling Rose Dimensions 162 x 48mm

Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised





Burnished Brass

Glass Finish



Frosted Ombre



Empty State



S78-06

Product Breakdown Tier1 716mm OD

Dimensions OD 716mm
Height 358mm

Weight Brass 11.8kg
Aluminium 5.9kg

Light Source Led Matrix
3000k
Decorative Lighting Only






Power Light Wattage 27w
Driver Wattage 40w
Voltage 110-130v / 220-240v
IP20 Rated

Hanging We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.


Driver Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.



Driver Dimensions 137 x 81.5 x 31mm
Ceiling Rose Dimensions 162 x 48mm

Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish

-  Frosted Ombre





Empty State








S78-07


Product Breakdown	Tier1	313mm OD
	Tier2	463mm OD
Dimensions	OD	463mm
	Height	486mm
Weight	Brass	10.5kg
	Aluminium	5.5kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	27w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31 mm
	Ceiling Rose Dimensions	162 x 48mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-08


Product Breakdown	Tier1	716mm OD
	Tier2	445mm OD
Dimensions	OD	716mm
	Height	586mm
Weight	Brass	25.7kg
	Aluminium	12.7kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	27w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31 mm
	Ceiling Rose Dimensions	162 x 48mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-09


Product Breakdown	Tier 1	591mm OD
	Tier 2	413mm OD
Dimensions	OD	592mm
	Height	486mm
Weight	Brass	17.3kg
	Aluminium	8.9kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	40w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	200 x 52 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-10

Product Breakdown	Tier 1	413mm OD
	Tier 2	590mm OD
	Tier 3	413mm OD
Dimensions	OD	590mm
	Height	615mm
Weight	Brass	22.5kg
	Aluminium	11kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	52w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	200 x 52 mm



Metal Finish

Glass Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass



-  Frosted Ombre

Empty State



S78-11

Product Breakdown	Tier 1	313mm OD
	Tier 2	463mm OD
	Tier 3	313mm OD
Dimensions	OD	463mm
	Height	615mm
Weight	Brass	13.4kg
	Aluminium	7.3kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	40w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	200 x 52 mm



Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Glass Finish





Frosted Ombre

Empty State








S78-12


Product Breakdown	Tier 1	545mm OD
	Tier 2	716mm OD
	Tier 3	545mm OD
Dimensions	OD	716mm
	Height	615mm
Weight	Brass	35.5kg
	Aluminium	17.1kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	78w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	200 x 52 mm



Metal Finish

Glass Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass



-  Frosted Ombre

Empty State








S78-13


Product Breakdown	Sprawl	S013
Dimensions	Length	845mm
	Height	538mm
	Depth	560mm
Weight	Brass	11kg
	Aluminium	6.9kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	27w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31 mm
	Ceiling Rose Dimensions	162 x 48 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-14


Product Breakdown	Sprawl	S014
Dimensions	Length	1300mm
	Height	538mm
	Depth	603mm
Weight	Brass	16.9kg
	Aluminium	10.1kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	35w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31 mm
	Ceiling Rose Dimensions	162 x 48 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-15


Product Breakdown	Sprawl	S015
Dimensions	Length	1297mm
	Height	185mm
	Depth	763mm
Weight	Brass	14.6kg
	Aluminium	8.3kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	40w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	162 x 48 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-16


Product Breakdown	Sprawl	S016
Dimensions	Length	1514mm
	Height	585mm
	Depth	876mm
Weight	Brass	20.7kg
	Aluminium	12.5kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	44w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	162 x 48 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish



-  Frosted Ombre

Empty State








S78-17


Product Breakdown	Sprawl	S017
Dimensions	Length	1752mm
	Height	185mm
	Depth	1513mm
Weight	Brass	26.3kg
	Aluminium	14.1kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	57w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length on site.	
Driver	Supplied with a dimmable 12v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35 mm
	Ceiling Rose Dimensions	162 x 48 mm



Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass

Glass Finish

-  Frosted Ombre