

S58-01

Dimensions 85mm Height 1500mm

Weight Brass 2.6kg Aluminium 1.4kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Light Wattage 27w Power

Driver Wattage 40w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 137 x 81.5 x 31mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-02

Dimensions 85mm Height 1250mm

Weight Brass 2.4kg Aluminium 1.3kg

Light Source Led Matrix

3000k

Decorative Lighting Only

22.5w Light Wattage Power

Driver Wattage 40w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 137 x 81.5 x 31mm






Metal Finish



Polished Brass



Black Anodised





Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-03

Dimensions OD 85mm Height 1500mm

Weight Brass 2.6kg Aluminium 1.4kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 27w

Driver Wattage 40w

Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 137 x 81.5 x 31mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-04

Dimensions 85mm Height 1250mm

Weight Brass 2.4kg Aluminium 1.4kg

Light Source Led Matrix 3000k

Decorative Lighting Only

22.5w Light Wattage Power

40w **Driver Wattage** 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 137 x 81.5 x 31mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-05

Dimensions Light Pipe One 85mm OD x 1250mm Light Pipe Two 85mm OD x 1250mm

Weight Brass 5.2kg Aluminium 2.6kg

Light Source Led Matrix

3000k

Decorative Lighting Only

45w Light Wattage Power

Driver Wattage 90w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised





Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-06

Dimensions Light Pipe One 85mm OD x 1500mm Light Pipe Two 85mm OD x 1500mm

Weight Brass 4.8kg Aluminium 2.8kg

Light Source Led Matrix

3000k

Decorative Lighting Only

Light Wattage 54w Power

Driver Wattage 90w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm



Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-07

Dimensions Light Pipe One 85mm OD x 1250mm Light Pipe Two 85mm OD x 1500mm

Weight Brass 5kg 2.7kg Aluminium

Light Source Led Matrix 3000k

Decorative Lighting Only

49.5w Light Wattage Power

Driver Wattage 90w

Voltage

110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses.


Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised





Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-08

Dimensions Light Pipe One 85mm OD x 1250mm Light Pipe Two 85mm OD x 1250mm

Weight Brass 5.2kg Aluminium 2.6kg

Light Source Led Matrix 3000k

Decorative Lighting Only

45w Light Wattage Power

Driver Wattage 90w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-09

Dimensions Light Pipe One 85mm OD x 1500mm Light Pipe Two 85mm OD x 1500mm

Weight Brass 4.8kg Aluminium 2.8kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Light Wattage 54w Power

Driver Wattage 90w

Voltage

110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-10

Dimensions Light Pipe One 85mm OD x 1500mm Light Pipe Two 85mm OD x 1250mm

Weight Brass 5kg Aluminium 2.7kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 49.5w

Driver Wattage 90w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-11

 $\begin{array}{ccc} \text{Dimensions} & 1 \times \text{Light Pipe} & 85 \text{mm OD X 1250mm} \\ 2 \times \text{Light Pipe} & 85 \text{mm OD x 1500mm} \end{array}$

Weight Brass 7.6kg Aluminium 4.1kg

Light Source Led Matrix

3000k

Decorative Lighting Only

Power Light Wattage 76.5w

Driver Wattage 90w Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish




Black



White





S58-12

 $\begin{array}{ccc} \mbox{Dimensions} & 2x \mbox{ Light Pipe} & 85 \mbox{mm OD X 1250mm} \\ 3 \mbox{ x Light Pipe} & 85 \mbox{mm OD x 1500mm} \end{array}$

Weight Brass 12.6kg Aluminium 6.8kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 126w

Driver Wattage 96w (Two supplied)
Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish




Black



White





S58-13

 $\begin{array}{ccc} {\sf Dimensions} & 3 \, {\sf x \, Light \, Pipe} & 85 {\sf mm \, OD \, X \, 1250 mm} \\ & 4 \, {\sf x \, Light \, Pipe} & 85 {\sf mm \, OD \, x \, 1500 mm} \end{array}$

Weight Brass 17.6kg Aluminium 9.5kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 175.5w

Driver Wattage 96w (Two supplied)
Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-14

Dimensions 3 x Light Pipe 85mm OD X 1250mm

Weight Brass 7.2kg Aluminium 3.9kg

Light Source Led Matrix 3000k

Decorative Lighting Only

67.5w Light Wattage Power

Driver Wattage 90w 110-130v / 220-240v

Voltage IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length


Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.

Driver Dimensions 180 x 60 x 35mm





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-15

Dimensions 5 x Light Pipe 85mm OD X 1250mm

Weight Brass 12kg Aluminium 6.5kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 112.5w

Driver Wattage 96w (Two supplied)
Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-16

Dimensions 3 x Light Pipe 85mm OD X 1250mm

OD 180mm Height 1652mm

Weight Brass 4.1kg

Aluminium 7.6kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 76.5w

Driver Wattage 96w (Two supplied)
Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White





S58-17

Dimensions 5 x Light Pipe 85mm OD X 1250mm

OD 239mm Height 2052mm

Weight Brass 12kg Aluminium 6.5kg

Light Source Led Matrix

3000k

Decorative Lighting Only

Light Wattage 126w Power

96w (Two supplied) **Driver Wattage** Voltage 110-130v / 220-240v

IP20 Rated


Hanging We offer a range of hanging options. Including

direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass




Black Anodised



Burnished Brass





Silver Anodised

Stone Finish

Black



White





S58-18

Dimensions 4 x Light Pipe 85mm OD x 1500mm

Weight Brass 10.4kg Aluminium 5.6kg

Light Source Led Matrix 3000k

Decorative Lighting Only

Power Light Wattage 108w

Driver Wattage 96w (Two supplied)
Voltage 110-130v / 220-240v

IP20 Rated

Hanging We offer a range of hanging options. Including


direct attach and fully enclosed ceiling roses. Light supplied with 1500mm / 3000mm / 6000mm length of cable to be hung and cut to desired length

on site.

Driver Supplied with a dimable 12v LED Driver.

Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a

ceiling rose.





Metal Finish



Polished Brass



Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass

Stone Finish



Black



White

