



# Empty State



## S23-01

Product Breakdown	Tier1	800mm OD
Dimensions	OD	800mm
	Height	55mm
Weight	Brass	1.8kg
	Aluminium	0.8kg
	Mixed	1.6kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	7.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



### Metal Finish



Polished Brass



Black Anodised



Brushed Brass & Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass & Black Anodised



Burnished Brass





Polished Brass & Black Anodised

# Empty State











## S23-02

Product Breakdown	Tier1	1000mm OD
Dimensions	OD	1000mm
	Height	55mm
Weight	Brass	2kg
	Aluminium	0.9kg
	Mixed	1.6kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	7.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-03

Product Breakdown	Tier1	1500mm OD
Dimensions	OD	1500mm
	Height	55mm
Weight	Brass	2.4kg
	Aluminium	1kg
	Mixed	1.8kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	7.5w
	Driver Wattage	15w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	94 x 40 x 25mm
	Ceiling Rose Dimensions	120 x 39mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-04

Product Breakdown	Tier 1	800mm OD
	Tier 2	1500mm OD
Dimensions	OD	1500mm
	Height	210mm
Weight	Brass	4.3kg
	Aluminium	1kg
	Mixed	3.4kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage	15w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-05

Product Breakdown	Tier 1	1500mm OD
	Tier 2	800mm OD
Dimensions	OD	1500mm
	Height	210mm
Weight	Brass	4.3kg
	Aluminium	1kg
	Mixed	3.4kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	15w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State



## S23-06

Product Breakdown	Tier 1	1500mm OD
	Tier 2	1000mm OD
Dimensions	OD	1500mm
	Height	210mm
Weight	Brass	4.3kg
	Aluminium	1kg
	Mixed	3.4kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	15w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



Polished Brass



Black Anodised



Brushed Brass & Black Anodised



Brushed Brass



Silver Anodised



Burnished Brass & Black Anodised



Burnished Brass





Polished Brass & Black Anodised

# Empty State











## S23-07

Product Breakdown	Tier 1	800mm OD
	Tier 2	1500mm OD
	Tier 3	800mm OD
Dimensions	OD	1500mm
	Height	365mm
Weight	Brass	6.2kg
	Aluminium	2.8kg
	Mixed	5kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	22.4w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-08

Product Breakdown	Tier 1	800mm OD
	Tier 2	1500mm OD
	Tier 3	800mm OD
Dimensions	OD	1500mm
	Height	565mm
Weight	Brass	6.2kg
	Aluminium	2.8kg
	Mixed	5kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	22.4w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised





# Empty State











## S23-09

Product Breakdown	Tier 1	1500mm OD
	Tier 2	1500mm OD
	Tier 3	1500mm OD
Dimensions	OD	1500mm
	Height	365mm
Weight	Brass	7.2kg
	Aluminium	3.2kg
	Mixed	5.4kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage	22.4w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-10

Product Breakdown	Tier 1	1000mm OD
	Tier 2	1500mm OD
	Tier 3	1000mm OD
Dimensions	OD	1500mm
	Height	365mm
Weight	Brass	6.5kg
	Aluminium	2.9kg
	Mixed	5.1kg
Light Source	Led Matrix	
	3000k	
	Decorative Lighting Only	
Power	Light Wattage	22.4w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-11

Product Breakdown	Tier 1	1800mm OD
	Tier 2	1500mm OD
	Tier 3	1000mm OD
	Tier 4	800mm OD
Dimensions	OD	1800mm
	Height	670mm
Weight	Brass	9.1kg
	Aluminium	4kg
	Mixed	7kg
Light Source	Led Matrix 3000k Decorative Lighting Only	
Power	Light Wattage	30w
	Driver Wattage	40w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	137 x 81.5 x 31mm
	Ceiling Rose Dimensions	162 x 48mm



### Metal Finish



-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised

# Empty State











## S23-12

Product Breakdown	Tier 1	800mm OD
	Tier 2	1000mm OD
	Tier 3	1500mm OD
	Tier 4	1800mm OD
Dimensions	OD	1800mm
	Height	675mm
Weight	Brass	11kg
	Aluminium	5kg
	Mixed	8.6kg
Light Source	Led Matrix	3000k
	Decroitive Lighting Only	
Power	Light Wattage	37.2w
	Driver Wattage	90w
	Voltage	110-130v / 220-240v
	IP20 Rated	
Hanging	We offer a range of hanging options. Including direct attach and fully enclosed ceiling roses. Drop height offered in 50mm increments as standard. Max drop height is 1500mm. Custom drop heights available on request.	
Driver	Supplied with a dimable 24v LED Driver. Driver can be stored within 8m of the light, in a recess being the ceiling or enclosed within a ceiling rose.	
	Driver Dimensions	180 x 60 x 35mm
	Ceiling Rose Dimensions	200 x 52mm



### Metal Finish

-  Polished Brass
-  Black Anodised
-  Brushed Brass & Black Anodised
-  Brushed Brass
-  Silver Anodised
-  Burnished Brass & Black Anodised
-  Burnished Brass
-  Polished Brass & Black Anodised