

## SDS SHEET

Rev 12-13-17

### Lead Selenide Nanocrystals in Toluene

#### 1. PRODUCT IDENTIFICATION

**Chemical Name:** Lead Selenide Nanocrystals

**Supplier:** NNCrystal US Corporation 534 W Research Center Blvd., Ste 254 Fayetteville, AR 72701

**Product Line:** PBSE

**Phone:** 479.595.0662

**Recommended Use:** Research and development use only

#### 2. HAZARDS IDENTIFICATION

##### Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Carcinogenicity (Category 1B), H350

Carcinogenicity (Category 1A), H350

Reproductive toxicity (Category 1A), H360

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304

Acute aquatic toxicity (Category 1), H400

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 1), H410

Chronic aquatic toxicity (Category 2), H411

##### GHS Label Elements:




**Signal Word:** Danger

---

#### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: [contact@nn-labs.com](mailto:contact@nn-labs.com)



# NNCrystal US Corporation

---


## Hazardous Statements

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (Gastro-intestinal system, Liver, Immune) through prolonged or repeated exposure.

## Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC) or not covered by GHS -- none**



# NNCrystal US Corporation

---

## 3. COMPOSITION/INFORMATION ON INGREDIENT (EACH VIAL)

**Chemical Name:** Lead Selenide Nanocrystals

**Chemical Formula:** PbSe

**Typical Solvents (CAS No):** Toluene (108-88-3), Hexanes (110-54-3), Chloroform (67-66-3), Dichloromethane (75-09-2), Methanol (67-56-1), Water

<u>Substance Name</u>	<u>CAS #</u>
PbSe	12069-00-0
Toluene	108-88-3
Oleic Acid	112-80-1

## 4. FIRST AID MEASURES

### Eye:

1. Flush immediately with warm water for at least 20 minutes
2. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids
3. If pain persists or recurs seek medical attention
4. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel

### Skin:

1. Removing contaminated clothing, shoes and leathery wearings
2. Washing affected area thoroughly with soap and water for at least 20 minutes
3. Call a physician if irritation develops or persists

### Ingestion:

1. If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower than their hips to help avoid possible aspiration of vomits
2. If victim is conscious and alert, give 2-4 cupfuls of milk/water to dilute the substance in the stomach
3. Never give anything by mouth to an unconscious person
4. Don't induce vomiting unless directed to by a medical person
5. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible, prior to initiating first aid procedures
6. Seek medical attention

### Inhalation

1. Remove from further exposure and flush thoroughly with air
2. Lay patient down. Keep warm and rested
3. Prosthesis such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures
4. If respiratory irritation seek immediate medical assistance and call a physician

## 5. FIRE FIGHTING MEASURES

**Suitable extinguishing agents:** Foam, CO<sub>2</sub>, dry chemical

### Special Hazards:


1. Liquid and vapor are highly flammable
2. Severe fire hazard when exposed to heat, flame and/or oxidizers
3. Vapor may travel a considerable distance to source of ignition
4. Heating may cause expansion and or decomposition leading to violent rupture of containers

---

### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: [contact@nn-labs.com](mailto:contact@nn-labs.com)



# NNCrystal US Corporation

---

**Protective equipment:** Wear self-contained respirator if necessary. Wear protective gloves.

## 6. ACCIDENTAL RELEASE MEASURES

**Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

**Measures for environmental protection:** Do not allow material to be released to the environment without proper governmental permits.

**Measures for cleaning/collecting:**

1. Remove all ignition sources
2. Clean up all spills immediately
3. Avoid breathing vapors and contact with skin and eyes
4. Control personal contact by using protective equipment
5. Contain and absorb small quantities with vermiculite or other absorbent material
6. Wipe up
7. Collect residues in a flammable waste container

## 7. HANDLING AND STORAGE

**Precautions for safe handling:**

1. Keep container tightly sealed. Store in refrigerator (2-8 °C) under dark conditions.
2. Wash thoroughly after handling
3. Use only in well ventilated area
4. Ground and bond containers when transferring
5. Use spark free tools and explosion proof equipment

**Conditions for safe storage, including any incompatibilities**

1. Keep container tightly sealed. Store in refrigerator (2-8°C) under dark conditions.
2. Do not store with acids or oxidizers

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Limit Lead Selenide:**

**TWA 0.2mg/mL air**

**Exposure for Toluene solvent**

**OSHA – Final PELs:** 200ppm TWA

**OSHA Ceiling:** 300ppm

**ACGIH:** 50ppm, skin-potential for cutaneous absorption

**NIOSH:** 100ppm TWA; 375 mg/m<sup>3</sup> TWA; 550ppm IDLH

**Additional information about design of technical systems:** Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages, and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.


**Breathing equipment:** Use suitable respirator when high concentrations are present.

---

### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: [contact@nn-labs.com](mailto:contact@nn-labs.com)



# NNCrystal US Corporation

---

**Protection of hands:** Impervious gloves – check gloves using UV light after use to determine level of contamination.

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form:** Liquid form – black, dissolved in a solvent

**Color:** Black

**Odor:** Odor dependent upon solvent used. Crystalline powder is odorless

**Melting point/Melting range:** No data available

**Boiling point/Boiling range:** Determined by solvent used

**Sublimation temperature / start:** No data available

**Flash point:** Dependent upon solvent used

**Ignition temperature:** Dependent upon solvent used

**Decomposition temperature:** Not determined

**Danger of explosion:** Dependent upon solvent used.

**Explosion limits:** Currently unknown for nanocrystals

**Vapor pressure:** Dependent upon solvent used

**Density:** 8.0 g/cm<sup>3</sup> (crystal at 20 °C) for the nanocrystal powder if isolated

**Solubility in / Miscibility with Polar Solvents:** Soluble when hydrophilic ligands are present

**Solubility in / Miscibility with Non-Polar Solvents:** Soluble when hydrophobic ligands are present

## 10. STABILITY AND REACTIVITY

**Reactivity:** Vapor is explosive when exposed to heat or flame

**Stability:** Stable at room temperature in closed containers under normal storage and handling conditions

**Incompatible materials:** Strong oxidizers

**Hazardous decomposition products:** Lead oxides, selenium oxides under fire conditions

**Thermal decomposition / conditions to be avoided:** Not determined, but temperature increases will affect the solvent used.

**Be aware of the necessary warnings for the specific solvent used.**

## 11. TOXICOLOGICAL INFORMATION

**Skin:** Irritant to skin and mucous membranes.

**Eye:** Irritating effect.

**Sensitization:** No sensitizing effects known.

**Additional toxicological information:** Danger through skin absorption.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**Target Organs:** Lungs, Liver, Kidneys

**EPA-B1:** Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies.

**IARC-1:** Carcinogenic to humans: sufficient evidence of carcinogenicity.

**NTP-2:** Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. Carcinogen as defined by OSHA.

**ACGIH A2:** Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans.


**Reproductive toxicity:** Damage to fetus possible Suspected human reproductive toxicant. Reproductive toxicity - Rat - Inhalation Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and

---

### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: contact@nn-labs.com



# NNCrystal US Corporation

---

count). Experiments have shown reproductive toxicity effects in male and female laboratory animals.

**Developmental Toxicity:** Rat - Oral Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus)

**Additional Information:** Lead salts have been reported to cross the placenta and to induce embryo- and fetomortality. They also have teratogenic effect in some animal species. No teratogenic effects have been reported with exposure to organometallic lead compounds. Adverse effects of lead on human reproduction, embryonic and fetal development, and postnatal (e.g., mental) development have been reported. Excessive exposure can affect blood, nervous, and digestive systems. The synthesis of hemoglobin is inhibited and results in anemia. If left untreated, neuromuscular dysfunction, possible paralysis, and encephalopathy can result. Additional symptoms of overexposure include: joint and muscle pain, weakness of the extensor muscles (frequently the hand and wrist), headache, dizziness, abdominal pain, diarrhea, constipation, nausea, vomiting, blue line on the gums, insomnia, and metallic taste. High body levels produce increased cerebrospinal pressure, brain damage, and stupor leading to coma and often death. Acute selenium poisoning produces central nervous system effects, which include nervousness, convulsions, and drowsiness. Other signs of intoxication can include skin eruptions, lassitude, gastrointestinal distress, teeth that are discolored or decayed, odorous ("garlic") breath, and partial loss of hair and nails. Chronic exposure by inhalation can produce symptoms that include pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar pain, liver and spleen damage, as well as any of the other previously mentioned symptoms. Chronic contact with selenium compounds may cause garlic odor of breath and sweat, dermatitis, and moderate emotional instability.

## 12. ECOLOGICAL INFORMATION

Do not allow material to be released to the environment without proper governmental permits.

## 13. DISPOSAL CONSIDERATIONS

Consult local or national regulations for proper disposal.

## 14. TRANSPORT INFORMATION (Solvent Specific) – When dissolved in toluene

### U.S. DOT 49 CFR 172.101

**ID Number:** UN1294

**Hazard class:** 3

**Packing Group:** II

**Labeling Requirements:** Flammable Liquid

**Canadian Transportation of Dangerous Goods:** UN1294, Class 3

**Land Transport ADR/RID:** UN1294, Class 3, Class Code F1, Pack group II

**Air Transport IATA/ICAO:** UN1294, Class or Division 3, Pack group II

**Exceptions:** 49 CFR 173.4

**ID Number:** UN3283

**Hazard class:** 6

**Packing Group:** III

**Labeling Requirements:** Poison

**Exceptions:** 49 CFR 173.4

## 15. REGULATIONS

### SARA 302 Components


No chemicals in this material are subject to the reporting requirements of SARA\ Title III, Section 302.

---

### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: contact@nn-labs.com



# NNCrystal US Corporation

---

## SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

## Massachusetts Right to Know Components

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

## Pennsylvania Right to Know Components

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

## New Jersey Right to Know Components

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

## California Prop. 65 Components

**WARNING:** This product contains a chemical known to the State of California to cause cancer.

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm:

Toluene	CAS-No. 108-88-3	Revision Date 2007-07-01
Lead Selenide	CAS-No. 12069-00-0	Revision Date 1993-04-24

## 16. OTHER INFORMATION

### HMIS Rating

**Health hazard:** 2

**Chronic Health Hazard:** \*

**Flammability:** 3

**Physical Hazard:** 0

### NFPA Rating

**Health hazard:** 2

**Fire Hazard:** 3

**Reactivity Hazard:** 0

---

### NNCrystal US Corporation

534 W Research Center Blvd., Ste 254, Fayetteville, AR 72701

Phone: 479.595.0662; Fax: 479.595.0570; E-mail: [contact@nn-labs.com](mailto:contact@nn-labs.com)