

## 3590ETPBOX

3590ETPBOX "TOUCH": SELF-SERVICE SYSTEM FOR WEIGHBRIDGES,  
WITH COLOUR TOUCH SCREEN



Self-service system for weighbridge management, complete with 5,7" TOUCH SCREEN and thermal printer, integrated in a sturdy stainless steel case. Standard fitted with RFID reader. CE-M approvable.

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Satin stainless steel sturdy case, complete with electromechanical and power supply unit for integrated devices.
- Sheet steel protection visor against sun and rain.
- 5,7" backlit touch screen display.
- Completely customizable visualizations.
- QWERTY, AZERTY or QWERTZ keyboard integrated in the touch screen, selectable.
- RFID reader integrated, with a reading capacity of about 30mm distance.
- Fitted with alibi memory.
- Quickly selection of the visualized language.
- Thermal printer fitted with paper cutter. Print speed >50mm/sec., 203 dpi resolution, 24/40 columns, 60mm paper width.
- Completely customizable tickets.
- AF03 software for weighbridges, standard configured for self-service use.
- 230Vac power supply.

## MAIN FUNCTIONS

- Clearing, Automatic Tare, Presetable Tare, locked, unlocked tare.
- Management of the main digital load cells available on the market.
- Automatic acquisition of the operator and vehicle data, through magnetic badge, for storage of input/output weighs.
- Management of vehicles with trailer also on 2 scales (tractor is weighed on scale 1 + trailer is weighed on scale 2)
- Database of 500 customers/suppliers with two alphanumeric descriptions of 20 characters, input and output total, net total, weighs total.
- Database of 500 articles with alphanumeric description of 20 characters, input total, output total, net total, weighs total.
- Database of 500 vehicles with alphanumeric description of 20 characters, plate (10 crt), linked tare, input total, output total, net total, weighs total.
- 6 levels of totals zeroable and printable in an independent way: partial total, general total, grand total, customer total, article total, vehicle total.
- Printing of complete database reports or just the handled articles.
- Automatic printing with completely configurable layout.
- Possibility to set a password to access the SETUP.

## MAIN CERTIFICATIONS

- EC Type Approval (EN45501)
- OIML R76
- OIML R134 (AF09)



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI AR GEO**  
**FRANCE** sarl  
Nogent-sur-Marne  
info.fr@diniargeo.com

**DINI AR GEO**  
**GMBH**  
Sinsheim - Germany  
info.de@diniargeo.com

**DINI AR GEO**  
**UK Ltd**  
Taunton - United Kingdom  
info.uk@diniargeo.com

**DINI AR GEO WEIGHING**  
**INSTRUMENTS Ltd**  
Shanghai - China  
info.cn@diniargeo.com

**DINI AR GEO**  
**WEIGHBRIDGES**  
Calto (RO) – Italy  
info@diniargeo.com




**HEAD OFFICE**

Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 843418 Fax. +39.0536 843521  
info@diniargeo.com

**SERVICE ASSISTANCE**

Via Dell'Elettronica, 15  
41042 Spezzano di Fiorano Modena - Italy  
Tel. +39.0536 921784 Fax. +39.0536 926654  
service@diniargeo.com



SALES AND TECHNICAL ASSISTANCE SERVICE