



ALGS

ALGS SERIES MOISTURE ANALYSER



**SCALE[®]
HOUSE**
electronic weighing

Electronic moisture analyser with very high resolution.

DIVISION (g): 0.001. CAPACITY (g): 60.

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Graphic LCD display and waterproof membrane keypad.
- Selection of the programme language in the set-up.
- 2 halogen 60 W lamps.
- Diameter of the weighing plate: 90mm.
- 10 sample plates.
- Resolution: 0,01%.
- Drying temperature: up to 160°C.
- Heating time (100°C): approximate time of 3 min.
- Drying time: up to 10h.
- Power supply: 230 Vac power adapter.
- PS2 input for connecting external PC keyboard.
- RS232/c port for connection to PC or printer.
- USB port for connection to PC.
- Operating Temperature Range: from +18°C to +33°C.
- Upon request:
 - set of sample plates;
 - ACCREDIA calibration with issuing of the relative certificate.

FUNCTIONS

- Drying modes: end when reaching the established time, automatic end.
- Calculation methods: % of dry weight, % of humidity in relation to initial weight or to dry weight.
- Memory for up to 10 customized programs (mode, temperature, time, calculation method).
- Calculation and printing of the statistical evaluations.
- Displays the drying graphs.
- Entering free texts and computing the report through external PC keyboard.
- Date and time.
- Digital calibration.
- Semi-automatic tare.

VERSIONS

Versioni disponibili

Codice	Max (g)	d (g)
ALGS60	60	0,001



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail info@gravitation.ie

Web www.gravitation.ie