



CW_I NOX

CW STAINLESS STEEL SERIES WALL QUARTER-WEIGHING MODULES



Stainless steel weighing modules suitable both for weighing hanging quarters and for weighing on a reclining platform. Standard version is with approved load cell.

The best solution
for advanced industrial
applications

MAIN FEATURES

- Functions with a stainless steel, single point, approved load cell made according to OIML R60 standards, with protection against dust and moisture according to IP66 standards (350 Ohm input resistance).
- Bearing structure which may be fixed to the wall fitted with a quarter-weighing hook.
- Folding stainless steel loading surface, fitted with a fall-prevention safety piston.
- Up to 15 Vdc power supply.
- Shielded 3m long 6-pin cable with connectors for connection to the weight indicator.

OPTIONS TO BE SPECIFIED WHEN ORDERING

- Connection to the indicator and calibration with CE-M 3000e single range or 3000e+3000e dual range approval (depending on the indicators used).
- Models with special sizes and capacities (ask for estimate).

VERSIONS

Versioni disponibili

Codice	l x w x h (mm)	N° celle	Max (kg)	d (g)	M (g)*	M 2R (g)*
CW12I15	490x500x1534	1x300kg	150	50	50	20-50
CW12I30	490x500x1534	1x500kg	300	100	100	50-100

(*) Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail info@gravitation.ie

Web www.gravitation.ie

All the specifications and images can be subject to variations and upgrades without prior notice.