

**PORTABLE WEIGHBRIDGES
DTW**

DUALTRACK[®]

 **DESIGN
AND QUALITY
MADE IN ITALY**



SCALES AND WEIGHING SYSTEMS

Dini Argeo is a company specialising in the design and manufacturing of scales and weighing systems worldwide-known for quality and reliability.


The solutions created by **Dini Argeo** are suitable for any industrial weighing application:

- reading, collection, processing and transfer of weight data
- simple, sequential, simultaneous dosage, in-loading or unloading, single or multicomponent dosage, continuous dosage on belt conveyors or loss-in-weight feeding
- Weighing in areas endangered by potentially explosive atmospheres (ATEX)
- piece counting, labelling
- control of production lines, statistical check of prepackaged products
- logistics weighing (pallet scales, pallet truck scales, weighing forks for lift trucks, crane scales)
- vehicle weighing (weighbridges, wheel weighers, static and dynamic axle weighers).

A full range of interfaces and communication protocols is available as standard thus making Dini Argeo products easily integrable into industrial automation and processing for the development of OEM systems with customisable functions.

DINI ARGEO GROUP. A COMPREHENSIVE SERVICE.

Dini Argeo offers the customer a complete service ranging from the working out of customised solutions and supply of weighing components to the development of software for PC and communication networks, calibration and approval services of OEM systems. Dini Argeo has grown into a group with a strong international calling, composed of subsidiaries in Europe and Asia, alongside a distribution and customer service network in more than 70 countries around the world. Dini Argeo works in cooperation with the other companies of the Group, which are market leaders in their specific field of activity:





DUALTRACK®



vehicle
weighing
system





A NEW CONCEPT OF WEIGHBRIDGE.

This innovative weighbridge is easy to install without the use of special lifting equipment or any masonry work which could take up part of the courtyard on a permanent basis. Compared to a traditional weighbridge, it offers a major benefit, namely the possibility of being moved from its location to create a new weighing station elsewhere or for removal entirely (for seasonal use). This feature is especially useful in the construction industry, in port areas and in farming.

Dual track weighbridges are easy to transport and install thanks to their reduced height and weight. Designed and built with top-quality materials, they are the most efficient solution and will save you time, space and money compared to the traditional weighbridges currently available on the market.

Standard version with CE-M 3000e type approval as standard, for legal for trade use.



CODE	L x P x h (m)	Max (kg)	CE M (kg)	CE M 2R (kg)	VAN 	TRUCK 	SEMI-TRAILER TRUCK 	TRAILER TRUCK 
DTW5	2x (4,50x1,00x0,22)	15000	5	--	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		30000	10	5/10 (*)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DTW9	2x (9,00x1,00x0,22)	30000	10	5/10 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		60000	20	10/20 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DTW14	2x (13,50x1,00x0,22)	30000	10	5/10 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
		60000	20	10/20 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DTW18	2x (18,00x1,00x0,22)	60000	20	10/20 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
		80000	50	20/50 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DTW22	2x (22,50x1,00x0,22)	80000	50	20/50 (*)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

(*) Dual range CE-M 2x3000e approval available on request.























TEL. 0341 576334

CAT

CAT

Impresa MANCHI

300E

MANCHI













Example of a new installation



Example of a recycled existing pit



Example of an installation on an asphalt weighing surface



“YOUR WORLDWIDE PARTNER FOR WEIGHING”



DINI ARGEO
FRANCE sarl
Nogent-sur-Marne - France
info.fr@diniargeo.com

DINI ARGEO
GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO
WEIGHBRIDGES
Calto (RO) - Italy
info@diniargeo.com

HEAD OFFICE

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com



Gravitation Ltd.
Unit 2B Section 5
Dunshaughlin Business Park
Co. Meath
Tel: +353 (0)46 907 8900
Fax: +353 (0)46 907 8911
info@gravitation.ie
www.gravitation.ie