



FPW

FPW SERIES PALLET-WEIGHERS




Low profile, easy to move, pallet-weighing scale. Suitable for industrial and commercial applications, in which it's necessary to quickly weigh goods on a pallet. The standard version is provided with approved load cells.

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Functioning with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree.
- Moulded sheet-steel structure, oven-fire painted RAL 5007 blue.
- Adjustable, shock-proof jointed feet, level, 2 wheels and handles for moving it.
- 5/15 Vdc power supply.
- Shielded about 3m long cable for connection to the indicator.
- Upon request:
  - platform calibration service with weight indicator;
  - 3000e CE-M approval, to be combined always to the calibration service;
  - support column for indicator.

## DETAIL 1



Dimensions in mm

## VERSIONS

Pallet weighers: Available versions

Code	Surface l x w (mm)	Max (kg)	d (g)	CE-M* 3000e (g)
FPW15	1263x840	1500	500	500
FPW30	1263x840	3000	1000	1000

(\*) CE-M divisions are obtainable only with the relative options, with our indicators.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail [info@gravitation.ie](mailto:info@gravitation.ie)

Web [www.gravitation.ie](http://www.gravitation.ie)