



PBI_I NOX

"PBI" SERIES SINGLE CELL STAINLESS STEEL PLATFORMS



Small and medium capacity electronic platforms with a stainless steel surface having a precise and sturdy structure. Suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. The standard version is provided with approved load cell.

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Functions with a “single point” 350 Ohm aluminium load cell, in stainless steel hermetic cover, approved according to OIML R60 C3 standards (3000 divisions), IP65 protection degree.
- Stainless steel tubular structure, with adjustable resting feet and level.
- Fitted with stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded cable for connection to the indicator.
- Upon request:
 - platform calibration service with weight indicator;
 - 3000e CE-M approval, to be combined always to the calibration service;
 - support column for indicator.

SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



VERSIONS

Versioni disponibili

Codice	I x w x h (mm)	Max (kg)	d (g)	M (g) *
PBT16	300x300x130	6	2	2
PBT115	300x300x130	15	5	5
PBT130	300x300x130	30	10	10
PBQ130	400x400x140	30	10	10
PBQ160	400x400x140	60	20	20
PBQ1150	400x400x140	150	50	50
PBX160	600x600x150	60	20	20
PBX1150	600x600x150	150	50	50
PBX1300	600x600x150	300	100	100

(*) Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail info@gravitation.ie

Web www.gravitation.ie