

# **RPLC**

## RPLC SERIES SINGLE CELL ROUND PLATFORMS



Small capacity electronic round platforms made in anodized blue aluminium. Precise and sturdy structure, suitable for scales and automatic weight checking systems in all industrial and commercial applications. Standard version is with approved load cell.

#### MAIN FEATURES

- Functions with an approved aluminium "single point" load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Anodized blue aluminium structure with adjustable resting feet and level.
- Stainless steel plate.
- 15 Vdc power supply.
- Shielded 1,5 m connection cable with connectors for connection to the indicator.


### OPTIONS ONLY AVAILABLE AT TIME OF ORDER

- Connection to the indicator and calibration with CE-M 3000e approval.
- High resolution models for internal factory use.

### **OPTIONS FOR ATEX VERSION**

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: Declaration of conformity of the whole system composed of PLATFORM + JUNCTION BOX + LOAD CELLS (only if the platform is ordered without the weight indicator; otherwise, refer to the certifications available for the indicator to which it will be connected).

#### **DETAIL 1**



# VERSIONS

Versioni disponibili						
	lxwxh	Max	d	M	M	d HR
Codice	(mm)	(kg)	(g)	(g)*	2R (g)*	(g)*
RPLC1	$\emptyset = 178, h = 45$	1,5	0,2	0,5	0,2 / 0,5	0,05
RPLC3	$\emptyset = 178, h = 45$	3	0,5	1	0,5 / 1	0,1
RPLC6	$\emptyset = 178, h = 45$	6	1	2	1 / 2	0,2
RPLC15	$\emptyset = 178, h = 45$	15	2	5	2 / 5	0,5

<sup>(\*)</sup> Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900 Fax. 00353469078911 E-mail info@gravitation.ie Web www.gravitation.ie

