



T

## "T" SERIES - SINGLE CELL PLATFORMS



Small and medium capacity electronic platforms with a AISI304 stainless steel surface having a precise and sturdy structure, suitable for creating scales and automatic weight checking systems for all industrial and commercial applications. Standard version is with approved load cell.

The best solution  
for advanced industrial  
applications

## MAIN FEATURES


- Functions with an approved aluminium "single point" load cell according to OIML R60 standards with protection against dust and water splashes according to IP65 standards (350 Ohm input resistance).
- Steel tubular structure, oven-fire painted blue, with adjustable resting feet and level.
- Fitted with satined AISI 304 stainless steel loading surface.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

## OPTIONS FOR ATEX VERSION

- CCATEX: ATEX certificate for each load cell
- DCATEX2GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 2GD DINI ARGEO INDICATOR
- DCATEX3GD: Declaration of ATEX conformity of whole PLATFORM + ATEX 3GD DINI ARGEO INDICATOR

## SUPPORT BRACKETS AND COLUMNS

- Example of use with bracket, attached column or floor column.



## AVAILABLE UPON PRICE ESTIMATE

- Belt and roller units to be applied on the loading surface
- Special sizes and capacities

## VERSIONS

### Versioni disponibili

Codice	l x w x h (mm)	Max (kg)	d (g)	<b>M</b> (g)*	<b>M</b> 2R (g)*	d HR (g)*
TS3	230x330x93	3	0,5	1	--	0,1
TS6	230x330x93	6	1	2	1-2	0,2
TS15	230x330x93	15	2	5	2-5	0,5
TT6	330x330x93	6	1	2	1-2	0,2
TT15	330x330x93	15	2	5	2-5	0,5
TT30	330x330x93	30	5	10	5-10	1
TQ15	400x400x115	15	2	5	2- 5	0,5
TQ30	400x400x115	30	5	10	5-10	1
TQ60	400x400x115	60	10	20	10-20	2
TQ150	400x400x115	150	20	50	20-50	5
TM30	400x500x115	30	5	10	5-10	1
TM60	400x500x115	60	10	20	10-20	2
TM150	400x500x115	150	20	50	20-50	5
TC30	500x500x115	30	5	10	5-10	1
TC60	500x500x115	60	10	20	10-20	2
TC150	500x500x115	150	20	50	20-50	5
TL60	500x600x132	60	10	20	10-20	2
TL150	500x600x132	150	20	50	20-50	5
TL300	500x600x132	300	50	100	50-100	10
TX60	600x600x132	60	10	20	10-20	2
TX150	600x600x132	150	20	50	20-50	5
TX300	600x600x132	300	50	100	50-100	10
TG150	700x700x145	150	20	50	--	5
TG300	700x700x145	300	50	100	50-100	10
TG600	700x700x145	600	100	200	100-200	20

(\*) Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail [info@gravitation.ie](mailto:info@gravitation.ie)

Web [www.gravitation.ie](http://www.gravitation.ie)

*All the specifications and images can be subject to variations and upgrades without prior notice.*