

# TNE\_INOX

THE SERIES SINGLE CELL IP67 STAINLESS STEEL PLATFORMS



Small and medium capacity electronic platforms, having a precise and sturdy structure, are particularly suitable for all types of industrial and commercial applications in which it's necessary to work in environments with strict hygiene requirements.

#### MAIN FEATURES

- Functions with an approved "single point" STAINLESS STEEL load cell according to OIML R60 standards with protection against dust and water splashes according to I P 6 7 standards.
- Structure with tubulars, mechanics, trinkets and satined steel loading surface in AISI304 stainless steel.
- Fitted with adjustable STAINLESS steel feet with plastic resting surface and level.
- Up to 15 Vdc power supply.
- Shielded 3m connection cable with connectors for connection to the indicator.

#### **OPTIONS FOR ATEX VERSION**

- CCATEX: ATEX certificate for each load cell.
- DCATEXMECH: Declaration of conformity of the whole system composed of PLATFORM + JUNCTION BOX + LOAD CELLS (only if the platform is ordered without the weight indicator; otherwise, refer to the certifications available for the indicator to which it will be connected).

#### SUPPORT BRACKETS AND COLUMNS

• Example of use with bracket, attached column or floor column.






## AVAILABLE UPON PRICE ESTIMATE

• Special sizes and capacities

### DETAIL 1



"TNE" series platforms: dimensions (see the version table)

### **VERSIONS**

Ixwxh	Max	d	M	M	d HR
(mm)	(kg)	(g)	(g)*	2R (g)*	(g)*
500x600x150	60	10	20	10-20	5
500x600x150	150	20	50	20-50	10
500x600x150	300	50	100	50-100	20
700x700x165	150	20	50		10
700x700x165	300	50	100	50-100	20
700x700x165	600	100	200	100-200	50
	(mm) 500x600x150 500x600x150 500x600x150 700x700x165 700x700x165	(mm)     (kg)       500x600x150     60       500x600x150     150       500x600x150     300       700x700x165     150       700x700x165     300	(mm)     (kg)     (g)       500x600x150     60     10       500x600x150     150     20       500x600x150     300     50       700x700x165     150     20       700x700x165     300     50	(mm)     (kg)     (g)     (g)*       500x600x150     60     10     20       500x600x150     150     20     50       500x600x150     300     50     100       700x700x165     150     20     50       700x700x165     300     50     100	(mm)     (kg)     (g)     (g)*     2R (g)*       500x600x150     60     10     20     10-20       500x600x150     150     20     50     20-50       500x600x150     300     50     100     50-100       700x700x165     150     20     50        700x700x165     300     50     100     50-100

<sup>(\*)</sup> Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900 Fax. 00353469078911 E-mail info@gravitation.ie Web www.gravitation.ie

