

# **TPWLKW**

TPWLKW "LOGISTIC" SERIES PALLET TRUCK SCALE WITH WIDE FORKS



Pallet truck scale, with built-in electronic weighing, fitted with forks 680mm width, which making it ideal for the handling of pallets in the Food & Chemical Industry Sector. Fitted with rechargeable extractable battery. Available also with a built-in printer as well as CE-M DOUBLE RANGE approved.

#### **MAIN FEATURES**

- Maximum lifting capacity: 2000 kg.
- Accuracy: +/- 0.1% of the maximum capacity in the versions for internal use.
- Accuracy: +/- 0.05% of the maximum capacity in the "M" approved versions.
- Forks dimensions 1240 x 680 x 85 mm.
- Weighs about 134 kg.
- Structure in extra thick steel and oven-fire painted mechanics.
- Steering wheels and double loading poliurethane rollers.
- 4 stainless steel IP68 load cells for the legal for trade use version, aluminium IP54 load cells for the internal use version.
- Weight indicator in IP65 STAINLESS STEEL waterproof case, which is easy to clean and resistant to harsh and corrosive
  environments; large 25mm LCD display high contrast digits, which are clearly visible even in poor lighting conditions and with low
  temperatures, and waterproof membrane keyboard, with 17 functional keys.
- Configuration, calibration and diagnostics from keyboard or PC with DINITOOLS.
- · Power supply through extractable rechargeable battery mounted on the pallet truck column.
- The operating time is of about 80 hours of continuous use or one month with the tipycal non continuous use, thanks to its auto switch-off function.
- Programmable auto power saving function. Battery level indication.
- Equipped with 230Vac 50 Hz battery charger (recharging time is about 8 hours).
- Configurable RS232/C bidirectional port for connection to a printer, with customisable print format.
- Configurable RS232/C bidirectional port for PC, modem radio or portable terminal.
- IR input for remote control management.
- Fitted with thermal printer in the TPWLKWP and TPWLKWPM versions, with Date&Time card.

#### MAIN FUNCTIONS

- · Zeroing, Tare, Printing
- High Resolution Weighing x 10
- Net/Gross or Ib/kg conversion
- Accumulation
- Formulation
- +/- Checkweighing
- Percentage weighing
- Counting (Max. resolution of 1.500.000 divisions)
- Hold and Peak
- Set Point Control (with optional interface)

### AVAILABLE UPON PRICE ESTIMATE

- Special steering wheels.
- Special fork length from 850 to 1500 mm.
- Special capacity e/o divisions.
- · High resolution.

## VERSIONS

Versions available			
	Max	d	M
Code	(kg)	(kg)	(kg)
TPWLKW	500 / 1000 / 2000	0,2 / 0,5 / 1	
TPWLKWM M	1000 / 2000		0,5 / 1
TPWLKWP	500 / 1000 / 2000	0,2 / 0,5 / 1	
TPWLKWPM M	1000 / 2000		0,5 / 1

Please take note that the column and the handle-bar require assembly.



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900 Fax. 00353469078911 E-mail info@gravitation.ie Web www.gravitation.ie