



WWSC

"WWSC" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for large vehicles (vans, trucks, tankers, tractor-trailers, etc.); particularly accurate and sturdy, with attention to details.

The best solution  
for advanced industrial  
applications

## FEATURES

- Platform dimensions: 500x511mm. Height 58mm. Weight approximately 19,5kg.
- Loading surface: 500x400mm.
- Very handy. Sturdy structure, made in special aluminum, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10 m cable for connecting platform to indicator, complete of connector.
- IP68 stainless steel load cells.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Available in legal for trade approved version.
- Available in high resolution version.
- Available upon price estimate in Atex version for 1&21 e 2&22 zones.

## NOTES ABOUT THE LEGAL FOR TRADE APPROVED VERSIONS

- The platforms are for legal for trade use:
  - In the single-platform systems, not used to weigh vehicles.
  - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
  - In the axle weighing systems composed of one or more multiples of WWS platforms, except possible limitations of use for some European States.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade platform of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:  
Exemple for a 4 pads system  
Single CE-M Platform: Max=1500kg and e=0,5kg  
CE-M SUM: Max=6000kg and e=2kg

## VERSIONS

### Available Versions

| Code     | Surface<br>l x w (mm) | Max<br>(kg)     | d<br>(kg) | <b>M</b><br>(kg) | d* HR<br>(kg) |
|----------|-----------------------|-----------------|-----------|------------------|---------------|
| WWSC1.5T | 500x400               | 1500            | 0,5       | 0,5              | 0,05          |
| WWSC3T   | 500x400               | 3000            | 1         | 1                | 0,1           |
| WWSC6T   | 500x400               | 6000            | 2         | 2                | 0,2           |
| WWSC10T  | 500x400               | 10000           | 5         | 5                | 0,5           |
| WWSC15T  | 500x400               | 15000 (12500**) | 5         | 5                | 0,5           |

(\*) These divisions are obtainable only with the relative options

(\*\*) With ECEM legal for trade approval , Max=12500kg



GRAVITATION LTD.

UNIT 2B SECTION 5 DUNSHAUGHLIN - - CO. MEATH - IRELAND

Tel. 00353469078900

Fax. 00353469078911

E-mail [info@gravitation.ie](mailto:info@gravitation.ie)

Web [www.gravitation.ie](http://www.gravitation.ie)