### **SAFETY DATA SHEETS**

# This SDS packet was issued with item: 077077795

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

077077811 077077829

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

070373902 077147218



### Safety Data Sheet

**Section 1: Identification** 

Product Name: EDTA (17% Solution)

**Product Use**: Root canal chelating conditioner and cleanser **Manufacturer:** Inter-Med, Inc. / Vista Dental Products **Address:** 2200 South St. Suite A, Racine, WI 53404

**Phone:** (877) 418-4782 **Fax:** (262) 636-9760

**24 HR. Emergency Telephone Number CHEMTREC (North America) :** 800-424-9300 **24 HR. Emergency Telephone Number CHEMTREC (International) :** +1 (703) 527-3887

### Section 2: Hazard(s) Identification

#### 2.1. GHS Classification:

Health	Environmental	Physical	
Skin Irritation – Category 3 – H316 Serious Eye Damage – Category 2B – H320 Acute Toxicity, Oral – Category 5 – H303	Not Applicable	Not Applicable	

2.2. GHS Label:

OSHA HCS 2012



WARNING

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





Hazard Statements	Precautionary Statements
H316: Causes mild skin irritation H320: Causes eye irritation H303: May be harmful if swallowed	P264: Wash hands thoroughly after handling P280: Wear protective gloves / eye protection P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352: IF ON SKIN: Wash with plenty of soap and water.

Refer to Section 15.2 for full text of EU Classifications and R/S Phrases.

### Section 3: Composition/Information on Ingredients

Chemical Components	CAS #	EINECS	Weight %
Water	7732-18-5	231-791-2	77%
EDTA (Disodium ethylenediaminetetraacetate dehydrate)	6381-92-6	unlisted	17%
Proprietary Ingredients	N/A	unlisted	6%

### Section 4: First-Aid Measures

#### 4.1. Description of first aid measures

**Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid, if irritation persists.

**Skin Contact:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists.

**Inhalation:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to high level of dusts or fumes, remove from exposure and move to fresh air immediately. Get medical aid if cough or other symptoms develop.

**Ingestion:** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless medical advice is given from a professional. Get medical aid if symptoms worsen.

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404



#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Mild irritation/redness in eyes or on skin after contact.

#### 4.3. Indication of immediate medical attention and special treatment needed

Consult a physician or contact Poison Control Center if chemical solution is ingested in large amounts. Physicians are required to treat victim symptomatically.

### **Section 5: Fire-Fighting Measures**

#### 5.1. Suitable Extinguishing Media:

Use dry chemical, foam, or carbon dioxide to extinguish fire.

#### 5.2. Fire Fighting Procedures:

Do not flush down sewers or other drainage systems. Exposed firefighters must wear NIOSH-approved positive pressure, self-contained breathing apparatus with full-face mask and full protective clothing.

#### 5.3. Unusual Fire and Explosion Hazards:

None.

#### 5.4. Combustion Products:

Ammonia and nitrogen oxides under fire conditions.

### **Section 6: Accidental Release Measures**

#### 6.1. Personal Precautions, Protective Equipment, and Emergency Procedures

Wear proper personal protective equipment as indicated in Section 8. Follow instructions listed in Section 6.3 to follow clean up procedures.

#### 6.2. Environmental Precautions

Follow all government regulations for waste disposal. Prevent release to the environment if possible. Do not flush waste

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404



into sewer or waterways.

#### 6.3. Methods and Materials for Containment and Cleaning Up

**Small Spills**: Wear gloves and safety glasses and pick up spill with absorbent material, such as paper towels or disposable cloths. Dispose absorbent material in suitable container and wash the exposed area with soap and water.

**Large Spills**: Wear proper protective equipment and absorb spill with inert, non-combustible material (e.g. vermiculite, sand, or earth). Dispose non-combustible material in suitable container and flush area with water.

### Section 7: Handling and Storage

#### 7.1. Handling

For intraoral use only by trained and experienced dental professionals. Follow good hygiene practices. Do not smoke, eat or drink while using. Use suitable protective equipment when handling. Wash thoroughly after handling and avoid any chemical contact with eyes, skin, and clothing. Keep container tightly closed to avoid inhalation or accidental ingestion. Use with adequate ventilation.

#### 7.2. Storage

Store in a tightly closed container. Store container at room temperature in a cool, dry, well-ventilated area away from incompatible substances. Keep containers upright when not in use. Shelf life is thirty months from date of manufacture, provided that it is stored properly.

### **Section 8: Exposure Controls/Personal Protection**

#### 8.1. Exposure Limits / Engineering Controls

Chemical Components	ACGIH	NIOSH	<b>OSHA – Final PELs</b>
Water	Not available	Not available	Not available
EDTA (Disodium ethylenediaminetetraacetate dehydrate)	Not available	Not available	Not available

Engineering Controls: Use adequate ventilation to keep airborne concentrations low.

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404



#### 8.2. Personal Protective Equipment (PPE) Information

**Eye Protection:** Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin Protection:** Wear appropriate protective gloves and lab coat to prevent skin exposure. Use good personal hygiene and wash hands after use.

Clothing Protection: Wear appropriate protective clothing to prevent skin exposure.

**Respiratory Protection:** Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

### **Section 9: Physical and Chemical Properties**

#### 9.1. Appearance / Color


Physical State: Liquid Appearance: Clear, colorless liquid Odor: Odorless or no characteristic odor Odor Threshold: Not applicable

#### 9.2. Important health, safety and environmental information

Flashpoint: Not applicable Autoignition Temperature: Not applicable **Boiling Point:** 100°C / 212°F Melting Point: Not determined Freezing Point: Not determined Vapor Pressure: Not determined Relative Density: Not determined Vapor Density (Air=1): Not determined Solubility in Water: Soluble **Decomposition Temperature:** Not determined **Pour Point:** Not applicable Lower Flammability Limit: Not applicable Upper Flammability Limit: Not applicable Specific Gravity: 1.1 Evaporation Rate (Water=1): Not applicable Viscosity: Not determined Octanol/Water Partition Coefficient: Not determined pH: 8.5

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





### Section 10: Stability and Reactivity

Chemical Stability: Stable.

Hazardous Polymerization: Has not been reported.

Hazardous Decomposition Products: Nitrogen oxides, carbon monoxide, carbon dioxide, ammonia and/or derivatives.

Incompatible Materials: Strong oxidizing agents.

Conditions to Avoid: Incompatible materials.

### **Section 11: Toxicological Information**

11.1. Signs and Symptoms of Overexposure: Eye and skin irritation on contact.

Eye Contact: May cause eye irritation.

Skin Contact: May cause slight irritation.

Inhalation: May cause respiratory tract irritation.

Ingestion: May cause respiratory and digestive tract irritation.

#### 11.2. Additional Toxicity Information

Target Organ(s): None known.

Chronic Effects: No information found.

Acute Toxicity: Not toxic.

Acute Toxicity Values RTECS#: CAS# 7732-18-5: ZC0110000 CAS# 6381-92-6: AH4410000 CAS# 139-33-3: AH4375000

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





LD<sub>50</sub>/LC<sub>50</sub>:

CAS# 7732-18-5: Oral, rat: LD50 = >90 mL/kg;<BR.

CAS# 6381-92-6:<BR.

CAS# 139-33-3: Oral, mouse: LD50 = 2050 mg/kg; Oral, rabbit: LD50 = 2300 mg/kg; Oral, rat: LD50 = 2 gm/kg;<BR.

#### **Carcinogenicity:**

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 6381-92-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 139-33-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No data available. Teratogenicity: No data available. Reproductive Effects: No data available. Neurotoxicity: No data available. Mutagenicity: No data available. Other Studies: No data available.

**Clinical Experience**: EDTA, 17% solution has been in the global market for more than 15 years. EDTA, 17% solution has been used for root canal treatments for over 20 years. EDTA, 17% solution is industry-accepted and approved for endodontic practice. EDTA is considered to be safe and effective treatment when used by dental professionals.

**Section 12: Ecological Information** 

Not established.

### **Section 13: Disposal Considerations**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. **RCRA P-Series:** None listed.

RCRA U-Series: None listed.

To minimize exposure, refer to section 8 (exposure controls/personal protection).

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





### **Section 14: Transport Information**

**14.1.** U.S. Department of Transportation (DOT) (N/A = Not applicable)

Proper Shipping Name: N/A Identification Number: N/A Hazard Class: N/A Packing Group: N/A U.S. DPT Labeling Requirements: N/A IATA Class: N/A IATA Packing Group: N/A

Non-hazardous material / Not regulated. Not a DOT controlled material (USA).

14.2. Other Transportation Information

By SEA (IMDG): Not regulated

By GROUND - Canada (TDG): Not regulated

By AIR (IATA): Not regulated

**Section 15: Regulatory Information** 

#### 15.1. U.S. Federal Regulations

## <u>U.S. – O.S.H.A. Status</u>: This material is not hazardous under the criteria of the U.S. Federal Hazard Communication Standard.

#### TSCA

CAS# 7732-18-5 is listed on the TSCA inventory. CAS# 6381-92-6 is not on the TSCA Inventory because it is a hydrate. It is considered to be listed if the CAS number for the anhydrous form is on the inventory (40CFR720.3(u)(2)).

CAS# 139-33-3 is listed on the TSCA inventory.

#### Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

#### **Chemical Test Rules**

None of the chemicals in this product are under a Chemical Test Rule.

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





Section 12b
None of the chemicals are listed under TSCA Section 12b.
TSCA Significant New Use Rule
None of the chemicals in this material have a SNUR under TSCA.
SARA
CERCLA Hazardous Substances and corresponding RQs
None of the chemicals in this material have an RQ.
SARA Section 302 Extremely Hazardous Substances
None of the chemicals in this product have a TPQ.
SARA Codes
CAS # 6381-92-6: acute.
Section 313
No chemicals are reportable under Section 313.
Clean Air Act:
This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors.
This material does not contain any Class 2 Ozone depletors.
Clean Water Act:
None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this
product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Polluta
under the CWA.
OSHA:
None of the chemicals in this product are considered highly hazardous by OSHA.
STATE
CAS# 7732-18-5 is not present on state lists from CA, PA, MN, MA, FL, or NJ.
CAS# 6381-92-6 is not present on state lists from CA, PA, MN, MA, FL, or NJ.
CAS# 139-33-3 is not present on state lists from CA, PA, MN, MA, FL, or NJ.
California: No Significant Risk Level: None of the chemicals in this product are listed.

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





#### 15.2. **European/International Regulations**

**European Labeling in Accordance with EC Directives** Hazard Symbol(s) and Classification: "Xi" - Irritant



EU Risk (R) and Safety (S) Phrases:

R36/37/38: Irritating to eyes, respiratory system, and skin. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). S28B: After contact with skin, wash immediately with plenty of water and soap. WGK (Water Danger/Protection) CAS# 7732-18-5: No information available.

CAS# 6381-92-6: 2

CAS# 139-33-3: 2

#### Canada - DSL/NDSL

CAS# 7732-18-5 is listed on Canada's DSL List. CAS# 6381-92-6 is listed on Canada's DSL List.

CAS# 139-33-3 is listed on Canada's DSL List.

#### **Canada - WHMIS**

WHMIS: Not available.

**Canadian Ingredient Disclosure List** 

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404





### **Section 16: Other Information**

National Fire Protection Association (NFPA) Ratings (estimated): This information is intended solely for the use of individuals trained in the NFPA system.

Health: 0 Flammability: 0 Reactivity: 0

**Disclaimer:** The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Inter-Med Inc. / Vista Dental Products be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Inter-Med Inc. / Vista Dental Products has been advised of the possibility of such damages.

**Prepared:** 3/13/2008 **Revised:** 7/21/2015

Inter-Med, Inc. | 2200 South Street, Racine, WI 53404