SAFETY DATA SHEETS

This SDS packet was issued with item:

072264596

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

072264133 072264190 272442317

The safety data sheets (SDS) in this packet apply to one or more components included in the items listed below. Items listed below may require one or more SDS. Please refer to invoice for specific item number(s).

072264166 072264174 072264430 072264448



SAFETY DATA SHEET

Issue Date Revision Date

November 2016

sion Date April 2019

Version

3

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name ProSpray C-60™

Note: After dilution, please reference ProSpray[™] Ready-to-Use Safety Data Sheet for warning and

precautions. Available online at: www.Certol.com/ProSpray

Other Means of Identification

 SDS #
 PSC60/SDS/I03

 UN/ID No.
 UN1993

 Product Code
 PSC60

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Concentrated Surface Disinfectant, Cleaning and Holding Solution

Details of the Supplier of the Safety Data Sheet

Supplier Address Certol International, LLC

6120 East 58th Avenue

Commerce City, Colorado 80022

www.Certol.com
Phone: 303-799-9401
Toll-Free: 1-800-843-3343
Fax: 303-799-9408

24 Hour Emergency Telephone

INFOTRAC: 1-800-535-5053 (North America) INFOTRAC: 1-352-323-3500 (International)

2. HAZARDS IDENTIFICATION







Classification

Serious Eye Damage / Eye Irritation	Category 1
Skin Corrosion / Irritation	Category 2
Specific Target Organ Toxicity (Single Exposure)	Category 3
Flammable Liquids	Category 3
Acute Toxicity - Inhalation (Vapors)	Category 4
Acute Toxicity - Oral	Category 4

<u>Signal Word</u> Danger.

Physical & Chemical Hazards: Flammable liquid and vapors.

Health Hazards: Harmful if inhaled, swallowed. Causes skin inrritation and serious eye damage. May

cause respiratory irritation, drowsiness, or dizziness.

Environmental Hazards: See section 12.

GHS Label Element

Hazard Statements H226 Flammable liquid and vapor.

H302 Harmful if swallowed.H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.H336 May cause drowsiness or dizziness.

Precautionary Statements:

nes/hot surfaces.
apors/spray.
ed area.
hing, eye protection and face protection.
l unwell.
or alcohol resistant foam to extinguish.
0°F (27°C) or below 45°F (7°C).
nd federal regulations.
r

Hazard(s) not otherwise classified (HNOC): Not determined.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
o-phenylphenol	90-43-7	9
o-benzyl-p-chlorophenol	120-32-1	1
Isopropyl Alcohol	67-63-0	26
Ethylenediaminetetraacetic acid (EDTA)	60-00-4	*
Benzenesulfonic Acid	68584-22-5	*
Potassium Hydroxide	1310-58-3	*

^{*} The exact percentage is a trade secret.

Inhalation

4. FIRST AID MEASURES	
Move to fresh air and keep at rest in a comfortable position for breathing. If not breathing, give	

artificial respiration. Consult a physician.

Eye Contact Immediately flush with plenty of water. Remove any contact lenses, continue flushing for several

minutes and call a physician immediately.

<u>Ingestion</u> Do NOT induce vomiting. Never give anything by mouth to a person who is unconscious. Call a

physician or Poison Control Center.

Skin Contact
Wash off immediately with plenty of water for several minutes. Take off contaminated clothing. Wash

contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

<u>Symptoms</u> Skin contact can lead to drying, itching, stinging and irritation. Exposed individuals may experience

eye tearing, redness, corneal injury and/or burns. Inhalation may cause respiratory tract irritation.

Ingestion may cause burning of the mouth, throat and digestive tract.

Note to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use CO₂, dry chemical or alcohol resistant foam to extinguish.

<u>Unsuitable Extinguishing Media</u>

Specific Hazards Arising from the Chemical

Not Determined.

None Determined.

Hazardous Combustion Products Phenolic compounds, carbon monoxide and toxic fumes of

chlorine and chlorides may be emitted.

<u>Protective Equipment and Precautions for Firefighters</u>

As in any fire, wear self-contained breathing apparatus

pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

For Emergency Responders

Environmental Precautions

Methods and Material for Containment and Cleaning Up

Methods for Containment Methods for Cleaning Up

Use personal protective equipment as recommended. The wet,

contaminated surface may be slippery.

Restrict access to spill area. Ventilate the area.

Prevent entry into waterways, sewers, basements or confined

areas.

Prevent further leakage or spillage if safe to do so.

Use a non-combustible material like vermiculite, sand or clay to soak up. Place into a container for later disposal. Dispose according to all local, state and federal regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety

practices.

Wash face, hands and any exposed skin thoroughly after

handling.

Do not eat, drink or smoke when using this product. Do not breathe dust/fumes/gas/mist/vapors/spray.

Keep cool.

Keep out of reach of children and pets.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Store in a closed container in a cool, dry, well-ventilated place away from incompatible materials. Do not store below 45°F (7°C)

or above 80°F (27°C).

Acids and oxidizing agents. **Incompatible Materials**

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³ TWA: 400 ppm (Vacated) TWA: 980 mg/m³ (Vacated) STEL: 500 ppm (Vacated) STEL: 1225 mg/m³ (Vacated)	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m³ (Vacated)	Ceiling: 2 mg/m ³

Eye/Face Protection

Exposure Guidelines

Appropriate Engineering Controls

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Skin and Body Protection

Respiratory Protection

General Hygiene Considerations

Wear goggles, chemical safety glasses or a face protection shield.

See above occupational exposure limits.

Evewash stations and showers.

Wear goggles, chemical safety glasses or a face protection shield.

Chemical resistant, non-latex and impermeable gloves. Wear appropriate clothing to prevent repeated or prolonged skin

contact.

Under normal conditions a respirator is not normally required. A mask or respirator may be used if vapor concentration is high.

Handle in accordance with good industrial hygiene and safety practices. Wash face, hands and any exposed skin thoroughly

after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Appearance	Natural Colored Liquid	Color	Natural Color	Odor	Alcohol, Phenol & Lemon
Property		<u>Values</u>	<u>Property</u>		Val	ues	
рН		9.5 - 10.5 (77°F/25°C)	Specific Gravity		0.997 (60°	°F/15.5°C)	
Melting Point / Freezing Point		<32°F / < 0°C	Water Solubility		Completely Soluble		
Boiling Point / Boiling Range		188°F / 87°C	Partition Coefficient		Not Determined.		
Flash Point		80°F / 27°C	Autoignition Temperature Not Determined.		ed.		
Evaporation Rate	e <1 Decomposition Temperature Not Determined.						
Flammability (Solid/Gas) N/A-Liquid		N/A-Liquid	Kinematic Viscosity		Not Determined.		
Flammability Limits In Air Not Determined. Dynamic Viscosity		Dynamic Viscosity		Not Determined.			
Vapor Pressure	/apor Pressure Not Determined. Explosive Properties		Not Determined.				
Vapor Density	por Density >1 Oxidizing Properties Not Determined.		ed.				

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

<u>Chemical Stability</u> Stable under recommended storage conditions.

<u>Possibility of Hazardous Reactions</u>

None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization will not occur.

<u>Conditions to Avoid</u>

Avoid direct sunlight. Avoid temperatures below 45°F (7°C) and

above 80°F (27°C).

Incompatible Materials Acids and oxidizing agents.

<u>Hazardous Decomposition Products</u>

Combustion products may include phenolic compounds, carbon

monoxide and toxic fumes of chlorine and chlorides.

11. TOXICOLOGICAL INFORMATION

Routes of Exposure Eye. Skin Contact. Inhalation. Ingestion.

Information on Likely Routes of Exposure

Ingestion May be harmful if swallowed.

InhalationHarmful if inhaled.Skin ContactCauses skin irritation.Eye ContactCauses serious eye damage.

Component Information

Chemical Name	Oral LD ₅₀	Dermal LD₅₀	Inhalation LC₅₀
Isopropyl Alcohol 67-63-0	5840 mg/kg (Rat)	>12800 mg/kg (Rat)	>10,000 ppm (Rat) 6 hrs
o-benzyl-p- chlorophenol 120-32-1	>2500 mg/kg (Rat)	>5000 mg/kg (Rat)	2500 mg/m³ (Rat) 4 hrs
o-phenylphenol 90-43-7	2980 mg/kg (Rat)	>5000 mg/kg (Rat)	>36 mg/m³ (Rat) 4 hrs
Potassium Hydroxide 1310-58-3	214 mg/kg (Rat)	N/A	N/A
Benzenesulfonic Acid 68584-22-15	N/A	N/A	33920 mg/L (Rat)

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity The product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0	A4	Group 3	N/A	N/A
o-phenylphenol 90-43-7	N/A	Group 3	N/A	N/A

ACGIH (The American Conference of Governmental Industrial Hygienists)

A4 - Not Classifiable as a Human Carcinogen.

IARC (International Agency for Research on Cancer)

Group 3 - Not Carcinogenic to Humans.

Numerical Measures of Toxicity

Not Determined.

12. ECOLOGICAL INFORMATION

Ecotoxicity An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	Known Toxin	Known Toxin	No Information	Known Toxin
o-benzyl-p- chlorophenol 120-32-1	Known Toxin	Known Toxin	Known Toxin	Known Toxin
o-phenylphenol 90-43-7	Known Toxin	Known Toxin	Known Toxin	Known Toxin
Benzenesulfonic Acid 68584-22-15	No Information	No Information	No Information	Known Toxin

Persistence and Degradability

Not Determined.

Not Determined.

Bioaccumulation

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	1.1
o-phenylphenol 90-43-7	3.09

Other Adverse Effects Not Determined.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

IATA

IMDG

Disposal of Wastes
Contaminated Packaging

Dispose according to all local, state and federal regulations. Dispose according to all local, state and federal regulations.

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol 67-63-0	Toxic/Ignitable	
Potassium Hydroxide 1310-58-3	Toxic/Corrosive	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT UN/ID No. UN1993

Proper Shipping Name Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class 3
Packing Group III
UN/ID No. UN1993

Proper Shipping Name Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class 3
Packing Group III
UN/ID No. UN1993

Proper Shipping Name Flammable Liquid, n.o.s (Contains Isopropyl Alcohol)

Hazard Class 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Not Determined.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/

European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

Comprehensive Environmental Response Compensation Liability Act of 1980 (CERCLA)

Chemical Name	Hazardous Substances RQs	CERCLA / SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide 1310-58-3	1000 lb.	N/A	RQ 1000 lb. final RQ RQ 454 kg final RQ
Benzenesulfonic Acid 68584-22-15	1000 lb.	N/A	RQ 1000 lb. final RQ RQ 454 kg final RQ
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	5000 lb.	N/A	RQ 5000 lb. final RQ RQ 2270 kg final RQ

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III. Section 313.

SARA 311/312 Hazard Categories

Chemical Name	CAS No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	26%	1.0%
o-phenylphenol	90-43-7	9%	1.0%
o-benzyl-p-chlorophenol	120-32-1	1%	0.1%

Clean Water Act (CWA)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb.	N/A	N/A	X
Benzenesulfonic Acid 68584-22-15	1000 lb.	N/A	N/A	×
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	5000 lb.	N/A	N/A	X

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
o-phenylphenol 90-43-7	See Note Below

NOTE: In a letter dated September 10, 2008, from Lanxess, Certol International, LLC's Supplier of 2-phenylphenol (OPP), Lanxess Stated: "As none of the organizations/programs below have 2-phenylphenol (OPP) listed as a carcinogen, we do not see the legal authority to have 2-phenylphenol (OPP) listed under Proposition 65 in the State of California. National Toxicology Program (NTP); International Agency for Research on Cancer (IARC); Occupational Safety and Health Administration (OSHA); Environmental Protection Agency (EPA)."

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	x
o-phenylphenol 90-43-7	Х	Х	х
Potassium Hydroxide 1310-58-3	Х	×	Х
Benzenesulfonic Acid 68584-22-15	Х	х	Х
Ethylene Diaminetetraacetic Acid (EDTA) 60-00-4	Х	х	Х
o-benzyl-p-chlorophenol 120-32-1	Х	N/A	Х

	16. OTHER INFORMATION
IFPA	

Health HazardsFlammabilityInstabilitySpecial Hazards210Not Determined.

HMIS
Health Hazards Flammability Physical Hazards Personal Protection

Not Determined. Not Determined. Not Determined.

Issue DateNovember 2016.Revision DateApril 2019.

Revision Note Disclaimer

This Safety Data Sheet was prepared to comply with the current OSHA hazard Communication Standard adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the satefy and heatth of employees.

End of Safety Data Sheet