

SAFETY DATA SHEETS

This SDS packet was issued with item:

076649305

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

076649313

Safety Data Sheet

Safety Data Sheet (in compliance with Regulation (EC) 1907/2006, Regulation (EC) 1272/2008 and Regulation (EC) 453/2010)

Date Issued: 08 March 2012
Document Number: 0021520MS
Date Revised: 12 December 2017
Revision Number: 4

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:

Trade Name (as labeled): **ReSURGE™ Instrument Cleaning Solution**
Part/Item Number: 21520, 21521

1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against:

Recommended Use: Instrument Cleaning Solution
Restrictions on Use: For professional use only

1.3 Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier Name: Sultan Healthcare
Manufacturer/Supplier Address: 1301 Smile Way
York, PA, USA
Manufacturer/Supplier Telephone Number: 1-201-871-1232 or 800-637-8582
(Product Information)-
Email address: customer.service@sultanhc.com

1.4 Emergency Telephone Number:

Emergency Contact Telephone Number: 800-535-5053 (INFOTRAC)
1-352-323-3500
(Outside the United States – Call Collect)

2. HAZARD(S) IDENTIFICATION

2.1 Classification of the Substance or Mixture:

GHS SDS Classification:

| Health | Environmental | Physical |
|-------------------------------------------------------------------------------------------------|---------------|---------------|
| Eye Irritation Category 2 Skin Irritation Category 2 Respiratory Sensitization Category 1 | Not hazardous | Not hazardous |

EU Classification (1999/45/EC as amended): Irritant (Xi)

EU Risk (R) Phrases: Xi, R36/R37/38

Refer to Section 16 for the full text of the EU Classifications and R Phrases.

2.2 Labeling Elements: Contains Protease (Subtilisins)



Signal Word: Danger!

| Hazard Statements | Precautionary Statements |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> | <p>P261 Avoid breathing mist, vapors or spray. P264 Wash thoroughly after handling. P280 Wear protective gloves and eye protection. P284 In case of inadequate ventilation wear respiratory protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P332 + P313 If skin irritation occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: remove person to fresh air and keep comfortable for breathing. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor. P501 Dispose of contents and container in accordance with local and national regulations.</p> |

2.3 Other Hazards: None

3. COMPOSITION AND INFORMATION ON INGREDIENTS

3.2 Mixture

| Hazardous Components | C.A.S. # EC# | IUPAC Name | CLP/GHS / EU Classification (1272/2008) (1999/45/EC) | WT % |
|----------------------|-----------------|------------|------------------------------------------------------------|------|
| | | | | |

| | | | | |
|-------------------------------------|--------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Ethanolamine | 141-43-5 / 205-483-3 | 2-aminoethanol | C, Xn R20/21/22, R34 Skin Corr. 1B: H314 Eye Dam. 1; H318 STOT SE 3: H335 Acute Tox 4 Dermal: H312 Acute Tox 4 Oral: H302 Acute Tox 4 Inhalation: H332 | 1 - <5 |
| Ethoxylated Alcohol Surfactant | 68439-46-3 / None | Not Established | Xn, R22, R41 Eye Dam. 1: H318 Acute Tox 4 H302 | 1-5 |
| Glycerine | 56-81-5 / 200-289-5 | propane-1,2,3- triol | Not classified as hazardous | 1-5 |
| Citric Acid | 77-92-9 / 201-069-1 | 2- hydroxypropane- 1,2,3- tricarboxylic acid | Xi R36 Eye Irrit. 2 H319 | 1-5 |
| N,N-Dimethyloctadecylamine oxide | 2571-88-2 / 219-919-5 | N,N- dimethyloctadecy lamine N-oxide | Skin Irrit 2 H315 Eye Irrit H319 | 1-2 |
| Protease (Subtilisins) | 9014-01-1 / 232-752-2 | Subtilisin A Substrate | Xn, Xi R37/38, R41, R42 STOT SE 3; H335 Skin Irrit. 2; H315 Eye Dam. 1; H318 Resp. Sens. 1; H334 | 0.1-<1 |

The exact concentration is being withheld as a trade secret.

Refer to Section 16 for the full text of the GHS and H phrases and EU Classifications and R Phrases.

4. FIRST-AID MEASURES

4.1 Description of First Aid Measures:

| Routes of Exposure | First Aid Instructions |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye | Immediately flush eyes with large quantities of water for several minutes, holding the eyelids apart. Get medical attention. |
| Skin | Wash skin thoroughly with soap and water for several minutes. Get medical attention if irritation develops. |
| Inhalation | Remove patient to fresh air. If asthma symptoms or shortness of breath develop, get immediate medical attention. |
| Ingestion | Do not induce vomiting. Rinse mouth with water and give one glass of water to drink. Never give anything by mouth to an unconscious or convulsing person. Get medical attention. |

4.2 Most Important Symptoms and Effects, Both Acute and Delayed:

Contact may cause eye, skin, and respiratory irritation. Inhalation of vapors and mists may cause asthma-like symptoms or difficulty in breathing.

4.3 Indication of Any Immediate Medical Attention and Special Treatment Needed:

If asthma symptoms or shortness of breath develop, get immediate medical attention.

Note to Physicians (Treatment, Testing, and Monitoring): Treatment of overexposure should be directed at the control of symptoms and clinical conditions.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Use media appropriate for surrounding fire

5.2 Special Hazards Arising from the Substance or Mixture:

None Known

5.3 Advice for Fire-Fighters:

| | |
|----------------------------------|------------------------------------------------------------------------------------------------------------|
| Fire Fighting Procedures: | Cool fire exposed containers and structures with water. Combustion may produce carbon and nitrogen oxides. |
|----------------------------------|------------------------------------------------------------------------------------------------------------|

| | |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for Fire Fighters: | Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for all fires involving chemicals |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective clothing; gloves and eye protection.

6.2 Environmental Precautions:

Prevent spill from entering sewers and water courses. Report releases as required by local and national authorities.

6.3 Methods and Material for Containment and Cleaning up:

Collect using an inert non-combustible absorbent material and place in appropriate containers for disposal.

6.4 Reference to Other Sections:

Refer to Section 8 for Personal Protective Equipment and Section 13 for Disposal information.

7. HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

Avoid contact with the eyes, skin and clothing. Avoid breathing vapors or mists. Wear appropriate protective clothing and equipment. Use with adequate ventilation. Wash thoroughly with soap and water after handling. Keep containers closed when not in use.

7.2 Conditions for Safe Storage, Including Any Incompatibilities:

Store in a cool, dry, well ventilated area away from incompatible materials, heat, and light. Store below 32°C (90°F). Protect

from physical damage.

7.3 Specific End Use (s): For professional use only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters:

Occupational Exposure Limits:

| | | |
|------------------------|----------------|-------------------------------------------------------------------------------------------------|
| Ethanolamine | United States | 3 ppm TWA US OSHA PEL 3 ppm TWA ACGIH TLV, 6 ppm STEL |
| | Germany | 2 ppm TWA DFG MAK, 4 ppm STEL |
| | United Kingdom | 1 ppm TWA UK OEL, 3 ppm STEL |
| | France | 1 ppm TWA INRS VLCT, 3 ppm STEL |
| | Spain | 400 ppm TWA VLA-ED, 500 ppm VAL-EC |
| | Italy | None Established |
| | European Union | 1 ppm TWA EU OEL, 3 ppm STEL |
| Ethoxylated Surfactant | United States | None Established |
| | Germany | None Established |
| | United Kingdom | None Established |
| | France | None Established |
| | Spain | None Established |
| | Italy | None Established |
| | European Union | None Established |
| Glycerin | United States | 5 mg/m ³ TWA US OSHA PEL (respirable fraction) 10 mg/m ³ TWA ACGIH TLV |
| | Germany | 50 mg/m ³ DFG MAK (inhalable) |
| | United Kingdom | 10 mg/m ³ TWA UK WEL |
| | France | 10 mg/m ³ INRS VME |
| | Spain | 10 mg/m ³ TWA VLA-ED |
| | Italy | None Established |
| | European Union | None Established |
| Subtilisin | United States | 0.00006 mg/m ³ TWA ACGIH TLV Ceiling |
| | Germany | None Established |
| | United Kingdom | 0.00004 mg/m ³ TWA UK OEL |
| | France | None Established |
| | Spain | 0.00006 mg/m ³ VLA-EC |
| | Italy | None Established |
| | European Union | None Established |

Biological Exposure Limits: None Established

8.2 Exposure Controls:

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Individual Protection Measures (PPE)

Specific Eye/face Protection: Wear chemical safety goggles.

Specific Skin Protection: Wear impervious gloves such as rubber. Consult glove supplier for thickness and breakthrough times.

Specific Respiratory Protection: None required under normal use conditions.

Specific Thermal Hazards: Not applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:

| | | | |
|-----------------------------------------|---------------------------------------------------|------------------------------------------------|-----------------------------|
| Appearance: | Slightly hazy, colorless to straw colored liquid. | Explosive limits: | Not applicable |
| Odor: | Floral | Vapor pressure: | Not available |
| Odor threshold: | Not available | Vapor density: | Not available |
| pH: | 7.5-8.1 | Relative density: | 1.035 |
| Melting/freezing point: | Not available | Solubility: | Completely soluble in Water |
| Initial boiling point and range: | Not available | Partition coefficient: n-octanol/water: | Not available |
| Flash point: | Not applicable | Auto-ignition temperature: | Not available |
| Evaporation rate: | Not available | Decomposition temperature: | Not available |
| Flammability: | Not flammable | Viscosity: | Not available |
| Explosive Properties: | None | Oxidizing Properties: | None |

9.2 Other Information: None available

10. STABILITY AND REACTIVITY

10.1 Reactivity. Will not polymerize

10.2 Chemical Stability: Stable.

10.3 Possibility of Hazardous Reactions: None known

10.4 Conditions to Avoid: Avoid high temperatures, and light

10.5 Incompatible materials: Avoid strong oxidizing agents

10.6 Hazardous Decomposition Products: Thermal decomposition may produce carbon and nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects:

Potential Health Effects:

Eyes: Causes severe eye irritation with possible damage.

Skin: Skin contact may cause irritation. Prolonged or repeated contact may cause an allergic reaction.

Ingestion: Swallowing may cause upset to gastrointestinal tract.

Inhalation: Inhalation of mists may cause upper respiratory tract irritation. Symptoms include shortness of breath, wheezing or labored cough.

Chronic Health Effects: Prolonged exposure to ethanolamine may cause liver and kidney damage based on animal data. The major effects in animals exposed to 12-26 ppm ethanolamine were skin irritation and lethargy. Skin irritation was also observed in animals exposed to 5-6 ppm ethanolamine for 40-60 days.

Carcinogenicity: None of the components are listed as a carcinogen by IARC, NTP, OSHA, ACGIH or the EU Substances Directive.

Mutagenicity: Glycerin: Negative in AMES test, in vitro sister chromatid exchange and unscheduled DNA synthesis.

Medical Conditions Aggravated by Exposure: Employees with pre-existing respiratory disorders may be at increased risk from exposure.

Acute Toxicity Data:

Product: Oral Rat LD50 >2000 mg/kg

Ethanolamine: Oral rat LD50 1,720 mg/kg, Skin rabbit LD50 1,000 mg/kg

Ethoxylated Alcohol Surfactant: Oral rat LD50 >2000 mg/kg, Skin rabbit LD50 1378 mg/kg

Glycerin: Oral Rat LD50 >12,600 mg/kg

Citric Acid: Oral rat LD50 11700 mg/kg, Dermal: rat LD50 >2000 mg/kg

N,N-Dimethyloctadecylamine oxide: No toxicity data available

Subtilisin: Oral rat LD50 3,700 mg/kg

Reproductive Toxicity Data: Glycerin: No effects were observed in a 2 generation study at doses of 0.2 mg/kg/day. No developmental effects were observed in rabbits administered up to 1,180 mg/kg or in rats or mice administered up to 1,310 mg/kg.

Specific Target Organ Toxicity (STOT):

Single Exposure: Ethanolamine: Symptoms associated with ethanolamines in humans include increased blood pressure, diuresis, salivation, and pupillary dilation. Large doses produce sedation, coma, and death following depression of blood pressure and cardiac collapse. Rats, mice, rabbits, and guinea pigs exposed at high concentrations developed pulmonary, hepatic, and renal lesions.

Repeated Exposure: Ethanolamine: There was a decrease in the albumin-globulin ratio and a decrease in hemoglobin and hematocrit values in dogs exposed to 102 ppm ethanolamine. These findings correlate with the kidney and liver damage caused by ethanolamine and indicate that red blood cell formation may also have been suppressed.

12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Ethanolamine: 96 hr LC50 Oncorhynchus mykiss (Rainbow trout) 150mg/L

Glycerin: 96 hr LC50 Oncorhynchus mykiss (Rainbow trout) 54,000 mg/L, 48 hr EC50 daphnia magna 10,000 mg/L

Citric Acid: 48 hr LC50 Golden orfe: 440 mg/L, 24 hr EC50 daphnia magna 1535 mg/L

12.2 Persistence and Degradability.

Ethanolamine: Reached 49.2% (nitrogen dioxide end product) and 93.6% (ammonia end product) of its theoretical BOD in 2 weeks using an activated sludge inoculum Subtilisin: Readily biodegradable.

Glycerin: Readily biodegradable (63% after 14 days).

12.3 Bio-accumulative Potential: Ethanolamine: BCF 3

12.4 Mobility in Soil:

Ethanolamine: Is expected to have very high mobility in soil. However, this compound will primarily exist as a cation in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts.

Glycerin: Very high mobility in soil.

12.5 Other Adverse Effects: None known

12.6 Results of PBT/vPvB Assessment: Not applicable

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods:

Regulations: Dispose in accordance with local and national environmental regulations.

Properties (Physical/Chemical) Affecting Disposal: None known.

Waste Treatment Recommendations: If permitted by environmental regulations, this product can be discharged into the sanitary sewer.

14. TRANSPORT INFORMATION

| | 14.1 UN Number | 14.2 UN Proper Shipping Name | 14.3 Hazard Class(s) | 14.4 Packing Group | 14.5 Environmental Hazards |
|--|----------------|------------------------------|----------------------|--------------------|----------------------------|
|--|----------------|------------------------------|----------------------|--------------------|----------------------------|

| | | | | | |
|------------------|-------------|---------------|------|------|---------------------|
| DOT | None | Not Regulated | None | None | No |
| ADR/RID | None | Not Regulated | None | None | No |
| IMDG | None | Not Regulated | None | None | Marine Pollutant-No |
| IATA/ICAO | None | Not Regulated | None | None | No |

14.6 Special precautions for user: Not applicable

14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code: Not applicable – product is transported only in packaged form.

15. REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

U.S. Federal Regulations

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA): None

Toxic Substances Control Act (TSCA): This product is a medical device and not subject to chemical notification requirements.

Clean Water Act (CWA): Not Listed

Clean Air Act (CAA): Not Listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA Section 311/312 (40 CFR 370) Hazard Categories:

| | | | |
|--------------------------|-----|---------------------------|----|
| Immediate Hazard: | Yes | Pressure Hazard: | No |
| Delayed Hazard: | Yes | Reactivity Hazard: | No |
| Fire Hazard: | No | | |

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None | | |

State Regulations

California: This product contains the following chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm:

| Components | C.A.S. # | WT % |
|------------|----------|------|
| None | | |

International Regulations

Canadian Workplace Hazardous Materials Information System (WHMIS): Class D - Division 2 - Subdivision B - (Toxic material causing other chronic effects.)

EU REACH: The substances in this product comply with the EU REACH regulation as applicable.

15.2 Chemical Safety Assessment: None required

16. OTHER INFORMATION

Full text of Classification abbreviations used in Section 2 and 3:

C Corrosive

Xi Irritant

Xn Harmful

R22 Harmful if swallowed

R34 Causes burns

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R42 May cause sensitization by inhalation.

Acute Tox 4 (Dermal) Acute Toxicity Category 4 (Dermal)

Acute Tox 4 (Inhalation) Acute Toxicity Category 4 (Inhalation)

Acute Tox 4 (Oral) Acute Toxicity Category 4 (Oral)

Skin Corr. 1 Skin Corrosive Category 1

Skin Irrit. 2 Skin Irritation Category 2

Eye Dam 1 Eye Damage Category 1

Eye Irrit 2 Eye Irritation Category 2

Resp. Sens. 1 Respiratory Sensitization Category 1

STOT SE 3 Specific Target Organ Toxicity (Single Exposure) Category 3

H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Supersedes: 04 September, 2014

Revision Summary: Periodic review, removed PPE icons.

Date of SDS Preparation/Revision: 17 December 2017

Data Sources: US NLM ChemID Plus and HSDB, Substance SDS for components, IUCLID Dataset EU Chemical Bureau ESIS, Country websites for occupational exposure limits.