

215 SMITH ROAD SLOCOMB, AL 36375 PH: 888-838-3229

FAX: 334-886-0112

WWW.DUMPTRUCKSYSTEMS.COM

Tarping Systems

For more information visit our website:

WWW.DUMPTRUCKSYSTEMS.COM

Contact our experienced sales professionals at:

888-838-3229

All of our representatives can be reached by email. If you don't know your representative's email call or send your inquiry to:

SALES@DUMPTRUCKSYSTEMS.COM

For complete and comprehensive warranty information and return policies visit our website or call one of our experienced sales professionals.

Z₁₅ Vision

Tarping Systems, Inc., in partnership with our employees, will prepare and meet the high expectations of our customers globally.

In this pursuit, we will strive to become innovative, exemplary, and technology rich.

By implementing high quality, researched-based strategies we will insure the success of our customers to compete in the twenty first century.

While sharing this vision we will shape the future through perseverance, dedication, and teamwork.

The few companies that do make a point of treating workers better than average have a few things in common, first they typically distinguish themselves in the marketplace through quality, service or some attribute other than low prices. That makes it important to have loyal, personable employees who make good impressions on customers and maintain quality control throughout the ranks.

Tarping Systems doesn't woo customers through discounts.

Instead, it emphasizes a pleasant experience and a quality product.







Motors and Tarpaulins	
Premium Motors	1
Industrial Grade Dum	p Truck Tarpaulins2

Arm and Pull Style

inum	
Patriot	3-4
Patriot Underbody	5-6
Terminator	7-8
Terminator Underbody	9-10



Stealth				
Stealth Steel	11	1 -	12	2

anual Kits	
Cab Level Crank and Pull	13-14
Ground Level Crank	15-16
Slingshot	17-18

Spool Kits & Other Assemblies	
Tarp Spool Kits	19-20
Patriot Tarp Tensioner	21



Side	e Roll Systems	Page 22-25
	ASSASSIN R/OASSASSIN	
	Electro-SassinSide Dump	



Cran	k H	lan	dl	es
GIGIII				6

Page 26

Pages 27-29

	Crai	nk Handle Breakdown	
Ì		ASSASSIN Crank Handles	••••
		ASSASSIN Crank Handle Diagram	••••
		ASSASSIN Crank Handle Diagram	

Turf Green Govers

30-31

Replacement Parts

Page 32-38



Tarping Systems, Inc. Up to 40'

PREMIUM TARP MOTORS

12v and 24v Tarp Motors

We offer **Premium Tarp Motors** to meet any need from small dump bodies to large trailers. As shown to the right, our motor comes with a chrome cover, its 5 bolt pattern makes it compatible with any **Tarping System** currently in use from any manufacturer using a 3, 4, or 5 bolt pattern. Our **Premium Tarp Motors** will replace your existing motor.



STANDARD FEATURES:

- Universal 3/4" x 3 3/4" Stud Shaft
- Motor Cover with Chrome Appearance
- 12 Volt Direct Drive
- Standard 3 and 5 year warranties
- Excluding warranty motors

OPTIONS:

- 24 Volt Direct Drive

Will it fit my Kit?

Our motors have a 5 bolt pattern. This makes them compatible with other brands 3 bolt and 4 bolt patterns.





T-ENFORCER 2.0

12v MOTORS	DESCRIPTION
T-APACHE	APACHE Slim Tarp Motor. 50:1. 12v. 3 yr Wty. 600 Watt
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER 2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
24v MOTORS	DESCRIPTION
T-APACHE24	APACHE Slim Tarp Motor. 50:1. 24v. 3 yr Wty. 600 Watt
T-TOMAHAWK24	TOMAHAWK Tarp Motor. 60:1. 24v. 3 yr. Wty. 600 Watt
T-ENFORCER 2.024	ENFORCER HD Tarp Motor. 90:1. 24v. 5 yr. Wty. 1200 Watt

DRONE



A SUPER DUTY Motor to keep your truck on the road LONGER.

REPLACEMENT PARTS


Part No.	Description
T-CMC	Chrome Motor Cover
T-ACMC	Apache Chrome Motor Cover
T-TCMC	Tomahawk Chrome Motor Cover
T-ECMC	Enforcer Chrome Motor Cover

	Recommended Use	
T-Apache	28' Trailers/Dump Bodies or Less	
T-Tomahawk	28' Trailers/ Dump Bodies or Less	
T-Enforcer 2.0	38' Trailers/ Dump Bodies or Less	
T-Drone	48' Trailers/ Dump Bodies or Less	

INDUSTRIAL GRADE TARPAULIN




18oz Vinyl



Super Mesh



Black Mesh



Multi Mesh

STANDARD FEATURES:

- 6" Reinforced pockets
- HD Webbing and Grommets on all three sides
- Double lock stitching throughout

OPTIONS:

- Ask about Custom Tarps
- Putting Green Covers available
- Add D-Rings or Straps
- Side and End Flaps
- Color Options Available

Multi colors are not always the same color and could vary.

LUMBER TARP



Part No.	Description
T-2427LBTC	24' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 103 LBS 8 Foot Drops
T-2027LBTC	20' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 89 LBS 6 Foot Drops
T-1627LBTC	16' X 27' Lumber Tarp with Rear Flap and Rain Flaps, 70 LBS 4 Foot Drops
T-1627LBTLWC	16' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 61 LBS. 4 Foot Drop
T-2027LBTLWC	20' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 76 LBS. 6 Foot Drop
T-2427LBTLWC	24' X 27' Lightweight Lumber Tarp with Rear Flap and Rain Flaps. 88 LBS. 8 Foot Drop



arping Systems, Inc. **UP TO 28**1

Aluminum 4 and 5 Spring Electric Kit

Our **PATRIOT** is a polished aluminum arm **Tarping System** with side mounted spiral torsion springs. Complete bolt-on assembly, no welding needed, and the polished aluminum arms will never rust! This kit is powered by our **Apache Slim** or **Tomahawk** direct drive motor for dump bodies up to 28'.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Apache Slim Motor w/ 3-yr wty
- Fully Adjustable Aluminum Tarp Axle
- Complete Aluminum Arm Set
- Patriot Rubber Bumper
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- Motor: 60:1 Tomahawk
- Motor: 90:1 Heavy Duty Enforcer
- Motor: 60:1 Super Heavy Duty Drone
- 30 or 45 Degree Bend Inserts for Arms
- Tarp Tension Arm Assembly.











OI HOIVAL ACCESCOI (ILC)	Н
T-GLCCK	
T-TOMAHAWK	
T-ENFORCER2.0	
T-DRONE	
T-AWDK	
T-SWDK	
T-98AH OR T-92AH	
T-AHSBA	
T-RPSS or T-RPSS2	
T-CP	
T-A30CA or T-A45CA	
T-TARPTEN	

OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T ENEODOEDO A	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200
T-ENFORCER2.0	Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600
	Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates
T-A30CA or T-A45CA	30 or 45 Degree Elbow Inserts
T-TARPTEN	Tarp Tension Arm Assembly [See Page 21]

REPLACEMENT PARTS

Part No.	Description
T-PP4SPA	4 Spring Pivot Pin
T-PP5SPA	5 Spring Pivot Pin
T-STS	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle from 93" to 110"
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

Part No.	Description
T-ALA478	4 Spring Aluminum Lower Arm
T-ALA593	5 Spring Aluminum Lower Arm
T-ASAWC93	Aluminum Side Arm w/ Corner
T-A30CA	30 Degree Elbow Insert
T-A90CA	Aluminum 90 Degree Corner
T-ACT93	Adjustable Cross Tube 93" - 110"
T-PRB	Patriot Rubber Bumper

"EXPERIENCE THE DIFFERENCE" "PATRIOT" ARM SET PARTS BREAKDOWN





Tarping Systems, Inc. Up to 38'

"PATRIOT" UNDERBODY

Aluminum Underbody Mount Electric Kit

Our **PATRIOT** Underbody Kit Is a polished aluminum pivot arm Tarping System with underbody mounted spiral torsion springs powered by our **Tomahawk** or heavy-duty **ENFORCER** direct drive motor for dump bodies up to 38'. Complete bolt-on assembly, no welding needed with polished aluminum pivot arms that never rust!



STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Motor w/ 3 or 5-yr wty
- Fully Adjustable Aluminum Tarp Axle
- Complete Aluminum Arm Set
- Patriot Rubber Bumper
- All Necessary Components for Installation

T-DRONE

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- Motor: 90:1 Heavy Duty Enforcer
- Motor: 60:1 Super Heavy Duty Drone
- 30 or 45 Degree Bend Inserts for Arms
- Tarp Tension Arm Assembly






OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Ad-justable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates
T-A30CA or T-A45CA	30 or 45 Degree Elbow Inserts
T-TARPTEN	Tarp Tension Arm Assembly [See Page 21]

Replacement Parts

Part No.	Description
T-UBSS10	Complete underbody 10 spring set
T-UBSS58	Complete underbody 5/8 coil spring set
T-AUBPC	PATRIOT Pivot Casting
T-ATA93	Fully Adjustable Tarp Axle 93"-110"
T-ABWF	Axle Bearing
T-SS	Stud Shaft
T-ATSMBXL	XL Tarp Spool Mounting Bracket

Part No.	Description
T-AUBLA84	PATRIOT 84" Lower Arm
T-AUBLA144	PATRIOT 144" Lower Arm
T-ASAWC	Aluminum Side Arm w/ Corner 103"
T-A30CA	30 Degree Elbow Insert
T-A90CA	Aluminum 90 Degree Corner
T-ACT93	Adjustable Cross Tube 93" - 110"
T-PRB	Patriot Rubber Bumper

"PATRIOT" Underbody Arm Set Parts Breakdown







Tarping Systems, Inc. Up to 20'

"TERMINATOR"

Premium Aluminum 4 Spring Electric Kit

Our Terminator is a <u>Premium</u> aluminum Tarping System with a solid aluminum lower arm powered by our **Apache Slim** or Tomahawk direct drive motor for dump bodies up to 20' long. The 'Unbreakable' arm comes straight or w/ 30 degree bends, and the springs are enclosed by high impact covers to maximize their lifespan. Bolt or Weld on assembly.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Connector Wire
- 12v Apache Slim Motor w/ 3-yr wty
- Fully Adjustable Tarp Axle
- Complete **Premium** Aluminum Arm Set
- Debris Covers for Pivot Castings
- Rubber Bumpers
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- Motor: 60:1 Tomahawk
- Motor: 90:1 Heavy Duty Enforcer
- Motor: 60:1 Super Heavy Duty Drone
- Arms With Out Bend



OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Hous-ing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS

T-APACHE

Part No.	Description
T-TPP4SPA	4 Spring Pivot Pin
T-TPFBC	Plastic Flange Bushing
T-STS	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

T-STRB

Part No.	Description
T-TERM4SPC	4 Spring Pivot Casting
T-TSA10	10' Unbreakable Arm, Straight
T-BA10	10' Unbreakable Arm, w/ Bend
T-TSCT1203	TERMINATOR 3 Piece Cross Tube
T-STRB	Stealth Terminator Rubber Bumper

"TERMINATOR" ARM SET PARTS BREAKDOWN





Tarping Systems, Inc. Up to 40'

"TERMINATOR" UNDERBODY

Premium Underbody Mount Electric Kit

Our **TERMINATOR** Underbody is a <u>Premium</u> aluminum **Tarping System** with extruded aluminum lower arms powered by our **Tomahawk** or heavy duty **ENFORCER** direct drive motor for dump bodies up to 40' long. Arms over 12' are coupled in two pieces to reduce the cost of replacing the arm when a loader bumps into it. This way you only need to replace one 10' or 12' piece instead of paying for shipping a 20' solid arm piece.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Motor w/ 3 or 5-yr wty
- Fully Adjustable Aluminum Tarp Axle
- Complete **Premium** Aluminum Arm Set
- Rubber Bumpers
- All Necessary Components for Installation
- 3-piece Steel Cross Tube

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing or Aluminum or Steel Wind Deflector
- Motor: 90:1 Heavy Duty Enforcer
- Motor: 60:1 Super Heavy Duty Drone
- Arms w/No Bend
- 20' Straight Arm Available



OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS

Part No.	Description
T-UBSS10	Complete underbody 10 spring set
T-UBSS58	Complete underbody 5/8 coil spring set
T-TUBPC	TERMINATOR Pivot Casting
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing
T-SS	Stud Shaft
T-ATSMBXL	XL Tarp Spool Mounting Bracket

O' Straight Arm
2' Straight Arm
RMINATOR Coupling Tube
Piece Cross Tube
ealth Terminator Rubber Bumper
Piece Cross Tube


Terminator Underbody Arm Set Parts Breakdown

- **Underbody Spring** 1)
- 2) **TERMINATOR Pivot Casting**
- 3) **TERMINATOR Side Arm**
- **TERMINATOR Signature Coupling** 4)
- **TERMINATOR 90-Degree Corner** 5)





Top arm will have a bend.





Assembly #

TERM-UB10B-10-RB-3P-PTP TERM-UB202B-10-RB-3P-PTP



T-UBSD10 (Left) T-UBSP10 (Right)



T-TUBPC



assist springs.

T-TSA10 T-TSA12



T-T90C

T-STRB

Why the two-piece arm?

In the past the standard arms were one long 20' stick. What we found is that a 20' arm gets damaged the same as a 10' arm when a loader slams into it.

Then we realized that we could save our customers a lot of money by offering a 'compartmentalized' arm. They work just the same and cost half as much to repair when the loader hits.

> Ask your rep about 20' Side Arms if you need them.



arping Systems, Inc.

UP TO 28'

Steel 4 and 5 Spring Electric Kit

Our STEALTH is a premium galvanized steel arm Tarping System with external mounted spiral torsion springs, galvanized rustresistant steel arms, complete bolt-on assembly, no welding needed, and is powered by our Apache Slim or Tomahawk direct drive motor. This system is designed for dump bodies up to 28'.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Rotary Switch Kit
- 6g Dual Connector Wire
- 12v Apache Slim Motor w/ 3-yr wty
- Fully Adjustable Aluminum Tarp Axle
- Complete Steel Arm Set
- STEALTH Terminator Rubber Bumper
- All Necessary Components for Installation

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Tarp Housing, Aluminum or Steel Wind Deflector
- Motor: 60:1 Tomahawk
- Motor: 90:1 Heavy Duty Enforcer
- Motor: 60:1 Super Heavy Duty Drone
- Custom Ordered 30 Degree Bends In Arms




OPTIONAL ACCESSORIES	DESCRIPTION
T-GLCCK	Replace the electric with ground control manual
T-TOMAHAWK	TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt
T-ENFORCER2.0	ENFORCER HD Tarp Motor. 90:1. 12v. 5 yr. Wty. 1200 Watt
T-DRONE	DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CP	Replaces 30' of wire with contact plates

REPLACEMENT PARTS

Part No.	Description
T-PP4SPA	4 Spring Pivot Pin
T-PP5SPA	5 Spring Pivot Pin
T-STS	Spiral Torsion Spring
T-ERR	External Retaining Ring
T-ATA93	Fully Adjustable Tarp Axle
T-ABWF	Axle Bearing w/ Flanges
T-SS	Stud Shaft

Part No.	Description
T-SLA493	4 Spring Steel Lower Arm
T-SLA593	5 Spring Steel Lower Arm
T-SUA93	Steel Upper Arm
T-SCT93	93" Steel Cross Tube
T-S90CA	Steel 90 Degree Corner
T-STRB	STEALTH Terminator Rubber Bumper
TOTAL	OTEAETH Terminator Rubber Bumper

STEALTH ARM SET PARTS BREAKDOWN





arping Systems, Inc.

"CRANK AND PULL"

Cab Level Crank Tarp System

Our CRANK AND PULL kit is a manual cab level crank kit that is perfect for landscape trailers and medium/light duty truck bodies. This kit is the answer to our partners looking for the most affordable, easiest to operate, nothing in the way **Tarping System**.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Manual Wind-up
- Expands from 60" To 104" Wide
- Fits Any Body Length
- Quick And Easy Tarp Replacement

OPTIONS:

- Ground Level Conversion
- Steel Pull Bar Assembly With Aluminum Foot Caps (T-CABLCK2)





SYSTEM NO.	DESCRIPTION
T-CABLCK	Manual Crank Kit. Cab Level. No Pull Bar or Retainers.
T-CABLCK294	Manual Crank Kit. Cab Level. Includes Steel Pull Bar Assembly, Retainers, Box Hooks, and Pull Rope.
T-CABLCK3	Manual Crank Kit. Includes Cab Level Crank and Ground Level Crank Box.
T-CABLCK4	Manual Crank Kit. Cab Level. Includes GROUND LEVEL CRANK, Steel Pull Bar Assembly, Retainers, Box Hooks, and Pull Rope.



-CABAS1



T-RETAIN01

Dump Body Walls Too High?

The T-CABGLCK brings the crank handle from the cab level to the ground level for safer and easier use.





-38ROPE




REPLACEMENT PARTS

Part No.	Description
T-CABLCH	Cab Level Crank Handle
T-CABAS1	Cab Level Sprocket
T-CABLSCT	Steel Pull Bar
T-AEFC	Aluminum End Foot Caps at Bottom
T-RETAIN01	Pull Bar Retainer
T-DCLB	Driver Side Mounting Bracket
T-CABLATA	Cab Level Axle

Just in case!

The "Crank And Pull" cannot be converted to an electric external mount kit or used with springloaded arms. If you think you might want to go electric one day, ask your rep about options that can be converted.

"CRANK AND PULL" PARTS BREAKDOWN





Experience the Difference!

This kit is designed to work for small dump trailers up to large dump trucks.

It is very similar to other cab level crank style kits. Placed side-by-side, you probably wouldn't notice the difference, but you'll definitely experience it!

Tarping Systems, Inc. Up to 40'

GROUND LEVEL

Ground Level Manual Controls

Our manual ground level kit is a ground operated **Tarping System** that comes with polished aluminum, <u>premium</u> aluminum, or galvanized steel pivot arms for dump bodies of all sizes. Kits ordered with this part number variation can be easily converted to an electric system!




Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Crank Box With Internal Break
- Fully Adjustable Tarp Axle
- Complete Arm Set
- All Necessary Components for Installation
- All Non-electric Standard Features from Each Kit's Page Apply To the Ground Level

OPTIONAL ACCESSORIES:

- Chain Guard
- Tarp Housing or Aluminum or Steel Wind Deflector
- All Non-electric Options from Each Kit's Page Apply To the Ground Level.



VARIANT NO.	DESCRIPTION
STH-4SP93-GL	STEALTH 4 Spring Steel System. Up to 23'. Manual
STH-5SP93-GL	STEALTH 5 Spring Steel System. Up to 28'. Manual
PAT-4SP78-GL	PATRIOT 4 Spring Alum System. Up to 23'. Manual
PAT-5SP93-GL	PATRIOT 5 Spring Alum System. Up to 28'. Manual
TERM-4SP-GL	TERMINATOR 4 Spring Premium. Up to 20'. Manual
PAT-UB84-GL	PATRIOT Underbody Alum System. Up to 28'. Manual
PAT-UB144-GL	PATRIOT Underbody Alum System. Up to 38'. Manual
TERM-UB10-GL	TERMINATOR Underbody Prem Alum. Up to 20'. Manual

OPTION NO. (ADD)	DESCRIPTION
All non-ele	ectric options apply from each kit's base page
T-CG36A	36" Chain Guard.
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Adjustable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSB	Housing Support Braces.

REPLACEMENT PARTS

Part No.	Description	
All Non-Electric Parts Apply		
T-CBGL1	Crank Box w/ Internal Break	
T-SB14	14" Sprocket Bar	
T-C#40	Ground Level Chain	
T-CG36A	36" Chain Guard	
T-ATA93	Fully Adjustable Tarp Axle	
T-ABWF	Axle Bearing w/ Flanges	

Electric Conversion is Simple

Converting your manual kit to an electric kit is as simple as adding wire, a switch, and a motor. If you want to save some money up front, this is a great option. Start with a ground level crank, and convert to electric later.

GROUND LEVEL PARTS BREAKDOWN





Tarping Systems, Inc.

UР то 30'

"SLINGSHOT™"

Self Retracting Pull Style Kit

The SlingShot™ is a modern front to back dump truck Tarping System. It is a semi automatic and easy to use kit with a simple pull feature. Use the rope to pull the tarp over the load, and when you're finished slowly release the rope and the spring loaded tarp axle will retract the tarp for you. The spring loaded axle is easily adjustable from 78" up to 102" wide

TARP ARMS NOT REQUIRED



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- Strong, Lightweight Extruded Spring Loaded Aluminum Tarp Axle
- Adjustable Steel Tarp Housing
- 30' Nylon Pull Rope and Box Hooks
- Pull Bar Assembly With Aluminum End Foot Caps and Pull Bar Retainers
- Sliding Adjustable tube from 78" up to 102" wide.
- Preassembled And Ready for Install.

OPTIONAL ACCESSORIES:

- Tarp Tensioner Arm
- Compatible Arm Sets To Raise the Tarp Over the Load



SYSTEM NO.	DESCRIPTION
T-SLINGSHOTWH	Self Retracting Pull Style System with Adjustable Housing
OPTIONAL ACCESSORIES	DESCRIPTION
T-TARPTEN	Tarp Tensioner Assembly
STH-4SP93-PTP-NS	STEALTH Springless Arm Set. Up to 23'
PAT-4SP78-PTP-NS	PATRIOT Springless Arm Set. Up to 23'

Experience the Difference!

You will be glad to know that our SlingShot with adjustable housings are pre- assembled less tarp.

REPLACEMENT PARTS

Part No.	Description
T-SSTA	SlingShot™ Tarp Axle
T-SSSH	SlingShot Steel Housing
T-CABLSCT	Steel Pull Bar
T-AEFC	Pull Bar End Caps
T-RETAIN01	Pull Bar Retainer
T-H00K02	J-Hook

Add An Arm Set

Some people don't like dragging the tarp over the top of the load, especially people hauling asphalt. We offer springless arm sets that will lift the tarp over the load while maintaining the simple pull feature of the SlingShot

"SLINGSHOTTM" PARTS BREAKDOWN

- 1) SlingShot Adjustable Housing
- 2) SlingShot Tarp Axle
- 3) Steel Pull Bar
- 4) Aluminum End Foot Cap

5) Pull Bar Retainer

6) Snapper Pin



Assembly # Shown: T-SLINGSHOTWH



Did You Know...

That the SlingShot housing is adjustable from 78" all the way up to 102"? The process is extremely easy!

Just slide, weld, and bolt.

TARP SPOOL KITS

ELECTRIC CONVERSION SPOOL KIT

The **Tarp Spool Kit** contains every component you need to replace an existing front end, or add a new front end to any trailer or truck. Our **Tarp Spool Kits** are compatible with every manufacturer that uses spring powered arm sets.



Tarp not included. See Tarps on Page 2

STANDARD FEATURES:

- 6 Gauge Dual Connector Wire
- Rotary Switch Kit
- Fully Adjustable Aluminum Tarp Axle
- APACHE Tarp Motor
- Aluminum Tarp Spool Mounting Brackets
- Axle Bearing With Flanges
- Stud Shaft

OPTIONAL ACCESSORIES:

- Reverse Polarity Super Switch Kit
- Motor Options
- Additional Feet Of Wire
- Tarp Housing or Aluminum or Steel Wind Deflector
- Extra Large Mounting Brackets for Oversized Tarps



OPTIONAL ACCESSORIES	DESCRIPTION
T-AWDK	Aluminum Wind Deflector. Cut to Fit.
T-SWDK	Steel Wind Deflector. Two Piece Ad-justable.
T-98AH OR T-92AH	92" or 98" Aluminum Enclosed Housing.
T-AHSBA	Housing Support Braces.
T-RPSS or T-RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-CG36A	36" Chain Guard
T-CP	Replaces 30' of wire with contact plates



T-APACHE

REPLACEMENT PARTS

Part No.	Description
T-RSK	Rotary Switch Kit
T-RPSS	Super Switch Kit
T-RPSS2	Weather Resistant Super Switch Kit
T-RS0	Rotary Switch, Only
T-RPS	Reverse Polarity Solenoid
T-RPS2	Weather Resistant RP Solenoid
T-RS	Rocker Switch, Only

Description
6 Gauge Wire, Per Foot
Ground Level Crank Chain
Tarp Spool Mounting Bracket
Fully Adjustable Tarp Axle
Crank Box for SKMP-GL
Contact Plate Set

"Experience the Difference Tarp Spool Kits Parts Breakdown



Tarping Systems, Inc.

"PATRIOT" TENSIONER


Front to Back Secondary Arm

Our **PATRIOT** Tensioner is used to keep the tarp pressed tight against the load. Mostly used in applications with a long drop from the tarp spool to the top rail of the dump body.

ASSEMBLY NO.	DESCRIPTION	
T-TARPTEN	103" PATRIOT Tarp Tensioner	
T-TARPTEN93	93" PATRIOT Tarp Tensioner	
DADT NO	DECODIDATION	DΛ




PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
T-TTB	Arm Mount	T-ASAWC93	Aluminum Side Arm w/ Corner
T-TTBC	Pivot Mount	T-A90C	Aluminum 90 Degree Elbow
T-PRB	Patriot Rubber Bumper	T-ACT93	Aluminum Cross Tube









"Assassin R/O"

Roll Off Dumpster Covering System

The **ASSASSIN R/O** is the Roll Off Dumpster variant of the Standard **ASSASSIN**. The **R/O** is a waterproof **Tarping System** for roll off containers. This system will fit 20yd, 30yd, & 40yd roll off boxes and every size in between. The tarp rolls from one side to the other, all from ground level for ease of handling. Improve safety, save time, and save money with our **Assassin R/O**.



STANDARD FEATURES:

- Standard Heavy Duty Bows
- Standard Tarp Stops
- Compact Crank Handle that can be conveniently stored in the cab of a truck.

OPTIONAL ACCESSORIES:

- Container Kit Tarp
- Quick Release Tarp Stops
- Various material and color options for tarp
- Reinforced Steel Tarp Bows
- Nylon 'Flexbow'



SYSTEM NO.	DESCRIPTION
CONKIT-12	Container kit for dumpster length 12'
CONKIT-16	Container kit for dumpster length 16'
CONKIT-18	Container kit for dumpster length 18'
CONKIT-20	Container kit for dumpster length 20'
CONKIT-22	Container kit for dumpster length 22'
Ki	ts are based on dumpster length
Sizes listed are examples. We offer kits for all lengths of dumpsters.	
OPTION NO. (ADD)	DESCRIPTION
T-STOPSWA	EZ Off Aluminum Tarp Stop. 3" Offset
T-STOPOC	EZ Off Aluminum Tarp Stop. 6" Offset
T-STOPRC	EZ Off Rubber Tarp Stop. 3" Offset
T-B0W13	1 1/4 Inch Reinforced Steel Tarp Bow
T-FLEXBOW0101	Flexbow only

REPLACEMENT PARTS

Part No.	Description
T-CRANKRO	R/O Crank Assembly
T-SQCOG	Square Cog Attachment
T-RETURN02	Return Bungee Assembly
T-B0W12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1/8" Fixed Pipe 10' Long

Part No.	Description
T-STOPBS	Easy Off Tarp Stop Mounting Bracket Only
T-STOPR	3" Rubber Stop Only
T-STOPAU	3" Aluminum Stop Only
T-STOPOAU	6" Offset Aluminium Upright Only
T-STOPRO	6" Offset Rubber Upright Only
T-UC01	U-Clamps
T-UC02	U-Clamp Screws

"ASSASSIN"

Standard Side Roll Setup

The **ASSASSIN** offers dependable, watertight protection to cover your load. Seat belt webbing and reinforced stitching along edges increase tear resistance and helps the tarp withstand the stresses of highway speeds. The standard galvanized steel crank arm lets you operate the **Tarping System** safely from the ground.



STANDARD FEATURES:

- Ratchet Straps
- Standard Tarp Stops
- Tarp Bows
- Fabric End Caps (Based on Trailer)
- Appropriate Crank Handle, Retainers, and All Hard ware.

OPTIONAL ACCESSORIES:

- "Lok-Rail" Latch Plate
- Color options and varying material of tarp
- Easy-Off Tarp Stops: Rubber and Aluminum

DESCRIPTION

- Reinforced Steel Tarp Bows
- Nylon 'Flexbow'

SYSTEM NO.

ASSN-OT-R-50

- Aluminum End Caps



ASSN-ED-L-30	End Dump Side Roll Kit for 30' Trailer with Lok Rail	
ASSN-ED-R-30	End Dump Side Roll Kit for 30' Trailer with Ratchets	
ASSN-ED-L-40	End Dump Side Roll Kit for 40' Trailer with Lok Rail	
ASSN-ED-R-40	End Dump Side Roll Kit for 40' Trailer with Ratchets	
ASSN-ED-L-50	End Dump Side Roll Kit for 50' Trailer with Lok Rail	
ASSN-ED-R-50	End Dump Side Roll Kit for 50' Trailer with Ratchets	
Sizes listed are examples. We offer kits for all lengths of a trailer.		
We	do offer all systems with NO BOWS.	
OPTION NO.	do offer all systems with NO BOWS. DESCRIPTION	
OPTION NO.	DESCRIPTION	
OPTION NO. ASSN-0T-L-30	DESCRIPTION Open Top Side Roll Kit for 30' Trailer with Lok Rail	
OPTION NO. ASSN-0T-L-30 ASSN-0T-R-30	DESCRIPTION Open Top Side Roll Kit for 30' Trailer with Lok Rail Open Top Side Roll Kit for 30' Trailer with Ratchets	
OPTION NO. ASSN-0T-L-30 ASSN-0T-R-30 ASSN-0T-L-40	DESCRIPTION Open Top Side Roll Kit for 30' Trailer with Lok Rail Open Top Side Roll Kit for 30' Trailer with Ratchets Open Top Side Roll Kit for 40' Trailer with Lok Rail	

REPLACEMENT PARTS

Part No.	Description
T-B0W12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1/8" dia Fix Tube. 10'
T-UC01	Nylon U-Clamp
T-UC02	U-Clamp Screw
T-LR8	'Lok Rail' Latch Plate

Part No.	Description
T-CRANK01	Splined Crank Assembly
T-CRANK1854	Splined Breaking Crank
T-SPLINE02	Spline Shaft Connector
T-SQCOG	Square Cog Attachment
T-RETURN02	Return Bungee Assembly
T-PBRA9	9' Hold Down Assembly
T-CRANK12	RTS Crank Assembly

Open Top Side Roll Kit for 50' Trailer with Ratchets

"Experience the Difference" Up to 53'

"ELECTRO-SASSIN"

Electric Conversion for "ASSASSIN"

This **ELECTRO-SASSIN** is an addition to the standard **ASSASSIN** that allows the driver to operate their side roll **Tarping System**, load, and unload right from the comfort and safety of the cab. This kit offers the piece of mind of a conventional side roll kit, but the ease of use of an electric system.



STANDARD FEATURES:

- Flex Arm for end dump applications
- All options from the standard ASSASSIN apply
- 6g Dual Connector Wire

OPTIONAL ACCESSORIES:

- Weather Resistant Reverse Polarity Switch Kit
- Wireless Remote Control
- All options from the standard ASSASSIN apply
- Contact Plate Set



OPTIONAL ACCESSORIES	DESCRIPTION
T-RPSS or RPSS2	Reverse Polarity Super Switch Kit. 2 = Weather Resistant
T-RETURN02	Bungee Return Assembly. Substitute for Rear Arm
T-FLEXA	Flex Arm for End Dump Applications
T-CP	Replaces 30' of wire with contact plates
All Options from the Standard ASSASSIN Apply	

REPLACEMENT PARTS

Part No.	Description
T-B0W12	1" Bow Assembly
T-STOP01	Standard Tarp Stop
T-PIPE08	2" Roll Tube 10' Long
T-PIPE09	1 1 /8" dia Fix Tube. 10 '
T-UC01	Nylon U-Clamp
T-UC02	U-Clamp Screw
T-LR8	'Lok Rail' Latch Plate

Part No.	Description
T-RSK	Rotary Switch Kit
T-W6G	6 Gauge Wire. Per Foot
T-ESLA	Standard Lower Arm

SIDE DUMP TARP KIT

SIDE DUMP ELECTRIC SYSTEM

The **SDTK** easily installs on any side dump trailer and is a strong aluminium and steel system with lightweight strong aluminium arms. The **SDTK** combines the ease of use of an electric system with the low maintenance and versatility of a conventional side roll system up to 48'



STANDARD FEATURES:

- Weather proof Reverse Polarity Switch Kit (Rocker Style Kit)
- 6 Gauge Coil Wire
- 12v Heavy Duty Motor w/ 3-Yr Wrnty
- Complete Front Arm & Rear Arm Assembly
- 3 ½" OD Extruded Aluminum Roll Tube
- Dual Pole Trailer Plug Set (Horizontal)

OPTIONAL ACCESSORIES:

- Electric Remote Control Box
- Mesh Tarp sized to fit
- Vinyl Tarp sized to fit
- Color Options Available



T-RPSS2



Mesh Tarp



T-WBRA



T-DPPS



SYSTEM NO.	DESCRIPTION
SDTK-SD20-E	The Side Dump Kit. 10'-20'. Elect w/ 5 Yr Wrnty
SDTK-SD24-E	The Side Dump Kit. 21'-24'. Elect w/ 5 Yr Wrnty
SDTK-SD40-E	The Side Dump Kit. 24'-40'. Elect w/ 5 Yr Wrnty
SDTK-SD48-E	The Side Dump Kit. 41'-48'. Elect w/ 5 Yr Wrnty
OPTION NO. (ADD)	DESCRIPTION

Electric Remote Control Box Mesh / Vinyl Tarp

REPLACEMENT PARTS

Call for Replacement Parts Assistance

CRANK HANDLES

ASSASSIN Crank Handle Assemblies

This page will help you find the **Crank Handle Assembly** that best fits your needs. If you have high sides, low sides, end dump, or swing gates you'll be able to find the **Crank Handle Assembly** that works best for you on your **Tarping System!**



Crank Retainers not included

STANDARD FEATURES:

- Galvanized steel construction
- Pre-assembled

L-Series

RTS

Breaking

ses of parts and options view the "Parts Listing" on Page

- Durable high impact plastic grips
- RTS or L-Series Crank Handle
- Galvanized Steel Extension

Splined Top Squared Top

OPTIONAL ACCESSORIES:

Non-Assembled for bulk shipment of stock orders

Need Crank Handle Retainers?

We offer a wide range of Crank Handle Retainers to keep your handle secure. See all of our Crank Retainer options in the replacement parts section on page 33

'Max Length' represents the maximum length that can be achieved by that part number. Combinations of crank handles and extensions may vary based on availability.

ASSEMBLY NO.	DESCRIPTION
T-CRANK01	L-Series Splined Crank Assembly. Max Length: 112"
T-CRANK01-B	L-Series Splined Crank Assembly. Max Length: 144"
T-CRANK01-C	L-Series Splined Crank Assembly. Max Length: 160"
T-CRANK12	RTS Square Key Crank Assembly. Max Length: 92"
T-CRANK1840	L-Series Splined Flex Crank Assembly. Max Length: 96"
T-CRANK1854	L-Series Splined Flex Crank Assembly. Max Length: 109"
T-CRANKRO	L-Series Square Key Crank handle. Max Length: 30"

REPLACEMENT PARTS

Part No.	Description
T-CRANK02	Standard L-Series. 31.5
T-CRANK03	Long L-Series. 65"
T-CRANK05	RTS Crank Handle. 88"
T-CRANK07	80" Extension
T-CRANK07-96	96" Extension
T-CRANK17	Slide Lock Tube


Part No.	Description
T-CRANK15	Male Knuckle
T-CRANK16	Female Knuckle
T-PIN01	Snapper Pin
T-CRANK14B	Square Key w/ Point
T-CRANK6	L-Series Plastic Handle
T-CRANK21	Handle Bolt



Tarping Systems, Ind

CRANK HANDLE BREAKDOWN





- 4) T-CRANK17
- 5) T-CRANK20 (40" EXTENSION)
- 6) T-UJ02
- 7) T-PINO1
- 8) T-PINBAG
- 9) T-CRANK19 (20" EXTENSION)

T-CRANK1880

- 1) T-CRANK02 (31.5" HANDLE)
- 2) T-CRANK16
- 3) T-CRANK15
- 4) T-CRANK17
- 5) T-CRANK07 (80" EXTENSION)
- 6) T-UJ02
- 7) T-PINO1
- 8) T-PINBAG
- 9) T-CRANK19 (20" EXTENSION)


T-CRANK1854

- 1) T-CRANK02 (31.5" HANDLE)
- 2) T-CRANK16
- 3) T-CRANK15
- 4) T-CRANK17
- 5) T-CRANK54 (54" EXTENSION)
- 6) T-UJ02
- 7) T-PIN01
- 8) T-PINBAG
- 9) T-CRANK19 (20" EXTENSION)

T-CRANK1896

- 1) T-CRANK02 (31.5" HANDLE)
- 2) T-CRANK16
- 3) T-CRANK15
- 4) T-CRANK17
- 5) T-CRANK08 (96" EXTENSION)
- 6) T-UJ02
- 7) T-PIN01
- 8) T-PINBAG
- 9) T-CRANK19 (20" EXTENSION)

PLEASE SEE REPLACEMENT PARTS SECTION FOR INDIVIDUAL PARTS PICTURES.



- T-CRANK01 (96"-112")
 - 1) T-CRANK06
 - 2) T-CRANK02 (31.5" HANDLE)
 - 3) T-CRANK07 (80" EXTENSION)
 - 4) T-UJ02
 - 5) T-PIN01
 - 6) T-PINBAG


- T-CRANK01-B (128"-144")
 - 1) T-CRANK06
 - 2) T-CRANK03 (65" HANDLE)
 - 3) T-CRANK07 (80" EXTENSION)
 - 4) T-UJ02
 - 5) T-PIN01
 - 6) T-PINBAG


- **T-CRANK01-C (146"-160")**
 - 1) T-CRANK06
 - 2) T-CRANK03 (65" HANDLE)
 - 3) T-CRANK08 (96" EXTENSION)
 - 4) T-UJ02
 - 5) T-PIN01
 - 6) T-PINBAG



RTS Crank Assembly

- 1) T-CRANK05
- 2) T-CRANK12-EXT (Optional)
- 3) BOLT
- 4) T-PIN01
- 5) T-CRANK14
- 6) T-PINBAG
- 7) T-UJ02
















Turf Green Covers

TURF COVERS

4.2oz Black Turf Covers

We offer breathable golf green and turf covers that are made from a UV treated woven polypropylene that is specially engineered for the growth of turf. The unique weave creates a greenhouse effect to warm the soil but allows the grass to breathe and the right amount of water to pass through. With this simple combination



Turf Green Cover Enlarged

you get deeper root development, quicker growth and thicker turf. Excellent multipurpose cover for winter protection, early greening, new construction or rebuilding of turf.

Our golf green covers are custom made to order and to any size. We offer untouchable prices and untouchable quality. Our covers come standard with a 3 layer reinforced edge and lock stitched seams for maximum durability. Covered by an 8 year limited warranty!

Formula	92.5% Prime Polypropylene 6.00% Black Color Concentrate 1.50% UV Additive		
Thread	Warp: Split Film Denier: 750 Width: 1.5mm	Weft: Split Film Denie: 950 Width: 2.8mm	
Strength	200 x 120		
Weave	16 x 10 Threads/Inch		
Weight	4.2 oz/yd		
Tear	104 x 105		

Permeability	15
Color	Black
Mils	17
U.V. Resistance	2 Years under direct sun light



Turf Green Covers

MANUFACTURERS DEFECT

WARRANTY FOR THE GREENS/PUTTING GREEN COVERS IS FOR ALL MANUFACTURING DEFECTS. OUR GREENS/PUTTING GREEN COVERS ARE WARRANTED COMPLETELY AGAINST MANUFACTURING DEFECTS. SUCH DEFECTS INCLUDE, BUT ARE NOT LIMITED TO, FLAWS IN THE FABRIC ITSELF, IMPROPER STITCHING, FAULTY OR IMPROPERLY PLACED GROMMETS, DEFECTIVE HEAT-SEALING AT SEAMS, OR INCORRECT SIZE. MANUFACTURING DEFECTS WOULD BE APPARENT BEFORE USE OR SHORTLY AFTER COVER IS PUT IN USE AND MUST BE DELINEATED TO MANUFACTURER AT THAT TIME.

UPON VERIFICATION OF DEFECT, MANUFACTURER WILL EITHER REPLACE COVER, PREPARE TO CUSTOMER'S SATISFACTION, OR ISSUE FULL OR PARTIAL CREDIT.

MANUFACTURER RESERVES THE RIGHT TO MAKE THE FINAL JUDGEMENT ON THE STATED OPTIONS. WARRANTY APPLIES UNDER CONDITIONS OF NORMAL USE, BUT DOES NOT APPLY TO PROBLEMS RESULTING FROM UNREASONABLE USE, MISHANDLING, NEGLIGENCE OR INTENTIONAL DAMAGE. DURING COLD WEATHER STORAGE, RODENTS MAY CHEW SMALL HOLES IN COVER. DAMAGE OF THIS KIND IS NOT COVERED. WARRANTY DOES NOT APPLY TO NORMAL 'WEAR AND TEAR THROUGH NORMAL USE.

ULTRA-VIOLET LIGHT BREAKDOWN

OUR GREENS/PUTTING GREEN COVERS HAVE A LIMITED WARRANTY FOR 8 YEARS AGAINST FABRIC BREAKDOWN FROM THE ULTRA-VIOLET (UV) SUNLIGHT PRORATED YEARLY AFTER FIRST YEAR AS PER SCHEDULE AT RIGHT.

UV BREAKDOWN IS EVIDENT THROUGH BRITTLENESS OF FABRIC, GREATLY REDUCED TEAR STRENGTH, AND, AT TIMES, DELAMINATING OF COATING FROM BASE FABRIC. UPON VERIFICATION OF DEFECT, MANUFACTURER, WILL EITHER CREDIT CUSTOMER, REPAIR COVER TO CUSTOMER'S SATISFACTION, OR REPLACE. MANUFACTURER RESERVES THE RIGHT TO MAKE FINAL JUDGEMENT ON THE STATED OPTIONS. FREIGHT CHARGES FOR REPLACEMENT OF COVER ARE NOT INCLUDED UNDER WARRANTY.

END OF YEAR	RETAINED
1	75.00%
2	50.00%
3	30.00%
4	25.00%
5	20.00%
6	15.00%
7	10.00%
8	5.00 %

WIND DAMAGE

WIND WHIPPING CAN CAUSE THE MOST DAMAGE TO A COVER, IN SOME CASES DESTROYING A COVER IN A MATTER OF HOURS. DAMAGE DUE TO WIND FORCE IS NOT COVERED UNDER WARRANTY. IT IS THE RESPONSIBILITY OF THE USER TO ANCHOR THE COVER PROPERLY TO PREVENT COVER TEARING DURING PERIODS OF HIGH WINDS. THE COVER SHOULD BE SECURED WITH STAKES AT ALL GROMMETS. WHENEVER POSSIBLE, IT IS ADVISABLE TO ALSO PLACE SANDBAGS OF OTHER WEIGHTS ON COVER TO SECURE THEM IN HIGH WINDS.

STORAGE

STORE COVERS IN A DRY AREA SHELTERED FROM DAMAGING UV SUN LIGHT AND WIND.

QUALITY GUARANTEE

TARPING SYSTEMS, INC. WILL MATCH ANY COMPETITOR'S WARRANTY. JUST SEND US A COPY OF THE COMPETITOR'S WARRANTY BEFORE YOU PURCHASE, AND WE WILL SEND YOU A DOCUMENT SHOWING US MATCHING THEIR WARRANTY.



APACHE Slim Tarp Motor. 50:1. 12v. 3 yr Wty. 600 Watt



TOMAHAWK Tarp Motor. 60:1. 12v. 3 yr. Wty. 600 Watt



tor. 90:1. 12v. 5 yr. Wty. 1200 Watt



ENFORCER HD Tarp Mo- DRONE Super HD Tarp Motor. 60:1. 12v. 5 yr. Wty. 600 Watt



Plastic Motor cover w/ chrome appearance



6 gauge dual wire



40 amp push button circuit breaker



50 amp breaker



Rotary switch kit



Rotary switch

Rotary switch mounting plate



Reverse polarity super switch kit



Reverse polarity weatherproof switch kit.



Reverse polarity solenoid



Reverse polarity solenoid

I-RS

Rocker switch



Rocker switch bracket



Contact plate set



Dual pole plug horizontal



Dual pole socket horizontal

Dual pole plug vertical



Dual pole socket vertical



16 GA. 3 **Way Wire**



Electric Remote Box




Tarp spool mounting bracket

TSI Replacement Parts

33



Fully Adjustable Aluminum Tarp Axle



Stud shaft



Axle bearing. 34"



Aluminum wind deflector



Steel wind deflector

Reference Page 13-14



Aluminum housing



Housing support bracket



SlingShot tarp axle



Pull Bar Assembly



SlingShot Shaft Cap

Manual Control



Manual brake crank box

**Cab Level Only



Ground level crank box **Spring Loaded Systems Only



Ground level crank chain



14" sprocket bar



Cab level crank handle



Chain guard



Cab level steel cross tube



Pull bar end foot caps

I-AEFC

PATRIOT



Driver side cab level bracket



Axle bearing . 1"

Reference Page 17-18



Passenger side cab level bracket



Cab level tarp axle



Stainless steel bushing



External retaining ring



Spiral torsion spring

PATRIOT EXTERNAL (CONT.)



78" or 93" 4 spring lower arm



93" 5 spring **lower arm**



93" Aluminum side arm with corner



Aluminum 30 or 45 degree elbow



Aluminum 90 degree corner

TERMINATOR



Fully Adjustable Crosstube (93"- 110")



PATRIOT Rubber bumper



5 Spring Pivot Pin

Reference Page 5-6



4 Spring Pivot Pin



TERMINATOR 90 degree corner for 3 piece cross tube

Plastic flange bushing



TERMINATOR lower arm. 10' **I-TERMPC4SI**

4 spring pivot casting

TERMINATOR external pivot pin



Stealth Terminator rubber bumper

PATRIOT UNDERBODY



TERMINATOR Underbody Pivot Casting



TERMINATOR Underbody coupling with hardware



Steel cross tube



PATRIOT Underbody lower arm. 84"



PATRIOT Underbody lower arm. 144"

PATRIOT Underbody Pivot Casting



Assembly. Driver



Underbody 10 Spring Underbody 10 Spring Assembly. Passenger



93" 4 spring steel **lower arm**



93" 5 spring steel **lower arm**

TSI Replacement Parts



Steel upper arm



Steel 90 degree corner

I-ABWF1C

Replacement Parts

1" Axle Bearing w/ Flanges



Tarp Stops

Standard Tarp Stop



3" Aluminum Tarp Stop

I-STOPOAU



6" Aluminum Tarp Stop

I-STOPR

Tarp Stops

3" Rubber Tarp

Stop

6" Rubber Tarp Stop



3" Aluminum Tarp Stop Assembly



6" Aluminum Tarp Stop Assembly

T-STOPRC



3" Rubber Tarp **Stop Assembly**

Tarp Stops



6" Rubber Tarp Stop Assembly



EZ Off Stop Bracket

1-PIN06

Clevis Pin



Clevis Pin Ring

Crank Retainers





Single Retainer



Spring Lock Single Retainer



7" Offset Pinless **Swivel Crank** Retainer



Pinless Crank Retainer



Snapper Pin

Return Assembly



Return Rope. 12' for RETURN02



Return end plug



Return eye bolt



Return PVC tube 10'. May include coupling



Complete Bungee Return Assembly



Fixed Tube and Roll Pipe



Complete Wire

Return Assembly



1 1/8" Fixed Tube **Connector**



1 1/8" Fixed Tube. 10'



2" Roll Tube **Connector**



2" Roll Tube. 10'

End Caps



2" Roll Tube. 10' w/ Spline




2" Roll Tube, 10' w/ Square Cog



2" Roll Tube Nylon **U-Clamp**




1 1/2" Ridge Pipe



Aluminum Front End Cap

Tarp Bows



Aluminum Rear **End Cap**



18oz Vinyl Front End Cap



18oz Vinyl Rear End Cap



3/4" Bow Bracket For 1" Bow



3/4" Bow Shank For 1" Bow



1" Bow w/ one shank welded



1" Bow w/ two shanks



1" Bow Assembly



1" Bow Bracket For 1 1/4" Bow



1" Bow Shank For 1 1/4" Bow



1 1/4" Bow w/ one shank welded



1 1/4" Bow w/ two shanks



1 1/4" Bow **Assembly**



Flex Bow Bracket



Flex Bow

TSI Replacement Parts

T-FLEXBOW101



Flex Bow Complete

Hold Downs and Ridge Straps



Aluminum 'Lok Rail' Latch Plate. 8' Span



1" Ratchet with Hook



1" Ratchet with **Flat Plate**



1" Strap with Hook. 46'

T-STRAP1-46FP



1" Strap with Flat Plate, 46'

F-STRAPA1-46

1" Ridge Strap Set with Hook, 46'



1" Ridge Strap Set with Flat Plate. 46'



2" Ratchet with Bracket



2" Ratchet with Hook



2" Ratchet with **Flat Plate**



2" PBR Roll Tube Strap with D-Ring. 9'



2" Strap with Hook, 46'

Crank Handle Assemblies



2" Strap with Flat Plate, 46'



2" Ridge Strap Set with Hook, 46'

T-STRAPA2-46FP



2" Ridge Strap Set with Flat Plate. 46'



2" PBR Roll Tube Hold Down Set. 9'



L-Series Splined Crank Assembly



L-Series Splined Crank Assembly



L-Series Splined Crank Assembly

Crank Handle Replacements

I-CRANK12

RTS Square L-Series Splined Crank Assembly Flex Crank Assembly



L-Series Splined Flex Crank Assembly




30" L-Series Square **Crank Assembly**



L-Series Crank Arm. 31.5"

38



For a more comprehensive spread of replacement parts or for additional information and images on replacement parts seen in this catalog visit:

WWW.DUMPTRUCKSYSTEMS.COM

Not sure if a part will work with what you've already got? Can't find an item that you need?

Ask one of our experienced sales professionals by calling 888-838-3229. We can help you find the part that will work for you.

Terms & Conditions

Tarping Systems, Inc. is committed to providing the absolute best products and services at affordable pricing. We want your order to be right the first time and we understand that sometimes products may be lost, damaged in transit, or bear some sort of defect from the factory. To better serve our customers and ensure that our customers receive the quality products and service they have come to expect from Tarping Systems, Inc., We have put the following policies in place.

SALES: An order confirmation will be sent via email or fax for the buyer's confirmation once the order is received at Tarping Systems, Inc. It is the buyer's responsibility to read the said confirmation and verify that the order is correct. All orders made via purchase order will be considered by Tarping Systems, Inc. as confirmation of the order by the buyer.

SHIPPING: Shipments are made daily via FedEx and LTL Freight. Tarping Systems is not responsible for shipping delays once the shipment has left our facility and is in the carrier's possession. To ensure delivery of orders, we need your company name, person of attention, street address, city, state, and phone number. No exceptions.

Any shipment, delivery, performance date, or associated fees stated in an Order, Invoice, or other contract document is an estimate and approximation only and does not constitute any guarantee of shipment, delivery, performance or fees on any particular date. TSI will not be liable for any or all damages resulting from any delay or early shipment, regardless of the cause of the delay or early shipment. Unless otherwise expressly stated, Tarping Systems, Inc., shall have the right to make any delivery in installments, and/or may require Buyer accept shipments in full cartons/loads for some Products. Tarping Systems, Inc. reserves the right to modify an order based on Product availability. Further, any quotation of freight, transportation, shipping, handling, or similar charges are estimates only; if such charges are included in the Price, any increase in rates becoming effective after the Order date shall be applied to the Order.

SHORTAGES / DAMAGES: Claims for shortages and damages must be made within 5 business days with Tarping Systems, Inc. When you receive your shipment, examine it carefully. Be sure that all cartons listed on the delivery sheet are accounted for. Large items, such as steel or aluminum tubing, may be packaged separately. If a carton is damaged, open it and inspect the contents before signing for delivery. If merchandise is damaged, describe the damage on the delivery receipt. Failure on the receiver's part to document damaged or missing merchandise on the delivery receipt releases the carrier and shipper of liability; repair or replacement will be the customer's responsibility.

RETURNS: All returns must be done within 14 days of delivery. The customer must obtain an RMA number before returning the product. Items received without an RMA number clearly marked on the shipment will be refused. You can obtain an RMA number from your Tarping Systems, Inc., representative.

CUSTOM TARPS: All custom ordered tarps should be drawn exactly as desired, and the drawing should accompany a written purchase order. Some custom tarp orders will require extra time and materials that may warrant additional charges. Custom ordered products are not returnable or refundable.

RESTOCKING FEE: A 15% restocking fee will apply to all **stock** tarps and parts. A 20% restocking fee will apply to all front to back systems and may incur a \$50.00 handling fee for painting/refurbishing if needed.

REFUNDS: Refunds for returns to Tarping Systems, Inc., will be minus any restocking fees, shipping charges incurred by TSI at any time during the transaction and/or refurbishing fees. All refunds will be applied to the method of payment provided to TSI for purchase. In the event that items are returned due to error by TSI, the customer will receive a full refund.

TARP MOTOR WARRANTY: Tarp motors are under warranty from the moment they leave our shipping warehouse until the pre-determined length of the warranty has come due (3 or 5 years). We have a system in place that tracks motor serial numbers from the time they are invoiced up until the expiration of the warranty. The standard procedure for activating a motor warranty is as follows:

- o Ensure that the motor has not been physically damaged in any way. External damage to the motor caused by loaders, falling debris, tree limbs, etc. automatically voids the warranty.
- Ensure that the motor has not been separated from the gear box. Our tarp motors are married to the gear box. This helps us guarantee safe operation and any attempt to open the motor or gear box automatically voids the warranty.
- Ensure that the circuit breaker is properly installed. Using the tarp motor with an improperly or not installed circuit breaker voids the warranty of the tarp motor. The circuit breaker controls the flow of electricity to the motor reducing damages by power surges.
- Call your sales representative at TSI at 888-838-3229. At this time the sales representative will ask you a few questions about the tarp motor to include the three items listed above and the sales representative will confirm that the tarp motor's serial number is in fact under warranty and for the customer to provide a proof of purchase.
- o Box up and ship back the defective unit and Proof of Purchase to:

Tarping Systems, Inc. 215 Smith Road Slocomb, Al 36375

• After TSI receives and inspects the tarp motor, a replacement motor will be sent out to you at no cost.

MANUFACTURERS GUARANTEE: Tarping Systems, Inc. acknowledges that sometimes the manufacturing process yields defects and sometimes shipping causes damage. In the event that we do not catch a defective unit prior to shipping, or if an item is delivered in sub-par condition, then we are committed to making sure that your experience with TSI is one that you will brag about to other people.

Apart from the items listed below, Tarping Systems, Inc. warranties all its products to be free from defects in material and workmanship for a period of thirty (30) days from the date of invoice

Product	Warranty Period	
Tarps	30 days from date of invoice	
Tarp Motors: APACHE & TOMAHAWK™	36 months from date of invoice	
Tarp Motors: ENFORCER & DRONE	60 months from date of invoice	
SlingShot Spring	36 months from date of invoice	
Steel and Aluminum Side Arms	365 days from date of invoice	



Order Form (Please Complete All Required * Information)

Ship To	Bill To	(Same as S	Shipping)
Name*:	Name*:		
Address*:	Address*:		
City, St, Zip:	City, St, Zip: _		
Telephone #*:	Telephone #*:	:	
Fax #:	Fax #:		
Your PO #:	Type of Card: ((mark with 'X')	
Your Requisition #:	☐ Visa ☐ MasterCard		
Order By*:	Discov	rer Am	Ex
Email:	Credit Card #:		
Date:	Exp Date:	CNV:	
Part Number Quantity Description		Price Each	Extended Total
If you would like to place an order then call our exper professionals. If we're out of the office copy this, fill it or		Total	

fax this form to:

or email this form to:

334-886-0109

sales@dumptrucksystems.com