


CARRO
SMART FANS | LIGHTING

 www.CarroUSA.com

 vr@carrohome.com

 (626) 698-4314 | (888) 253-2374

 1037 W. 9th St. Unit 101 Upland, CA 91786



CATALOG

SHOWROOM COLLECTION
2024 V1

CARRO
SMART FANS | LIGHTING



ABOUT US

In a world where automation is advancing further into every aspect of day-to-day life, whether it be through our phones, watches, lighting, or HVAC systems, relying on smart technology is becoming less of a luxury and more essential to sustaining our ever-evolving lifestyles.

If you are looking for products to improve your home's style, efficiency, and comfort for a smarter life, you have come to the right place! Introducing Carro, an award-winning smart technology company that offers a variety of innovative products necessary for experiencing a smart home.

All Carro smart ceiling fans are ETL and UL-certified to ensure safe and long-lasting performance. Alongside convenience, our energy-efficient products meet high Energy-Star ratings and certifications to help conserve energy while lowering the costs of electricity usage when implemented in the home.

Carro has a wide selection of products, including multifunctional smart ceiling fans, elegant lighting varieties such as pendant lights and table lamps, a patented Smart Switch, and many more accessories to create a comfortable and functioning home for your Smart Life.

TABLE OF CONTENTS BY MOTOR

SMART CEILING FAN DC MOTOR

AKRON.....	106	KREIS.....	54
APPLETON.....	98	LABELLE.....	72
ASCENDER.....	76	MADRID.....	104
ATTICUS.....	104	MERTON.....	56
AURORA.....	106	NICOLET.....	58
BEDFORD.....	56	OLINDA.....	100
BRISA.....	64	PALMER.....	98
CALEN.....	110	PEARLA.....	82
CRANSTON.....	108	PEYTON.....	68
DAFFODIL.....	92	PORTER.....	104
DENVER.....	106	ROQUE.....	102
DUBOIS.....	86	RYATT.....	94
ELIRA.....	52	RYNA.....	96
ESPEAR.....	74	SAVILI.....	68
FLETCHER.....	46	SOLASTA.....	112
FREMONT.....	84	SPEZIA.....	70
GARRICK.....	48	STOCKTON.....	68
HOBART.....	88	TARRASA.....	100
JOURNEY.....	50	TOULON.....	102
KAJ.....	60	TRENTO.....	80
KENSEE.....	106	UPTON.....	96
KIAMA.....	54	VENA.....	48
		YORK.....	90

SMART CEILING FAN AC MOTOR

AERYN.....	120
ARLINGTON.....	124
EUNOIA.....	124
HELSTON.....	122
NEVA.....	114
PALOMA.....	122
RAIDEN.....	116
SIMOY.....	120

CEILING FAN DC MOTOR

CAERUS.....	140
DALBY.....	132
DUNKIRK.....	138
ISOLA.....	140
KARSYN.....	142
KENORA.....	142
LEON.....	144
LURGAN.....	136
MADDOX.....	144
OBERON.....	144
SKARA.....	132
STANLEY.....	134
SANTANA.....	126
WESTBURY.....	140

BUILDER GRADE CEILING FAN DC MOTOR

ASCOTT.....	146
FORMOSA.....	178
GREENWOOD.....	158
HAVEN.....	180
MALTA.....	152
MORGAN.....	176
REXTON.....	174
RYKER.....	172
VALENCIA.....	170

BUILDER GRADE CEILING FAN AC MOTOR

AMALFI.....	188
EMPIRE.....	182
EVERETT.....	190
EXTREME.....	184
FLINT.....	194
LAMONT.....	196

CEILING FAN ACCESSORIES

ACCESSORIES.....	199
------------------	-----

TABLE OF CONTENTS BY MODEL

AKRON.....	106	FLETCHER	46	NICOLET	58	TOULON.....	102
APPLETON	98	FREMONT.....	84	NEVA.....	114	UPTON	96
ASCENDER.....	76	FLINT.....	194	OLINDA	100	VENA.....	48
ATTICUS	104	FORMOSA	178	OBERON.....	144	VALENCIA.....	170
AURORA.....	106	GARRICK.....	48	PALMER.....	98	WESTBURY.....	140
AERYN	120	GREENWOOD	158	PEARLA.....	82	YORK.....	90
ARLINGTON.....	124	HAVEN.....	180	PEYTON.....	68		
AMALFI.....	188	HELSTON.....	122	PORTER.....	104		
ASCOTT	146	HOBART.....	88	PALOMA.....	122		
BEDFORD.....	56	ISOLA	140	ROQUE.....	102		
BRISA.....	64	JOURNEY	50	RYATT.....	94		
CAERUS.....	140	KAJ	60	RYNA.....	96		
CALEN	110	KARSYN.....	142	RAIDEN	116		
CRANSTON	108	KENSEE.....	106	REXTON.....	174		
DAFFODIL.....	92	KREIS.....	54	RYKER	172		
DALBY	132	KENORA	142	SANTANA.....	126		
DENVER.....	106	KIAMA.....	54	SAVILI.....	68		
DUNKIRK	138	LABELLE.....	72	SOLASTA.....	112		
DUBOIS.....	86	LAMONT.....	196	SPEZIA.....	70		
ELIRA	52	LEON	144	STOCKTON.....	68		
ESPEAR.....	74	LURGAN.....	136	SIMOY	120		
EUNOIA.....	124	MADDOX.....	144	SKARA.....	132		
EMPIRE.....	182	MADRID	104	STANLEY	134		
EVERETT.....	190	MALTA.....	152	TARRASA.....	100		
EXTREME	184	MERTON	56	TRENTO	80		
		MORGAN	176				

		CEILING FAN ACCESSORIES	
		ACCESSORIES	199

SMART CEILING FAN

AKRON · 52"

3 Blades


VS523N3-L11-SM2-1-FM Pg.106 VS483N3-L11-BM3-1 Pg.106



APPLETON · 52" | 56"

5 Blades

VS525E-L12-B3-1 Pg.98 VS525E-L12-BF-1 Pg.98
VS565E-L12-B3-1 VS565E-L12-BF-1



VS525E-L12-B2-1G Pg.98 VS525E-L12-W1-1 Pg.98
VS565E-L12-B2-1G VS565E-L12-W1-1



ASCENDER · 48" | 52" | 56" | 60"

5 Blades

VS525J1-L11-B5-1 Pg.76 VS485J1-L11-BG-1 Pg.76
VS565J1-L11-BG-1 VS605J1-L11-BG-1



VS525J1-L11-B2-1G Pg.76 VS485J1-L11-W1-1 Pg.76
VS525J1-L11-W1-1 VS565J1-L11-W1-1
VS605J1-L11-W1-1



DC MOTOR

SMART CEILING FAN

DC MOTOR

VS525J1-L11-BG-1-FM Pg.78 VS485J1-L21-BG-1-FM Pg.78 VS525J1-L11-B2-1-FM Pg.78
VS525J1-L21-BG-1-FM



VS525J1-L11-B2-1G-FM Pg.78 VS525J1-L11-BG-1-FMA Pg.78



VS525J1-L11-W1-1-FM Pg.78 VS485J1-L11-W1-1G-FM Pg.78
VS525J1-L11-W1-1G-FM



ATTICUS · 52"

3 Blades

VS523N-L12-B2-1A Pg.104 VS523N-L12-W1-1A Pg.104 VS523N-L12-B2-1A-FM Pg.104



AURORA · 52"

3 Blades

VS523N4-L11-B2-1-FM Pg.106 VS523N4-L11-W1-1-FM Pg.106



BEDFORD · 52"

3 Blades

VS523A3-L12-W1-1A Pg.56



SMART CEILING FAN

DC MOTOR

BRISA · 52" | 56"
3 Blades

VS523B3-L22-B5-1 Pg.64
VS563B3-L22-B5-1



VS523B3-L22-B2-1G Pg.64
VS563B3-L22-B2-1G



VS523B3-L22-W1-1 Pg.64
VS563B3-L22-W1-1



VSS523B3-L22-W6-1 Pg.64
VSS563B3-L22-W6-1



5 Blades
VS525B3-L22-B5-1 Pg.66



VS525B3-L22-B2-1G Pg.66
VS565B3-L22-B2-1G



VS525B3-L22-B5-1 Pg.66



VS525B3-L22-W1-1 Pg.66



CALEN · 48" | 52" | 56"
3 Blades

VS483J3-L11-B2-1G Pg.110
VS523J3-L11-B2-1G
VS563J3-L11-B2-1G



VS483J3-L11-B5-1 Pg.110
VS523J3-L11-B5-1



VS483J3-L11-W1-1G Pg.110
VS523J3-L11-W1-1G
VS563J3-L11-W1-1G



VS483J3-L11-W1-1 Pg.112
VS523J3-L11-W1-1
VS563J3-L11-W1-1



VS443J3-L11-B5-1-FM Pg.112
VS483J3-L11-B5-1-FM
VS523J3-L11-B5-1-FM



VS443J3-L11-W1-1-FMA Pg.112
VS483J3-L11-W1-1-FMA
VS523J3-L11-W1-1-FMA



SMART CEILING FAN

DC MOTOR

VS483J3-L11-W1-1-FM Pg.76



CRANSTON · 52"
3 Blades

VS523K-L12-B2-1 Pg.108



VS523K-L12-W1-1 Pg.108



3 Blades (No Light)

VS523K-N10-B2-1 Pg.108



VS523K-N10-W1-1 Pg.108



DAFFODIL · 45" | 52"
3 Blades

VS453V-L12-W1-1 Pg.92



VS523V-L12-W1-1 Pg.92



VS523V-L12-W1-1-FM Pg.92



DENVER · 52"
3 Blades

VS523N6-L12-B2-1-FM Pg.106



DUBOIS · 48"
5 Blades

VS485Q-L12-BG-1-FM Pg.86



VS485Q-L12-W1-1-FM Pg.86



SMART CEILING FAN

DC MOTOR

ELIRA · 52" | 56"
5 Blades

VS525S-L13-B5-1 Pg.52
VS565S-L13-B5-1

VS525S-L13-B3-1 Pg.52
VS565S-L13-B3-1

VS525S-L13-W7-1 Pg.52
VS565S-L13-W7-1



ESPEAR · 52" | 56" | 60"
5 Blades

VS525J-L12-BG-1 Pg.74
VS565J-L12-BG-1
VS605J-L12-BG-1

VS525J-L12-B5-1 Pg.74

VS565J-L12-W1-1 Pg.74
VS605J-L12-W1-1



VS525J-L12-W1-1G Pg.74

VS525J-L12-B2-1G-FM Pg.74

VS525J-L12-B2-1-FM Pg.74



VS525J-L12-BG-1-FMA Pg.74

VS525J-L12-BG-1-FM Pg.74

VS525J-L12-W1-1G-FM Pg.74



FLETCHER · 52" | 56" | 60"
3 Blades

VS563F-L13-S2-1 Pg.46

VS523F-L12-B2-1 Pg.46
VS563F-L13-B2-1
VS603F-L13-B2-1

VS523F-L12-W1-1 Pg.46
VS563F-L13-W1-1
VS603F-L13-W1-1



SMART CEILING FAN

DC MOTOR

FREMONT · 48" | 52"
3 Blades

VS483Q5-L12-B2-1-FM Pg.84
VS523Q5-L12-B2-1-FM

VS483Q5-L12-W1-1-FMA Pg.84
VS523Q5-L12-W1-1-FMA

VS483Q5-L12-BG-1 Pg.84
VS523Q5-L12-BG-1



VS483Q5-L12-W1-1A Pg.84

5 Blades
VS485Q5-L12-B2-1-FM Pg.86
VS525Q5-L12-B2-1-FM

VS485Q5-L12-W1-1-FM Pg.
VS525Q5-L12-W1-1-FM



GARRICK · 52"
3 Blades

VS523F3-L12-WM1-1 Pg.48

VS523F3-L12-BM2-1 Pg.48

VS523F3-L12-BM1-1 Pg.48



VS523F3-L12-SM2-1 Pg.48

VS523F3-L12-WM1-1-FM Pg.48

VS523F3-L12-SM2-1-FM Pg.48



HOBART · 52"
3 Blades

VS483Q6-L12-BG-1-FM Pg.88

VS483Q6-L12-W1-1-FM Pg.88

VS483Q6-L12-BG-1 Pg.88



SMART CEILING FAN

DC MOTOR

JOURNEY · 52" | 56"
5 Blades

VS525H-L13-S6-1 Pg.50
VS565H-L13-S6-1



VS525H-L13-B5-1 Pg.50
VS565H-L13-B5-1



VS525H-L13-B9-1 Pg.50
VS565H-L13-B9-1



VS525H-L13-W6-1 Pg.50
VS565H-L13-W6-1



VS525H-L13-W7-1 Pg.50
VS565H-L13-W7-1



VS525H-L13-G3-1 Pg.50
VS565H-L13-G3-1



KAJ · 52" | 56"
3 Blades

VS523B-L12-B2-1G Pg.60
VS563B-L12-B2-1G



VS523B-L12-B5-1 Pg.60
VS563B-L12-B5-1



VS523B-L12-B2-1 Pg.60
VS563B-L12-B2-1



VS523B-L12-W1-1 Pg.60
VS563B-L12-W1-1



VS523B-L12-W6-1 Pg.60
VS563B-L12-W6-1



VS523B-L12-W7-1 Pg.60
VS563B-L12-W7-1



5 Blades

VS525B-L22-B2-1G Pg.62



VS525B-L22-B2-1 Pg.62



VS525B-L22-B5-1 Pg.62



SMART CEILING FAN

DC MOTOR

VS525B-L22-W1-1 Pg.62



VS525B-L22-W1-1G Pg.62



VS525B-L22-W6-1 Pg.62



VS525B-L22-B2-1-FM Pg.62



VS485B-L22-B2-1G-FM Pg.62
VS525B-L22-B2-1G-FM



VS525B-L22-B5-1-FM Pg.62



VS525B-L22-B5-1-FM Pg.62



VS485B-L22-W1-1-FM Pg.62
VS525B-L22-W1-1-FM



KENSEE · 44"
3 Blades

VS443N5-L12-B2-1-FM Pg.106



KIAMA · 52"
3 Blades (No Light)

VS523A-N10-W1-1A Pg.54



VS523A-N10-B2-1A Pg.54



KREIS · 52"
3 Blades

VS523A1-L22-B2-1-FMA Pg.54



VS523A1-L12-B2-1-FMA Pg.54



SMART CEILING FAN

LABELLE · 52"
3 Blades

VS523P3-L12-SM2-1-FM Pg.72 VS523P3-L12-WM1-1-FM Pg.72



MADRID · 52"
3 Blades

VS523N1-L11-B2-1-FM Pg.104 VS523N1-L11-W1-1-FM Pg.104



MERTON · 52"
3 Blades

VS523A4-L12-B2-1-FMA Pg.56 VS523A4-L12-W1-1-FMA Pg.56



NICOLET · 52"
3 Blades

VS523A2-L12-SM2-1-FM Pg.58 VS523A2-L12-BM4-1-FM Pg.58 VS523A2-L12-BM2-1-FM Pg.58



VS523A2-L12-BM3-1 Pg.58

VS523A2-L12-SM2-1 Pg.58

VS523A2-L12-WM1-1 Pg.58



DC MOTOR

SMART CEILING FAN

DC MOTOR

OLINDA · 52"
5 Blades

VS525E3-L12-B2-1G Pg.100 VS525E3-L12-W1-1G Pg.100



VS525E3-L12-BG-1 Pg.100

VS525E3-L12-B2-1G-FM Pg.100



PALMER · 52"
3 Blades

VS523E4-L12-BM2-1 Pg.98 VS523E4-L12-SM2-1 Pg.98



PEARLA · 52"
3 Blades

VS523Q4-L12-W1-1G Pg.82 VS523Q4-L12-B2-1G Pg.82 VS523Q4-L12-W1-1 Pg.82



PEYTON · 52"
5 Blades

VS525B4-L12-B2-1G Pg.68



SMART CEILING FAN

PORTER · 44" | 48"
3 Blades

VS443N2-L11-B2-1-FM Pg.104 VS443N2-L11-W1-1-FM Pg.104
VS483N2-L11-B2-1-FM VS483N2-L11-W1-1-FM



ROQUE · 44"
3 Blades

VS443N2-L12-B2-1 Pg.102 VS443N2-L12-W1-1 Pg.102



RYATT · 45"
3 Blades

VS453V-L12-B2-1-FM Pg.94 VS453V-L22-B2-1-FM Pg.94



VS453V-L12-W1-1-FMA Pg.94 VS453V-L22-W1-1-FMA Pg.94



RYNA · 36" | 45"
3 Blades

VS363V2-L12-B2-1-FM Pg.96 VS363V2-L12-W1-1-FM Pg.96
VS453V2-L12-B2-1-FM VS453V2-L12-W1-1-FM



DC MOTOR

SMART CEILING FAN

DC MOTOR

SAVILI · 52"
5 Blades

VS525B6-L12-B2-1-G Pg.68 VS525B6-L12-W1-1-G Pg.68



SOLASTA · 52"
5 Blades

VS525W-L12-B5-1 Pg.112



SPEZIA · 48" | 52"
3 Blades

VS483P-L12-G2-1-FM Pg.70 VS483P-L12-W1-1-FM Pg.70 VS523P-L22-WR-1-FM Pg.70
VS523P-L12-G2-1-FM VS523P-L12-W1-1-FM



VS523P-L22-WQ-1-FM Pg.70 VS523P1-L22-B2-1-FMA Pg.72 VS523P2-L22-W1-1 Pg.72



STOCKTON · 52"
5 Blades

VS525B5-L11-B2-1-G Pg.68 VS525B5-L11-W1-1-G Pg.68 VS525B5-L11-B2-1-G-FM Pg.68



SMART CEILING FAN

DC MOTOR

TARRASA · 52"

5 Blades

VS525E2-L11-B2-1G Pg.100



VS525E2-L11-W1-1G Pg.100



3 Blades

VS525E2-L11-B2-1G-FM Pg.100



TOULON · 52"

3 Blades

VS523N1-L12-B2-1 Pg.102



3 Blades

VS523N1-L12-W1-1 Pg.102



TRENTO · 44" | 48" | 52" | 60"

3 Blades

VS443Q-L12-S2-1-FM Pg.80

VS483Q-L12-S2-1-FM

VS523Q-L12-S2-1-FM



VS443Q-L12-BG-1-FM Pg.80

VS483Q-L12-BG-1-FM

VS523Q-L12-BG-1-FM

VS603Q-L12-BG-1-FM



VS483Q-L12-WP-1-FM Pg.80

VS523Q-L12-WP-1-FM



VS443Q-L12-W1-1-FM Pg.80

VS483Q-L12-W1-1-FM

VS523Q-L12-W1-1-FM



UPTON · 45"

3 Blades

VS453V1-L12-B2-1-FM Pg.96



VS453V1-L12-W1-1-FM Pg.96



SMART CEILING FAN

DC MOTOR

VENA · 52"

3 Blades

VS523F2-L12-B2-1 Pg.48



VS523F2-L12-W1-1 Pg.48



YORK · 52"

3 Blades

VS523Q7-L12-B2-1 Pg.90



VS523Q7-L12-B2-1-FM Pg.90



VS523Q7-L12-W1-1A Pg.90



VS523Q7-L12-W1-1-FMA Pg.90



SMART CEILING FAN

AERYN · 52"
3 Blades

VWGS-523A1-L12-WL-1 Pg.120 VWGS-523A1-L12-B5-1 Pg.120



ARLINGTON · 52"
4 Blades

VWGS-524G-L12-B2-1FM Pg.124 VWGS-524G-L12-W1-1FM Pg.124




EUNOIA · 52"
3 Blades

VWGS-523F-L12-B2-1 Pg.124 VWGS-523F-L12-W1-1 Pg.124



HELSTON · 52"
5 Blades

VWGS-525D-L12-BB-1 Pg.122 VWGS-525D-L12-B5-1 Pg.122



NEVA · 48" | 52"
4 Blades

VWGS-484C-L11-G2-1 Pg.114 VWGS-484C-L11-SC-1 Pg.114 VWGS-484C-L11-W1-1 Pg.114
VWGS-524C-L11-G2-1 VWGS-524C-L11-SC-1 VWGS-524C-L11-W1-1



AC MOTOR

SMART CEILING FAN

AC MOTOR

PALOMA · 42"
3 Blades

VWGS-423D1-L11-BK-1 Pg.122



RAIDEN · 48" | 52"
3 Blades


VWGS-483B-L11-S6-1 Pg.116 VWGS-483B-L11-G2-1 Pg.116 VWGS-483B-L11-W1-1 Pg.116
VWGS-523B-L11-S6-1 VWGS-523B-L11-G2-1 VWGS-523B-L11-W1-1



VWGS-483B-L11-S2-1 Pg.116 VWGS-523A-L11-S3-1 Pg.118 VWGS-523A-L11-S4-1 Pg.118
VWGS-523B-L11-S2-1



VWGS-523A-L11-SM-1 Pg.118 VWGS-523A-L11-B2-1G Pg.118



SIMOY · 52"
5 Blades

WGS-525A2-L11-B2-1G Pg.120 WGS-525A2-L11-WN-1 Pg.120



CEILING FAN

CAERUS · 52"
3 Blades (No Light)

CFR443N2-N10-W1-1-FM Pg.140



DALBY · 52"
3 Blades (No Light)

CFR523P1-N20-W1-1-FM Pg.132



DUNKIRK · 56" | 60"
5 Blades (No Light)

CFR605J-N10-BG-1 Pg.138



CFR605J-N10-W1-1 Pg.138



CFR525J-N10-BG-1-FM Pg.138



CFR525J-N10-W1-1-FM Pg.138



ISOLA 52"
3 Blades (No Light)

CFR523N4-N10-W1-1-FM Pg.140



KARSYN · 52"
3 Blades (No Light)

CFR523A-N10-B2-1A Pg.142



CFR523A-N10-W1-1A Pg.142



DC MOTOR

CEILING FAN

KENORA · 52"
3 Blades

CFR483A-L12-B2-1G Pg.142



CFR483A-L12-W1-1G Pg.142



LURGAN · 52" | 60"
5 Blades (No Light)

CFR605J1-N10-BG-1 Pg.136



CFR605J1-N10-WP-1 Pg.136



CFR525J1-N10-BG-1-FM Pg.136



CFR525J1-N10-WP-1-FM Pg.136



MADDOX · 52"
3 Blades

CFR523B-L12-WT-1 Pg.144



CFR523B-L12-BS-1 Pg.144



SKARA · 52"
3 Blades (No Light)

CFR523P-N10-G2-1-FM Pg.132



CFR523P-N10-W1-1-FM Pg.132



DC MOTOR

LEON 44"
3 Blades (No Light)

CFR443J3-N10-W1-1-FM Pg.144



OBERON · 56"
3 Blades (No Light)

CFR563Z1-N10-W1-1 Pg.144



CEILING FAN

SANTANA · 52" 3 Blades

CFR523E5-L12-S2-1 Pg.126 CFR523E5-L12-B2-1 Pg.126 CFR523E5-L12-W1-1 Pg.126



4 Blades

CFR524E5-L11-S2-1 Pg.128 CFR524E5-L11-B2-1 Pg.128 CFR524E5-L11-W1-1 Pg.128



5 Blades

CFR525E5-L11-S2-1 Pg.130 CFR525E5-L11-B2-1 Pg.130 CFR525E5-L11-W1-1 Pg.130



STANLEY · 44"|48"|60" 3 Blades (No Light)

CFR443Q-N10-BG-1-FM Pg.134 CFR483Q-N10-W1-1-FM Pg.134 CFR443Q-N10-WP-1-FM Pg.134
CFR483Q-N10-BG-1-FM
CFR603Q-N10-BG-1-FM



WESTBURY · 52" 3 Blades

CFR523M-L11-WM1-1 Pg.140 CFR523M-L11-BM2-1 Pg.140 CFR523M-N10-WM1-1 Pg.140



DC MOTOR

BUILDER GRADE CEILING FAN DC MOTOR

ASCOTT · 52" 3 Blades

CFP523E5-L12-S2-1 Pg.146 CFP523E5-L12-B2-1 Pg.146 CFP523E5-L12-W1-1 Pg.146



4 Blades

CFP524E5-L11-S2-1 Pg.148 CFP524E5-L11-B2-1 Pg.148 CFP524E5-L11-W1-1 Pg.148



5 Blades

CFP525E5-L11-S2-1 Pg.150 CFP525E5-L11-B2-1 Pg.150 CFP525E5-L11-W1-1 Pg.150



3 Blades (No Light)

CFP523E5-N10-S2-1 Pg.146 CFP523E5-N10-B2-1 Pg.146 CFP523E5-N10-W1-1 Pg.146



4 Blades (No Light)

CFP524E5-N10-S2-1 Pg.148 CFP524E5-N10-B2-1 Pg.148 CFP524E5-N10-W1-1 Pg.148



BUILDER GRADE CEILING FAN DC MOTOR

5 Blades (No Light)

CFP525E5-N10-S2-1 Pg.150

CFP525E5-N10-B2-1 Pg.150

CFP525E5-N10-W1-1 Pg.150



FORMOSA · 48" | 52"

3 Blades

CFP443N2-L11-B2-1-FM Pg.178

CFP443N2-L11-W1-1-FM Pg.178



3 Blades (No Light)

CFP443N2-N10-B2-1-FM Pg.178

CFP443N2-N10-W1-1-FM Pg.178



GREENWOOD · 48" | 52"

3 Blades

CFP483Q5-L11-SJ-1 Pg.158
CFP523Q5-L11-SJ-1

CFP483Q5-L11-BG-1 Pg.158
CFP523Q5-L11-BG-1

CFP483Q5-L11-WM-1 Pg.158
CFP523Q5-L11-WM-1



3 Blades

CFP483Q5-L11-SJ-1-FM Pg.160
CFP523Q5-L11-SJ-1-FM

CFP483Q5-L11-BG-1-FM Pg.160
CFP523Q5-L11-BG-1-FM

CFP483Q5-L11-WM-1-FM Pg.160
CFP523Q5-L11-WM-1-FM



BUILDER GRADE CEILING FAN DC MOTOR

CFP483Q5-L11-BG-1-FMA Pg.160



4 Blades

CFP484Q5-L11-SJ-1 Pg.162
CFP524Q5-L11-SJ-1

CFP484Q5-L11-BG-1 Pg.162
CFP524Q5-L11-BG-1

CFP484Q5-L11-WM-1 Pg.162
CFP524Q5-L11-WM-1



4 Blades

CFP484Q5-L11-SJ-1-FM Pg.164
CFP524Q5-L11-SJ-1-FM

CFP484Q5-L11-BG-1-FM Pg.164
CFP524Q5-L11-BG-1-FM

CFP484Q5-L11-WM-1-FM Pg.164
CFP524Q5-L11-WM-1-FM



5 Blades

CFP485Q5-L11-SJ-1 Pg.166
CFP525Q5-L11-SJ-1

CFP485Q5-L11-BG-1 Pg.166
CFP525Q5-L11-BG-1

CFP485Q5-L11-WM-1 Pg.166
CFP525Q5-L11-WM-1



5 Blades

CFP485Q5-L11-BG-1-FM Pg.168
CFP525Q5-L11-BG-1-FM

CFP485Q5-L11-WM-1-FM Pg.168
CFP525Q5-L11-WM-1-FM

CFP485Q5-L11-SJ-1-FM Pg.168
CFP525Q5-L11-SJ-1-FM



BUILDER GRADE CEILING FAN DC MOTOR

HAVEN · 52"
3 Blades

CFP523N4-L11-B2-1-FM Pg.180 CFP523N4-L11-W1-1-FM Pg.180



3 Blades (No Light)

CFP523N4-N10-B2-1-FM Pg.180 CFP523N4-N10-W1-1-FM Pg.180



MALTA · 52"
3 Blades

CFP523E6-L12-S2-1 Pg.152 CFP523E6-L12-B2-1 Pg.152 CFP523E6-L12-W1-1 Pg.152



4 Blades

CFP524E6-L11-S2-1 Pg.154 CFP524E6-L11-B2-1 Pg.154 CFP524E6-L11-W1-1 Pg.154



5 Blades

CFP525E6-L11-S2-1 Pg.156 CFP525E6-L11-B2-1 Pg.156 CFP525E6-L11-W1-1 Pg.156



BUILDER GRADE CEILING FAN DC MOTOR

MORGAN · 52"
3 Blades

CFP523N1-L11-B2-1-FM Pg.176 CFP523N1-L11-W1-1-FM Pg.176



3 Blades (No Light)

CFP523N1-N10-B2-1-FM Pg.176 CFP523N1-N10-W1-1-FM Pg.176



REXTON · 52"
3 Blades

CFP523N-L11-B2-1 Pg.174 CFP523N-L11-W1-1 Pg.174



3 Blades (No Light)

CFP523N-N10-B2-1 Pg.174 CFP523N-N10-W1-1 Pg.174



RYKER · 52"
5 Blades

CFP525B5-L11-SJ-1 Pg.172 CFP525B5-L11-BG-1 Pg.172 CFP525B5-L11-WM-1 Pg.172



BUILDER GRADE CEILING FAN **DC MOTOR**

VALENCIA · 52"
5 Blades

CFP525E2-L11-SJ-1 Pg.170

CFP525E2-L11-BG-1 Pg.170

CFP525E2-L11-WM-1 Pg.170



5 Blades(No Light)

CFP525E2-N10-SJ-1 Pg.170

CFP525E2-N10-BG-1 Pg.170

CFP525E2-N10-WM-1 Pg.170



BUILDER GRADE CEILING FAN **AC MOTOR**

AMALFI · 52"
4 Blades

VWGA-524H2-L11-SJ-1 Pg.188

VWGA-524H2-L11-B2-1G Pg.188

VWGA-524H2-L11-W1-1 Pg.188



EMPIRE · 52"
3 Blades

VWGA-523A3-L12-S2-1 Pg.182

VWGA-523A3-L12-SC-1 Pg.182

VWGA-523A3-L12-B2-1G Pg.182



VWGA-523A3-L12-B2-1 Pg.182

VWGA-523A3-L12-W1-1 Pg.182



4 Blades

VWGA-524A3-L12-S2-1 Pg.184

VWGA-524A3-L12-B2-1 Pg.184

5 Blades

VWGA-525A3-L12-SC-1 Pg.186



VWGA-525A3-L12-SH-1 Pg.186

VWGA-525A3-L12-B2-1 Pg.186

VWGA-525A3-L12-W1-1 Pg.186



BUILDER GRADE CEILING FAN AC MOTOR

EVERETT · 48" | 52"

3 Blades

VWGA-483C-L11-SC-1 Pg.190
VWGA-523C-L11-SC-1

VWGA-483C-L11-B2-1 Pg.190
VWGA-523C-L11-B2-1

VWGA-483C-L11-W1-1 Pg.190
VWGA-523C-L11-W1-1



4 Blades

VWGA-484C-L11-SC-1 Pg.192
VWGA-524C-L11-SC-1

VWGA-484C-L11-B2-1 Pg.192
VWGA-524C-L11-B2-1

VWGA-484C-L11-W1-1 Pg.192
VWGA-524C-L11-W1-1



EXTREME · 52"

4 Blades

VWGA-524B1-L12-SC-1 Pg.184

VWGA-524B1-L12-B2-1 Pg.184

VWGA-524B1-L12-W1-1 Pg.184



FLINT · 52"

3 Blades

VWGA-523A5-L12-SC-1 Pg.194

VWGA-523A5-L12-B2-1G Pg.194

VWGA-523A5-L12-B2-1 Pg.194



VWGA-523A5-L12-W1-1G Pg.194

VWGA-523A5-L12-W1-1 Pg.194

VWGA-523A5-L12-BG-1 Pg.194



BUILDER GRADE CEILING FAN AC MOTOR

LAMONT · 52"

3 Blades

VWGA-523B-L12-SC-1 Pg.196

VWGA-523B-L12-BY-1 Pg.196

VWGA-523B-L12-B2-1 Pg.196



VWGA-523B-L12-W1-1 Pg.196

VWGA-523B-L12-W1-1G Pg.196



4 Blades

VWGA-524B-L12-B2-1 Pg.198

VWGA-524B-L12-B2-1G Pg.198



VWGA-524B-L12-SC-1 Pg.198

VWGA-524B-L12-W1-1 Pg.198



ACCESSORIES



SMART FUNCTION



Amazon Alexa

At Carro, we constantly introduce new features that allow our customers to experience the latest technology, like voice control! Ask Amazon Echo, Echo Dot, or any Alexa-enabled device to turn your fan and light on and off, change the fan speed, or dim the lights.



Google Assistant

Talk to Google Assistant and easily adjust your Carro fan settings. All it takes is a simple command:

- "Hey Google, turn on my bedroom ceiling fan."
- "Ok Google, turn the ceiling fan to Speed 3."
- "Hey Google, dim the lights to 50%."



Siri Shortcuts

Siri Shortcuts lets you easily control, adjust, and schedule your CARRO ceiling fan to your exact preferences, all with just a tap or voice command. Look for the "Add to Siri" button on the Carro Home App.

Remote Control



The CARRO remote control is universally compatible with all CARRO Smart Ceiling fans. Designed with simplicity and intuitiveness in mind, our remote offers multiple control settings while remaining easy to use. For added convenience, it comes with a wall bracket for straightforward installation.

- Modify the fan speed, alter the fan's direction, toggle between pre-set Nature and Sleep modes, control the light's on/off function, adjust brightness levels, and even change the light's color temperature.
- Swiftly and effortlessly sync the remote control with our CARRO fan. The remote operates with 2 x AAA batteries (not included), ensuring a convenient setup process.


Wall Control



The CARRO wall control works with all CARRO DC motor ceiling fans, providing a range of design options to suit diverse interior decor styles.

The CARRO hard-wired wall control presents a comprehensive set of features, incorporating a five-speed setting to maximize airflow, the flexibility to switch between forward and reverse fan directions for optimal air circulation, and effortless control over lighting settings, allowing for seamless adjustments in turning the lights on/off and dimming them as desired.

CARRO Home App




Elevate your Smart Life experience with our innovative CARRO App, available for direct download from the Android or iOS App Store.

Key features of the CARRO App include:


- Smartphone Control: Manage and adjust your fan settings from anywhere, at any time, providing remote access even when you're away from home.
- Simultaneous & Group Control: Effortlessly control multiple smart ceiling fans through a single, user-friendly application,
- Advanced Features: Utilize advanced timer and scheduling settings to automate your home's temperature and lighting, enhancing your overall comfort.
- Device Sharing: Share access and control of your smart ceiling fan devices with family members, fostering a seamless home environment.
- 5-Seamless Connection: Easily and swiftly connect the CARRO App to your ceiling fan, ensuring a hassle-free setup process.

CEILING FAN SMART SWITCH

Easy Setup on Carro App




Operation



SMART CONNECTION

Easy Setup on Carro App



- Note: The fan is OFF when the fan indicator light is GREEN.
The fan is ON when the fan indicator light is RED.
The switch is READY TO PAIR with the App when the fan indicator light is BLINKING.
- If you are unable to pair the switch with the App, press and hold "OFF" button for 8 seconds until the LEDs start blinking slowly. Then, pair the switch with the App again.
- Choose the AP mode to improve Wi-Fi connection when necessary.
Cleaning Tip: Use a damp cloth, DO NOT use chemical cleaners.



Experience the Power of Sustainability

Save energy and money with CARRO DC motor fans that are up to 75% more efficient than traditional AC motor fans.



1 Whisper-quiet motor

Enjoy powerful, silent, and energy-efficient airflow for comfortable cooling in the quietest environments.

2 High performance LED light

Our high-performance LED light kits offer more than 50,000 hours of fully dimmable lighting with adjustable Cool and Warm light temperatures.

Cutting Edge Technology

CARRO smart ceiling fans feature cutting-edge motor technology to deliver ultra-powerful and high-velocity airflow for comfort in any space. Thanks to the versatile LED light kits and advanced control features, you can also pre-set and customize your light temperature, brightness, fan speed, and airflow direction.



Reversible

Change the direction of your fan from downdraft mode during the summer to updraft mode during the winter for year-round comfort.



Mode

Select from pre-set Normal, Nature, and Sleep modes for the ideal breeze each time.



Timer

Set a convenient timer to have your fan automatically shut off after 1 to 8 hours.



Schedule

Schedule your fan to automatically turn on to precise settings at exact times for seamless integration with your daily routine.



AC

What is a AC motor?

What is a AC motor? AC (Alternating Current) motors are a stable and silent power source for many household appliances, including ceiling fans. Using an Alternating Current that revolves around a magnetic field, AC motors rotate at a synchronous speed for cooling and comfortable airflow options. Because AC motors are a trusted and widely used power source for ceiling fans, AC motor fans are available in a wide selection of designs and affordable price points. Most homes are equipped with the required wiring for AC fans, making the installation process quick and effortless. CARRO's premium AC motor ceiling fans offer 3-speed settings, reversible airflow options, and a stable and silent breeze for optimal comfort in any space.



DC

What is a DC motor?

What is a DC Motor? DC (Direct Current) motors have revolutionized the performance and design of modern ceiling fans. Powered by a Direct Current, DC motors feature high-startup power and torque while consuming less energy, perfect for keeping your space cool and energy spending low. Because DC motors are much more compact than traditional AC motors, the ceiling fan size and style options are endless! Installation and maintenance are simple; each CARRO DC ceiling fan features an AC adapter that eliminates the need to connect messy and complicated wiring. Designed for faster response times, 10-speed settings, smartphone and voice control options, unrivaled air velocities, and whisper-quiet airflow, CARRO DC ceiling fans are the best option to help keep your Smart Life in Motion.



SMART CEILING FAN

DC MOTOR

SMART CEILING FAN CONTROL OPTIONS



Google Home



Amazon Alexa



Siri Shortcuts



Smart App



Remote

FLETCHER

52" | 56" | 60" 3-BLADE



FLETCHER 52"|56"|60" 3-BLADE
Black/Black ABS Blades
VS523F-L12-B2-1
VS563F-L13-B2-1
VS603F-L13-B2-1








FLETCHER 52"|56"|60" 3-BLADE
White/White ABS Blades
VS523F-L12-W1-1
VS563F-L13-W1-1
VS603F-L13-W1-1

FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	26W
RPM	50-220
Airflow High Speed (CFM)	6300
Airflow Efficiency (CFM/W)	200
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 ABS Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1842
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Plastic



FLETCHER 56" 3-BLADE
Brushed Nickel/Black ABS Blades
VS563F-L13-S2-1

GARRICK

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Solid Wood Blades

MOTOR

Fan Wattage	27W
RPM	65-215
Airflow High Speed (CFM)	4900
Airflow Efficiency (CFM/W)	141
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



GARRICK 52" 3-BLADE
White/Whitewashing Solid Wood Blades
VS523F3-L12-WM1-1



GARRICK 52" 3-BLADE
Black/Antique Walnut Solid Wood Blades
VS523F3-L12-BM2-1



GARRICK 52" 3-BLADE
Black/Whitewashing Solid Wood Blades
VS523F3-L12-BM1-1



GARRICK 52" 3-BLADE
Brushed Nickel/Antique Walnut Solid Wood Blades
VS523F3-L12-SM2-1



GARRICK 52" 3-BLADE FLUSHMOUNT
White/Whitewashing Solid Wood Blades
VS523F3-L12-WM1-1-FM



GARRICK 52" 3-BLADE FLUSHMOUNT
Brushed Nickel/Antique Walnut Solid Wood Blades
VS523F3-L12-SM2-1-FM

VENA 52" 3-BLADE



VENA 52" 3-BLADE
VS523F2-L12-B2-1
Black/Black ABS Blades



VENA 52" 3-BLADE
VS523F2-L12-W1-1
White/White ABS Blades

JOURNEY

52" | 56" 5-BLADE



JOURNEY 52"|56" 5-BLADE
Brushed Nickel/Light Chestnut Plywood Blades
VS525H-L13-S6-1
VS565H-L13-S6-1



JOURNEY 52"|56" 5-BLADE
Gold/Cherrywood Plywood Blades
VS525H-L13-G3-1
VS565H-L13-G3-1



JOURNEY 52"|56" 5-BLADE
Black/Red Mahogany Plywood Blades
VS525H-L13-B9-1
VS565H-L13-B9-1









JOURNEY 52"|56" 5-BLADE
White/Light Chestnut Plywood Blades
VS525H-L13-W6-1
VS565H-L13-W6-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	30W
RPM	50-205
Airflow High Speed (CFM)	5000
Airflow Efficiency (CFM/W)	153
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	3576
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	40W	Light Shade	Glass



JOURNEY 52"|56" 5-BLADE
Black/Walnut Plywood Blades
VS525H-L13-B5-1
VS565H-L13-B5-1



JOURNEY 52"|56" 5-BLADE
White/Marble Plywood Blades
VS525H-L13-W7-1
VS565H-L13-W7-1

ELIRA

52" | 56" 5-BLADE



ELIRA 52" | 56" 5-BLADE
Black/Walnut Plywood Blades
VS525S-L13-B5-1
VS565S-L13-B5-1









ELIRA 52" | 56" 5-BLADE
White/Marble Plywood Blades
VS525S-L13-W7-1
VS565S-L13-W7-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	30W
RPM	50-220
Airflow High Speed (CFM)	5000
Airflow Efficiency (CFM/W)	136
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	3000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	40W	Light Shade	Plastic



ELIRA 52" | 56" 5-BLADE
Black/Cherrywood Blades
VS525S-L13-B3-1
VS565S-L13-B3-1

KIAMA

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	45-155
Airflow High Speed (CFM)	4600
Airflow Efficiency (CFM/W)	132
Energy Cost (Yearly)	\$6



KIAMA 52" 3-BLADE NO LIGHT
White/White Plywood Blades
VS523A-N10-W1-1A



KIAMA 52" 3-BLADE NO LIGHT
BLACK/BLACK Plywood Blades
VS523A-N10-B2-1A

KREIS 52" 3-BLADE FLUSHMOUNT



KREIS 52" 3-BLADE FLUSHMOUNT
Black with Gold/Black ABS Blades
VS523A1-L22-B2-1-FMA



KREIS 52" 3-BLADE FLUSHMOUNT
Black with Gold/Black ABS Blades
VS523A1-L12-B2-1-FMA

BEDFORD

52" 3-BLADE



BEDFORD 52" 3-BLADE
White with Gold/White Plywood Blades
VS523A3-L12-W1-1A

MERTON 52" 3-BLADE FLUSHMOUNT









MERTON 52" 3-BLADE FLUSHMOUNT
White/White Plywood Blades
VS523A4-L12-W1-1-FMA

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	65-195
Airflow High Speed (CFM)	4350
Airflow Efficiency (CFM/W)	125
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



MERTON 52" 3-BLADE FLUSHMOUNT
Black / Black Plywood Blades
VS523A4-L12-B2-1-FMA

NICOLET

52" 3-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Solid Wood Blades

MOTOR

Fan Wattage	22W
RPM	55-215
Airflow High Speed (CFM)	4600
Airflow Efficiency (CFM/W)	147
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



NICOLET 52" 3-BLADE FLUSHMOUNT
Brushed Nickel/Antique Walnut Solid Wood Blades
VS523A2-L12-SM2-1-FM



NICOLET 52" 3-BLADE FLUSHMOUNT
Black/Antique Walnut Solid Wood Blades
VS523A2-L12-BM2-1-FM



NICOLET 52" 3-BLADE FLUSHMOUNT
Black/Brown Solid Wood Blades
VS523A2-L12-BM4-1-FM



NICOLET 52" 3-BLADE
Brushed Nickel/Antique Walnut Solid Wood Blades
VS523A2-L12-SM2-1



NICOLET 52" 3-BLADE
Black/Light Brown Walnut Solid Wood Blades
VS523A2-L12-BM3-1



NICOLET 52" 3-BLADE
White/Whitewashing Solid Wood Blades
VS523A2-L12-WM1-1

KAJ

52" | 56" 3-BLADE









FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	24W
RPM	50-215
Airflow High Speed (CFM)	4500
Airflow Efficiency (CFM/W)	136
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2150
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Plastic



KAJ 52"|56" 3-BLADE
Black with Gold/Black Plywood Blades
VS523B-L12-B2-1G
VS563B-L12-B2-1G



KAJ 52"|56" 3-BLADE
Black/Black Plywood Blades
VS523B-L12-B2-1
VS563B-L12-B2-1



KAJ 52"|56" 3-BLADE
White/White Plywood Blades
VS523B-L12-W1-1
VS563B-L12-W1-1



KAJ 52"|56" 3-BLADE
White/Light Chestnut Plywood Blades
VS523B-L12-W6-1
VS563B-L12-W6-1



KAJ 52"|56" 3-BLADE
White/Marble Plywood Blades
VS523B-L12-W7-1
VS563B-L12-W7-1



KAJ 52"|56" 3-BLADE
Black/Walnut Plywood Blades
VS523B-L12-B5-1
VS563B-L12-B5-1

KAJ

52" 5-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	50-165
Airflow High Speed (CFM)	4500
Airflow Efficiency (CFM/W)	151
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2150
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



KAJ 52" 5-BLADE
White/Light Chestnut Plywood Blades
VS525B-L22-W6-1



KAJ 52" 5-BLADE
White/White Plywood Blades
VS525B-L22-W1-1



KAJ 52" 5-BLADE
White with Gold/White Plywood Blades
VS525B-L22-W1-1G



KAJ 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525B-L22-B2-1G



KAJ 52" 5-BLADE
Black/Black Plywood Blades
VS525B-L22-B2-1



KAJ 52" 5-BLADE
Black/Walnut Plywood Blades
VS525B-L22-B5-1



KAJ 52" 5-BLADE FLUSHMOUNT
Black/Walnut Plywood Blades
VS525B-L22-B5-1-FM



KAJ 52" 5-BLADE FLUSHMOUNT
Black/Black Plywood Blades
VS525B-L22-B2-1-FM



KAJ 52" 5-BLADE FLUSHMOUNT
Black/Barnwood Plywood Blades
VS525B-L22-BS-1-FM



KAJ 48"|52" 5-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VS485B-L22-B2-1G-FM
VS525B-L22-B2-1G-FM



KAJ 48"|52" 5-BLADE FLUSHMOUNT
White/White Plywood Blades
VS485B-L22-W1-1-FM
VS525B-L22-W1-1-FM

BRISA

52" | 56" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	18W
RPM	66-215
Airflow High Speed (CFM)	3784
Airflow Efficiency (CFM/W)	146
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



BRISA 52" | 56" 3-BLADE
White/White Plywood Blades
VS523B3-L22-W1-1
VS563B3-L22-W1-1



BRISA 52" | 56" 3-BLADE
White/Light Chestnut Plywood Blades
VSS523B3-L22-W6-1
VSS563B3-L22-W6-1



BRISA 52" | 56" 3-BLADE
Black/Walnut Plywood Blades
VS523B3-L22-B5-1
VS563B3-L22-B5-1



BRISA 52" | 56" 3-BLADE
Black with Gold/Black Plywood Blades
VS523B3-L22-B2-1G
VS563B3-L22-B2-1G

BRISA

52" | 56" 5-BLADE









FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	50-170
Airflow High Speed (CFM)	4400
Airflow Efficiency (CFM/W)	129
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



BRISA 52" 5-BLADE
Black/Barnwood Plywood Blades
VS525B3-L22-BS-1



BRISA 52" | 56" 5-BLADE
Black with Gold/Black Plywood Blades
VS525B3-L22-B2-1G
VS565B3-L22-B2-1G



BRISA 52" 5-BLADE
Black/Walnut Plywood Blades
VS525B3-L22-B5-1



BRISA 52" 5-BLADE
White/White Plywood Blades
VS525B3-L22-W1-1

SAVILI

52" 5-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	27W
RPM	50-170
Airflow High Speed (CFM)	4400
Airflow Efficiency (CFM/W)	142
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



SAVILI 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525B6-L12-B2-1G



SAVILI 52" 5-BLADE
White with Gold/White Plywood Blades
VS525B6-L12-W1-1G

PEYTON 52" 5-BLADE



PEYTON 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525B4-L12-B2-1G

STOCKTON 52" 5-BLADE



STOCKTON 52" 5-BLADE
White with Gold/White Plywood Blades
VS525B5-L11-W1-1G



STOCKTON 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525B5-L11-B2-1G



STOCKTON 52" 5-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VS525B5-L11-B2-1G-FM

SPEZIA

48" | 52" 3-BLADE FLUSHMOUNT



SPEZIA 48" | 52" 3-BLADE
Gold/Black ABS Blades
VS483P-L12-G2-1-FM
VS523P-L12-G2-1-FM



SPEZIA 48" | 52" 3-BLADE
White/White ABS Blades
VS483P-L12-W1-1-FM
VS523P-L12-W1-1-FM



SPEZIA 52" 3-BLADE
White/Light Wooden Pattern ABS Blades
VS523P-L22-WR-1-FM



SPEZIA 52" 3-BLADE
White/High-Quality Bamboo Blades
VS523P-L22-WQ-1-FM

FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	24W
RPM	50-150
Airflow High Speed (CFM)	5070
Airflow Efficiency (CFM/W)	188
Energy Cost (Yearly)	\$5




INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

LABELLE

52" 3-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Solid Wood Blades

MOTOR

Fan Wattage	22W
RPM	65-215
Airflow High Speed (CFM)	4770
Airflow Efficiency (CFM/W)	140
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



LABELLE 52" 3-BLADE FLUSHMOUNT
Brushed Nickel/Antique Walnut Solid Wood Blades
VS523P3-L12-SM2-1-FM



LABELLE 52" 3-BLADE FLUSHMOUNT
White/Whitewashing Solid Wood Blades
VS523P3-L12-WM1-1-FM

SPEZIA 52" 3-BLADE FLUSHMOUNT



SPEZIA 52" 3-BLADE FLUSHMOUNT
Black with Gold/Black ABS Blades
VS523P1-L22-B2-1-FMA



SPEZIA 52" 3-BLADE
White with Gold/White ABS Blades
VS523P2-L22-W1-1

ESPEAR

52" | 56" | 60" 5-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	50-205
Airflow High Speed (CFM)	4700
Airflow Efficiency (CFM/W)	159
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



ESPEAR 52"|56"|60" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS525J-L12-BG-1
VS565J-L12-BG-1
VS605J-L12-BG-1



ESPEAR 56"|60" 5-BLADE
White/White Plywood Blades
VS565J-L12-W1-1
VS605J-L12-W1-1



ESPEAR 52" 5-BLADE
White with Gold/White Plywood Blades
VS525J-L12-W1-1G



ESPEAR 52" 5-BLADE
Black/Walnut Plywood Blades
VS525J-L12-B5-1



ESPEAR 52" 5-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VS525J-L12-B2-1G-FM



ESPEAR 52" 5-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VS525J-L12-B2-1-FM



ESPEAR 52" 5-BLADE FLUSHMOUNT
Black/Barnwood Reversible
Other Wood Finishes Available
VS525J-L12-BG-1-FMA



ESPEAR 52" 5-BLADE FLUSHMOUNT
Black /Reversible Barnwood
and Walnut Plywood Blades
VS525J-L12-BG-1-FM



ESPEAR 52" 5-BLADE FLUSHMOUNT
White with Gold/
White Plywood Blades
VS525J-L12-W1-1G-FM

ASCENDER

48" | 52" | 56" | 60" 5-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	66-200
Airflow High Speed (CFM)	4631
Airflow Efficiency (CFM/W)	145
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	16W	Light Shade	Glass



ASCENDER 48"|52"|56"|60" 5-BLADE
White/White Plywood Blades

VS485J1-L11-W1-1
VS525J1-L11-W1-1
VS565J1-L11-W1-1
VS605J1-L11-W1-1



ASCENDER 52" 5-BLADE
Black/Walnut Plywood Blades

VS525J1-L11-B5-1



ASCENDER 48"|56"|60" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

VS485J1-L11-BG-1
VS565J1-L11-BG-1
VS605J1-L11-BG-1



ASCENDER 52" 5-BLADE
Black with Gold/Black Plywood Blades

VS525J1-L11-B2-1G

ASCENDER

48" | 52" 5-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	66-200
Airflow High Speed (CFM)	4631
Airflow Efficiency (CFM/W)	145
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	16W	Light Shade	Glass



ASCENDER 48"|52" 5-BLADE
White with Gold/White Plywood Blades
VS485J1-L11-W1-1G-FM
VS525J1-L11-W1-1G-FM



ASCENDER 52" 5-BLADE
White/White Plywood Blades
VS525J1-L11-W1-1-FM



ASCENDER 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525J1-L11-B2-1G-FM



ASCENDER 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525J1-L11-B2-1-FM



ASCENDER 52" 5-BLADE
Black with Gold/Barnwood Reversible
Other Wood Finishes Available
VS525J1-L11-BG-1-FMA



ASCENDER 52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS525J1-L21-BG-1-FM



ASCENDER 48"|52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS485J1-L11-BG-1-FM
VS525J1-L11-BG-1-FM

TRENTO

44" | 48" | 52" | 60" 3-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	55-215
Airflow High Speed (CFM)	4700
Airflow Efficiency (CFM/W)	148
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



TRENTO 44"|48"|52"|60" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

VS443Q-L12-BG-1
VS483Q-L12-BG-1
VS523Q-L12-BG-1
VS603Q-L12-BG-1



TRENTO 44"|48"|52" 3-BLADE
White/White Plywood Blades

VS443Q-L12-W1-1
VS483Q-L12-W1-1
VS523Q-L12-W1-1



TRENTO 48"|52" 3-BLADE
White/White Birchwood Blades

VS483Q-L12-WP-1
VS523Q-L12-WP-1



TRENTO 44"|48"|52" 3-BLADE
Brushed Nickel/Black Plywood Blades

VS443Q-L12-S2-1
VS483Q-L12-S2-1
VS523Q-L12-S2-1

PEARLA

52" 3-BLADE



PEARLA 52" 3-BLADE
White with Gold/White Plywood Blades
VS523Q4-L12-W1-1G



PEARLA 52" 3-BLADE
White/White Plywood Blades
VS523Q4-L12-W1-1









PEARLA 52" 3-BLADE
Black with Gold/Black Plywood Blades
VS523Q4-L12-B2-1G

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	65-215
Airflow High Speed (CFM)	4300
Airflow Efficiency (CFM/W)	126
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2200
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

FREMONT

48" | 52" 3-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	17W
RPM	50-215
Airflow High Speed (CFM)	3850
Airflow Efficiency (CFM/W)	149
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



FREMONT 48" | 52" 3-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VS483Q5-L12-B2-1-FM
VS523Q5-L12-B2-1-FM



FREMONT 48" | 52" 3-BLADE FLUSHMOUNT
White with Gold/White Plywood Blades
VS483Q5-L12-W1-1-FMA
VS523Q5-L12-W1-1-FMA



FREMONT 48" 3-BLADE
White with Gold/White Plywood Blades
VS483Q5-L12-W1-1A



FREMONT 48" | 52" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS483Q5-L12-BG-1
VS523Q5-L12-BG-1

FREMONT

48" | 52" 5-BLADE FLUSHMOUNT



FREMONT 48"|52" 5-BLADE
White/White Plywood Blades

VS485Q5-L12-W1-1-FM
VS525Q5-L12-W1-1-FM



FREMONT 48"|52" 5-BLADE
Black with Gold/Black Plywood Blades

VS485Q5-L12-B2-1-FM
VS525Q5-L12-B2-1-FM

DUBOIS 48" 5-BLADE FLUSHMOUNT



DUBOIS 48" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

VS485Q-L12-BG-1-FM



DUBOIS 48" 5-BLADE
White/White Plywood Blades


VS485Q-L12-W1-1-FM

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	17W
RPM	50-210
Airflow High Speed (CFM)	3300
Airflow Efficiency (CFM/W)	149
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

HOBART

48" 3-BLADE FLUSHMOUNT



HOBART 48" 3-BLADE FLUSHMOUNT
White/White Plywood Blades
VS483Q6-L12-W1-1-FM









HOBART 48" 3-BLADE FLUSHMOUNT
Black/Barnwood Reversible
Other Wood Finishes Available
VS483Q6-L12-BG-1-FM

FAN FEATURES 48"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	20W
RPM	50-215
Airflow High Speed (CFM)	4050
Airflow Efficiency (CFM/W)	151
Energy Cost (Yearly)	\$5

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



HOBART 48" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS483Q6-L12-BG-1

YORK

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	22W
RPM	85-215
Airflow High Speed (CFM)	4200
Airflow Efficiency (CFM/W)	134
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



YORK 52" 3-BLADE
Black/Black Plywood Blades
VS523Q7-L12-B2-1



YORK 52" 3-BLADE
White with Gold/White Plywood Blades
VS523Q7-L12-W1-1A



YORK 52" 3-BLADE FLUSHMOUNT
Black/Black Plywood Blades
VS523Q7-L12-B2-1-FM



YORK 52" 3-BLADE FLUSHMOUNT
White with Gold/White Plywood Blades
VS523Q7-L12-W1-1-FMA

DAFFODIL

45" 3-BLADE



DAFFODIL 45" 3-BLADE
White/White ABS Blades
VS453V-L12-W1-1



DAFFODIL 52" 3-BLADE
White/White ABS Blades
VS523V-L12-W1-1









DAFFODIL 52" 3-BLADE FLUSHMOUNT
White/White ABS Blades
VS523V-L12-W1-1-FM

FAN FEATURES 45"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	24W
RPM	50-205
Airflow High Speed (CFM)	4200
Airflow Efficiency (CFM/W)	135
Energy Cost (Yearly)	\$5

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 ABS Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Plastic

RYATT

45" 3-BLADE FLUSHMOUNT



RYATT 45" 3-BLADE
White/White ABS Blades
VS453V-L12-W1-1-FMA



RYATT 45" 3-BLADE
White/White ABS Blades
VS453V-L22-W1-1-FMA



RYATT 45" 3-BLADE
Black with Gold/Black ABS Blades
VS453V-L12-B2-1-FM








RYATT 45" 3-BLADE
Black with Gold/Black ABS Blades
VS453V-L22-B2-1-FM

FAN FEATURES 45"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	24W
RPM	50-205
Airflow High Speed (CFM)	4200
Airflow Efficiency (CFM/W)	135
Energy Cost (Yearly)	\$5

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 ABS Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

UPTON

45" 3-BLADE FLUSHMOUNT



UPTON 45" 3-BLADE
White/White ABS Blades
VS453V1-L12-B2-1-FM



UPTON 45" 3-BLADE
White/White ABS Blades
VS453V1-L12-W1-1-FM

RYNA 36" | 45" 3-BLADE FLUSHMOUNT



RYNA 36"|45" 3-BLADE
Black/Black ABS Blades
VS363V2-L12-B2-1-FM
VS453V2-L12-B2-1-FM




RYNA 36"|45" 3-BLADE
White/White ABS Blades
VS363V2-L12-W1-1-FM
VS453V2-L12-W1-1-FM

FAN FEATURES 45"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	23W
RPM	50-205
Airflow High Speed (CFM)	4400
Airflow Efficiency (CFM/W)	142
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Plastic

APPLETON

52" | 56" 5-BLADE



APPLETON 52"|56" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS525E-L12-BF-1
VS565E-L12-BF-1



APPLETON 52"|56" 5-BLADE
Black/Cherrywood Blades
VS525E-L12-B3-1
VS565E-L12-B3-1



APPLETON 52"|56" 5-BLADE
Black with Gold/Black Plywood Blades
VS525E-L12-B2-1G
VS565E-L12-B2-1G









APPLETON 52"|56" 5-BLADE
White/White Plywood Blades
VS525E-L12-W1-1
VS565E-L12-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	50-205
Airflow High Speed (CFM)	4900
Airflow Efficiency (CFM/W)	153
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1800
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

PALMER 52" 3-BLADE



PALMER 52" 3-BLADE
VS523E4-L12-BM2-1
Black/Antique Walnut Solid Wood Blades



PALMER 52" 3-BLADE
VS523E4-L12-SM2-1
Brushed Nickel/Antique Walnut Solid Wood Blades

TARRASA

52" 5-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	65-215
Airflow High Speed (CFM)	4300
Airflow Efficiency (CFM/W)	124
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	15W	Light Shade	Glass



TARRASA 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525E2-L11-B2-1G



TARRASA 52" 5-BLADE
White with Gold/White Plywood Blades
VS525E2-L11-W1-1G



TARRASA 52" 5-BLADE FLUSHMOUNT
VS525E2-L11-B2-1G-FM
Black with Gold/Black Plywood Blades

OLINDA 52" 5-BLADE



OLINDA 52" 5-BLADE
Black with Gold/Black Plywood Blades
VS525E3-L12-B2-1G



OLINDA 52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VS525E3-L12-BG-1



OLINDA 52" 5-BLADE
VS525E3-L12-W1-1G
White with Gold/White Plywood Blades



OLINDA 52" 5-BLADE FLUSHMOUNT
VS525E3-L12-B2-1G-FM
Black with Gold/Black Plywood Blades

ROQUE

44" 3-BLADE



ROQUE 44" 3-BLADE
Black/Black ABS Blades
VS443N2-L12-B2-1




ROQUE 44" 3-BLADE
White/White ABS Blades
VS443N2-L12-W1-1

FAN FEATURES 44"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	26W
RPM	55-215
Airflow High Speed (CFM)	4400
Airflow Efficiency (CFM/W)	114
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

TOULON 52" 3-BLADE



TOULON 52" 3-BLADE
Black/Black ABS Blades
VS523N1-L12-B2-1



TOULON 52" 3-BLADE
White/White ABS Blades
VS523N1-L12-W1-1

PORTER

44" | 48" 3-BLADE FLUSHMOUNT



FAN FEATURES 44"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	26W
RPM	55-215
Airflow High Speed (CFM)	4400
Airflow Efficiency (CFM/W)	114
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	15W	Light Shade	Glass



PORTER 44"|48" 3-BLADE FLUSHMOUNT
Black/Black ABS Blades
VS443N2-L11-B2-1-FM
VS483N2-L11-B2-1-FM



PORTER 44"|48" 3-BLADE FLUSHMOUNT
White/White ABS Blades
VS443N2-L11-W1-1-FM
VS483N2-L11-W1-1-FM

MADRID 52" 3-BLADE



MADRID 52" 3-BLADE FLUSHMOUNT
Black/Black ABS Blades
VS523N1-L11-B2-1-FM



MADRID 52" 3-BLADE FLUSHMOUNT
White/White ABS Blades
VS523N1-L11-W1-1-FM

ATTICUS 52" 3-BLADE



ATTICUS 52" 3-BLADE
Black with Gold/Black ABS Blades
VS523N-L12-B2-1A



ATTICUS 52" 3-BLADE
White with Gold/White ABS Blades
VS523N-L12-W1-1A



ATTICUS 52" 3-BLADE FLUSHMOUNT
Black with Gold/Black ABS Blades
VS523N-L12-B2-1A-FM

DENVER

52" 3-BLADE FLUSHMOUNT



FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	26W
RPM	50-185
Airflow High Speed (CFM)	4890
Airflow Efficiency (CFM/W)	140
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2000
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



DENVER 52" 3-BLADE FLUSHMOUNT
VS523N6-L12-B2-1-FM
Black/Black ABS Blades



KENSEE 44" 3-BLADE FLUSHMOUNT
VS443N5-L12-B2-1-FM
Black/Black ABS Blades



AKRON 48" 3-BLADE
VS483N3-L11-BM3-1
Black/Dark Brown Walnut Solid Wood Blades



AKRON 52" 3-BLADE FLUSHMOUNT
VS523N3-L11-SM2-1-FM
Brushed Nickel/Antique Walnut Solid Wood Blades



AURORA 52" 3-BLADE FLUSHMOUNT
VS523N4-L11-B2-1-FM
Black/Black ABS Blades



AURORA 52" 3-BLADE FLUSHMOUNT
VS523N4-L11-W1-1-FM
White/White ABS Blades

CRANSTON

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	18W
RPM	50-170
Airflow High Speed (CFM)	5350
Airflow Efficiency (CFM/W)	220
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1915
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass



CRANSTON 52" 3-BLADE
Black/Black ABS Blades
VS523K-L12-B2-1



CRANSTON 52" 3-BLADE
White/White ABS Blades
VS523K-L12-W1-1



CRANSTON 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
VS523K-N10-B2-1



CRANSTON 52" 3-BLADE NO LIGHT
White/White ABS Blades
VS523K-N10-W1-1

CALEN

48" | 52" | 56" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	27W
RPM	65-215
Airflow High Speed (CFM)	4500
Airflow Efficiency (CFM/W)	133
Energy Cost (Yearly)	\$6



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	15W	Light Shade	Glass



CALEN 48"|52"|56" 3-BLADE
White with Gold/White ABS Blades
VS483J3-L11-W1-1G
VS523J3-L11-W1-1G
VS563J3-L11-W1-1G



CALEN 48"|52"|56" 3-BLADE
White/White ABS Blades
VS483J3-L11-W1-1
VS523J3-L11-W1-1
VS563J3-L11-W1-1



CALEN 48"|52"|56" 3-BLADE
Black with Gold/Black Plywood Blades
VS483J3-L11-B2-1G
VS523J3-L11-B2-1G
VS563J3-L11-B2-1G



CALEN 48"|52" 3-BLADE
Black/Barnwood Blades
VS483J3-L11-BS-1
VS523J3-L11-BS-1

CALEN

44" | 48" | 52" 3-BLADE FLUSHMOUNT









FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	21W
RPM	65-215
Airflow High Speed (CFM)	4500
Airflow Efficiency (CFM/W)	153
Energy Cost (Yearly)	\$6

 LED Light Warm Light & Cool Light	 Nature Mode (Natural Breeze)	 10 Speed Options
 Forward/Reverse Fan Direction	 High-quality Plywood Fan Blades	 Damp Location

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimming	Dimmable from 10%-100%, Integrated	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	15W	Light Shade	Glass



CALEN 44"|48"|52" 3-BLADE FLUSHMOUNT
Black/Barnwood Plywood Blades

VS443J3-L11-BS-1-FM
VS483J3-L11-BS-1-FM
VS523J3-L11-BS-1-FM



CALEN 44"|48"|52" 3-BLADE FLUSHMOUNT
White with Gold/White Plywood Blades

VS443J3-L11-W1-1-FMA
VS483J3-L11-W1-1-FMA
VS523J3-L11-W1-1-FMA



CALEN 48" 3-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades

VS483J3-L11-W1-1-FM

SOLASTA 52" 5-BLADE



SOLASTA 52" 5-BLADE
Black/Walnut Plywood Blades

VS523W-L12-B5-1



SMART CEILING FAN --- AC MOTOR

SMART CEILING FAN CONTROL OPTIONS



Google Home



Amazon Alexa



Siri Shortcuts




Smart App



Smart Switch

NEVA

48" | 52" 4-BLADE



NEVA 48" | 52" 4-BLADE
Gold/Black Plywood Blades
VWGS-484C-L11-G2-1
VWGS-524C-L11-G2-1



NEVA 48" | 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
VWGS-484C-L11-SC-1
VWGS-524C-L11-SC-1




NEVA 48" | 52" 4-BLADE
White/White Plywood Blades
VWGS-484C-L11-W1-1
VWGS-524C-L11-W1-1

FAN FEATURES 48"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	60W
RPM	60-150
Airflow High Speed (CFM)	4300
Airflow Efficiency (CFM/W)	80
Energy Cost (Yearly)	\$11



LED Light Warm Light



High-Quality Plywood Fan Blades



3 Speed Options




Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1947.1
		Color Temperature	3000K Warm Light
Power	20W	Light Shade	Glass

RAIDEN

48" | 52" 3-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	50W
RPM	81-182
Airflow High Speed (CFM)	3462
Airflow Efficiency (CFM/W)	77
Energy Cost (Yearly)	\$9



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1062
		Color Temperature	3000K Warm Light
Power	18W	Light Shade	Glass



RAIDEN 48" | 52" 3-BLADE
White/White Plywood Blades
VWGS-483B-L11-W1-1
VWGS-523B-L11-W1-1



RAIDEN 48" | 52" 3-BLADE
Gold/Black Plywood Blades
VWGS-483B-L11-G2-1
VWGS-523B-L11-G2-1



RAIDEN 48" | 52" 3-BLADE
Brushed Nickel/Black Plywood Blades
VWGS-483B-L11-S2-1
VWGS-523B-L11-S2-1



RAIDEN 48" | 52" 3-BLADE
Brushed Nickel/
Light Chestnut Plywood Blades
VWGS-483B-L11-S6-1
VWGS-523B-L11-S6-1

RAIDEN

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	50W
RPM	82-193
Airflow High Speed (CFM)	3992
Airflow Efficiency (CFM/W)	56
Energy Cost (Yearly)	\$9



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1050
		Color Temperature	3000K Warm Light
Power	18W	Light Shade	Glass



RAIDEN 52" 3-BLADE
Brushed Nickel/Gray Pine Plywood Blades
VWGS-523A-L11-S3-1



RAIDEN 52" 3-BLADE
Brushed Nickel/Reversible Gray Pine
and Silver Plywood Blades
VWGS-523A-L11-S4-1




RAIDEN 52" 3-BLADE
Brushed Nickel/Reversible Gray Pine
and Black Plywood Blades
VWGS-523A-L11-SM-1



RAIDEN 52" 3-BLADE
Black with Gold/Black Plywood Blades
VWGS-523A-L11-B2-1G

AERYN

52" 3-BLADE




Google Home Amazon Alexa Siri Shortcuts Smart App Smart Switch

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	60W
RPM	130-250
Airflow High Speed (CFM)	5290
Airflow Efficiency (CFM/W)	96
Energy Cost (Yearly)	\$11



High-Quality Plywood Fan Blades



3 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Lumens	1947.1	Color Temperature	3000K Warm Light
Power	20W	Light Shade	Glass



AERYN 52" 3-BLADE
White and Gold/Champagne Plywood Blades
VWGS-523A1-L12-WL-1



AERYN 52" 3-BLADE
Oil Rubbed Bronze/ Walnut Plywood Blades
VWGS-523A1-L12-B5-1

SIMOY 52" 5-BLADE



SIMOY 52" 5-BLADE
Black with Gold/Black Plywood Blades
VWGS-525A2-L11-B2-1G



SIMOY 52" 5-BLADE
White/Reversible White and Driftwood Plywood Blades
VWGS-525A2-L11-WN-1

HELSTON

52" 5-BLADE




Google Home Amazon Alexa Siri Shortcuts Smart App Smart Switch

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	50W
RPM	82-193
Airflow High Speed (CFM)	3992
Airflow Efficiency (CFM/W)	56
Energy Cost (Yearly)	\$9



High-Quality Plywood Fan Blades



3 Speed Options



Forward/Reverse Fan Direction

LIGHT KIT

Light 5 x E26 Bulb Base, (5 x Max 25W, Bulb Not Included)

Power	25W	Light Source	Bulb
-------	-----	--------------	------



HELSTON 52" 5-BLADE
Black/Reversible Drak Cocoa Bean
and Light Cocoa Bean Plywood blades
VWGS-525D-L12-BB-1



HELSTON 52" 5-BLADE
Black/Reversible Walnut
and Rosewood Plywood Blades
VWGS-525D-L12-B5-1


PALOMA 42" 3-BLADE RETRACTABLE



PALOMA 42" 3-BLADE
Black/Brown PC Blades
VWGS-423D1-L11-BK-1

EUNOIA

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	60W
RPM	214
Airflow High Speed (CFM)	4657
Airflow Efficiency (CFM/W)	78
Energy Cost (Yearly)	\$11



High-Quality Plywood Fan Blades



3 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Lumens	1947.1	Color Temperature	3000K Warm Light
Power	20W	Light Shade	Glass



EUNOIA 52" 3-BLADE
White/White Plywood Blades
VWGS-523F-L12-W1-1



EUNOIA 52" 3-BLADE
Black with Silver/Black Plywood Blades
VWGS-523F-L12-B2-1

ARLINGTON 52" 4-BLADE FLUSHMOUNT



ARLINGTON 52" 4-BLADE FLUSHMOUNT
Black with Gold/Black Plywood Blades
VWGS-524G-L12-B2-1FM



ARLINGTON 52" 4-BLADE FLUSHMOUNT
White/White Plywood Blades
VWGS-524G-L12-W1-1FM



CEILING FAN

DC MOTOR

CEILING FAN CONTROL OPTIONS



- Control both fan and light.
- Simple and intuitive design with standard layout.
- Easy time scheduling and multifunctional features.

SANTANA

52" 3-BLADE



SANTANA 52" 3-BLADE
Black / Black Plywood Blades
CFR523E5-L12-B2-1



SANTANA 52" 3-BLADE
Brushed Nickel/Black Plywood Blades
CFR523E5-L12-S2-1



SANTANA 52" 3-BLADE
White/White Plywood Blades
CFR523E5-L12-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	22W
RPM	70-215
Airflow High Speed (CFM)	4960
Airflow Efficiency (CFM/W)	189
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	2116
Dimmig	Dimmable from 10%-100%, 10 Levels	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	22W	Light Shade	Glass

SANTANA

52" 4-BLADE



SANTANA 52" 4-BLADE
Black / Black Plywood Blades
CFR524E5-L11-B2-1



SANTANA 52" 4-BLADE
Brushed Nickel/Black Plywood Blades
CFR524E5-L11-S2-1



SANTANA 52" 4-BLADE
White/White Plywood Blades
CFR524E5-L11-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	22W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	211
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimmig	Dimmable from 10%-100%, 10 Levels	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	16W	Light Shade	Glass

SANTANA

52" 5-BLADE



SANTANA 52" 5-BLADE
Black / Black PlywoAod Blades
CFR525E5-L11-B2-1



SANTANA 52" 5-BLADE
Brushed Nickel/Black Plywood Blades
CFR525E5-L11-S2-1



SANTANA 52" 5-BLADE
White/White Plywood Blades
CFR525E5-L11-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	24W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	187
Energy Cost (Yearly)	\$4



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	1300
Dimmig	Dimmable from 10%-100%, 10 Levels	Color Temperature	3500K (2700K Warm Light/4000K Cool Light)
Power	16W	Light Shade	Glass

SKARA

52" 3-BLADE FLUSHMOUNT



SKARA 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
CFR523P-N10-G2-1-FM



SKARA 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFR523P-N10-W1-1-FM

FAN FEATURES 52"


- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	24W
RPM	55-155
Airflow High Speed (CFM)	5070
Airflow Efficiency (CFM/W)	250
Energy Cost (Yearly)	\$4




DC Motor



ABS Fan Blades



10 Speed Options



Forward/Reverse Fan Direction

DALBY 52" 3-BLADE FLUSHMOUNT



DALBY 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFR523P1-N20-W1-1-FM

STANLEY

44" | 60" 3-BLADE FLUSHMOUNT



STANLEY 44"|60" 3-BLADE NO LIGHT
 White/Light Wooden
 Pattern Plywood Blades
 CFR443Q-N10-WP-1-FM
 CFR603Q-N10-WP-1-FM



STANLEY 44"|48"|60" 3-BLADE NO LIGHT
 Black/Barnwood Reversible
 Other Wood Finishes Available
 CFR443Q-N10-BG-1-FM
 CFR483Q-N10-BG-1-FM
 CFR603Q-N10-BG-1-FM



STANLEY 48" 3-BLADE NO LIGHT
 White/White Plywood Blades
 CFR483Q-N10-W1-1-FM

FAN FEATURES 44"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	15W
RPM	80-250
Airflow High Speed (CFM)	2765
Airflow Efficiency (CFM/W)	171
Energy Cost (Yearly)	\$3




DC Motor



High-quality
Plywood Fan Blades



10 Speed Options



Forward/Reverse
Fan Direction

LURGAN

60" 5-BLADE



FAN FEATURES 60"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	60-155
Airflow High Speed (CFM)	4900
Airflow Efficiency (CFM/W)	182
Energy Cost (Yearly)	\$5




DC Motor



High-quality Plywood Fan Blades



10 Speed Options



Forward/Reverse Fan Direction



LURGAN 60" 5-BLADE NO LIGHT
White/Light Wooden
Pattern Plywood Blades
CFR605J1-N10-WP-1



LURGAN 60" 5-BLADE NO LIGHT
Black/Barnwood Reversible
Other Wood Finishes Available
CFR605J1-N10-BG-1



LURGAN 52" 5-BLADE FLUSHMOUNT NO LIGHT
White/Light Wooden
Pattern Plywood Blades
CFR525J1-N10-WP-1-FM



LURGAN 52" 5-BLADE FLUSHMOUNT NO LIGHT
Black/Barnwood Reversible
Other Wood Finishes Available
CFR525J1-N10-BG-1-FM

DUNKIRK

52" 5-BLADE FLUSHMOUNT



**DUNKIRK 52" 5-BLADE
FLUSHMOUNT NO LIGHT**
White/White Plywood Blades
CFR525J-N10-W1-1-FM



**DUNKIRK 52" 5-BLADE
FLUSHMOUNT NO LIGHT**
Black/Barnwood Reversible
Other Wood Finishes Available
CFR525J-N10-BG-1-FM



DUNKIRK 60" 5-BLADE NO LIGHT
White/White Plywood Blades
CFR605J-N10-W1-1



DUNKIRK 60" 5-BLADE NO LIGHT
Black/Barnwood Reversible
Other Wood Finishes Available
CFR605J-N10-BG-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	50-205
Airflow High Speed (CFM)	4750
Airflow Efficiency (CFM/W)	177
Energy Cost (Yearly)	\$5




DC Motor



High-quality
Plywood Fan Blades



10 Speed Options



Forward/Reverse
Fan Direction

CAERUS

44" 3-BLADE FLUSHMOUNT



**CAERUS 44" 3-BLADE
FLUSHMOUNT NO LIGHT**
White/ White ABS Blades
CFR443N2-N10-W1-1-FM



**ISOLA 52" 3-BLADE
FLUSHMOUNT NO LIGHT**
White/ White ABS Blades
CFR523N4-N10-W1-1-FM

WESTBURY 52" 3-BLADE



WESTBURY 52" 3-BLADE
White/Solid Wood Whitewash Blades
CFR523M-L11-WM1-1



WESTBURY 52" 3-BLADE
White/Solid Wood Whitewash Blades
CFR523M-L11-BM2-1

FAN FEATURES 44"

- Sturdy Construction
- ABS Blades

MOTOR

Fan Wattage	22W
RPM	70-200
Airflow High Speed (CFM)	3480
Airflow Efficiency (CFM/W)	166
Energy Cost (Yearly)	\$4




DC Motor



ABS Fan Blades



10 Speed Options



Forward/Reverse
Fan Direction



WESTBURY 52" 3-BLADE NO LIGHT
White/Solid Wood Whitewash Blades
CFR523M-N10-WM1-1

KENORA

48" 3-BLADE



KENORA 48" 3-BLADE
Black with Gold/Black Blades
CFR483A-L12-B2-1G



KENORA 48" 3-BLADE
White with Gold/White Blades
CFR483A-L12-W1-1G

FAN FEATURES 48"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	105-190
Airflow High Speed (CFM)	4900
Airflow Efficiency (CFM/W)	150
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	882
Power	18W	Color Temperature	4000K (3000K Warm Light/6000K Cool Light)
		Light Shade	Plastic

KARSYN 52" 3-BLADE



KARSYN 52" 3-BLADE NO LIGHT
White/White Plywood Blades
CFR523A-N10-W1-1A



KARSYN 52" 3-BLADE NO LIGHT
Black/Black Plywood Blades
CFR523A-N10-B2-1A

MADDOX

52" 3-BLADE



MADDOX 52" 3-BLADE
White/Light Wooden
Pattern Plywood Blades
CFR523B-L12-WT-1



MADDOX 52" 3-BLADE
Black/Barnwood Plywood Blades
CFR523B-L12-BS-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	26W
RPM	90-175
Airflow High Speed (CFM)	6300
Airflow Efficiency (CFM/W)	169
Energy Cost (Yearly)	\$5



INTEGRATED LED LIGHT KIT

Light	Integrated LED	Lumens	800
		Color Temperature	4000K (3000K Warm Light/6000K Cool Light)
Power	18W	Light Shade	Glass

OBERON 56" 3-BLADE



OBERON 56" 3-BLADE NO LIGHT
White/White Metal Blades
CFR563Z1-N10-W1-1

LEON 44" 3-BLADE FLUSHMOUNT




**LEON 44" 3-BLADE
FLUSHMOUNT NO LIGHT**
White/White Plywood Blades
CFR443J3-N10-W1-1-FM



BUILDER GRADE CEILING FAN

DC MOTOR

CEILING FAN CONTROL OPTIONS



Pull Chain (Standard) Wall Control (Optional) Remote Control (Optional)




Wall Control Remote Control

- Simple and intuitive design with standard layout.
- Multifunctional remote: fan speed control, fan forward/reverse direction, fan on/off, light brightness adjustment, warm/cool light switch, light on/off.

ASCOTT

52" 3-BLADE



Pull Chain (Standard) Wall Control (Optional) Remote Control (Optional)

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	70-215
Airflow High Speed (CFM)	4960
Airflow Efficiency (CFM/W)	230
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3500K Warm Light, 5 Levels Dimming	Lumens	2116
		Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
Power	22W	Light Shade	Glass



ASCOTT 52" 3-BLADE
Black/Black Plywood Blades
CFP523E5-L12-B2-1



ASCOTT 52" 3-BLADE NO LIGHT
Black/Black Plywood Blades
CFP523E5-N10-B2-1



ASCOTT 52" 3-BLADE
Brushed Nickel/Black Plywood Blades
CFP523E5-L12-S2-1



ASCOTT 52" 3-BLADE NO LIGHT
Brushed Nickel/Black Plywood Blades
CFP523E5-N10-S2-1




ASCOTT 52" 3-BLADE
White/White Plywood Blades
CFP523E5-L12-W1-1



ASCOTT 52" 3-BLADE NO LIGHT
White/White Plywood Blades
CFP523E5-N10-W1-1

ASCOTT

52" 4-BLADE



ASCOTT 52" 4-BLADE
Black/Black Plywood Blades
CFP524E5-L11-B2-1



ASCOTT 52" 4-BLADE NO LIGHT
Black/Black Plywood Blades
CFP524E5-N10-B2-1



ASCOTT 52" 4-BLADE
Brushed Nickel/Black Plywood Blades
CFP524E5-L11-S2-1



ASCOTT 52" 4-BLADE NO LIGHT
Brushed Nickel/Black Plywood Blades
CFP524E5-N10-S2-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	211
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	18W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass




ASCOTT 52" 4-BLADE
White/White Plywood Blades
CFP524E5-L11-W1-1



ASCOTT 52" 4-BLADE NO LIGHT
White/White Plywood Blades
CFP524E5-N10-W1-1

ASCOTT

52" 5-BLADE



FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	24W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	187
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass



ASCOTT 52" 5-BLADE
Black/Black Plywood Blades
CFP525E5-L11-B2-1



ASCOTT 52" 5-BLADE NO LIGHT
Black/Black Plywood Blades
CFP525E5-N10-B2-1



ASCOTT 52" 5-BLADE
Brushed Nickel/Black Plywood Blades
CFP525E5-L11-S2-1



ASCOTT 52" 5-BLADE NO LIGHT
Brushed Nickel/Black Plywood Blades
CFP525E5-N10-S2-1




ASCOTT 52" 5-BLADE
White/White Plywood Blades
CFP525E5-L11-W1-1



ASCOTT 52" 5-BLADE NO LIGHT
White/White Plywood Blades
CFP525E5-N10-W1-1

MALTA

52" 3-BLADE



MALTA 52" 3-BLADE
Black/Black Plywood Blades
CFP523E6-L12-B2-1



MALTA 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades
CFP523E6-L12-S2-1



MALTA 52" 3-BLADE
White/White Plywood Blades
CFP523E6-L12-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	70-215
Airflow High Speed (CFM)	4960
Airflow Efficiency (CFM/W)	230
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options




Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3500K Warm Light, 5 Levels Dimming	Lumens	2116
Power	22W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass

MALTA

52" 4-BLADE



MALTA 52" 4-BLADE
Black/Black Plywood Blades
CFP524E6-L11-B2-1



MALTA 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
CFP524E6-L11-S2-1



MALTA 52" 4-BLADE
White/White Plywood Blades
CFP524E6-L11-W1-1

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	211
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options




Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass

MALTA

52" 5-BLADE



MALTA 52" 5-BLADE
Black/Black Plywood Blades
CFP525E6-L11-B2-1



MALTA 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
CFP525E6-L11-S2-1



MALTA 52" 5-BLADE
White/White Plywood Blades
CFP525E6-L11-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	24W
RPM	70-200
Airflow High Speed (CFM)	4040
Airflow Efficiency (CFM/W)	168
Energy Cost (Yearly)	\$4

DC


DC Motor



4000K Cool Light



5 Speed Options




Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass

GREENWOOD

48" | 52" 3-BLADE



GREENWOOD 48" | 52" 3-BLADE
 Black/Barnwood Reversible
 Other Wood Finishes Available
 CFP483Q5-L11-BG-1
 CFP523Q5-L11-BG-1



GREENWOOD 48" | 52" 3-BLADE
 Brushed Nickel/Silver Plywood Blades
 CFP483Q5-L11-SJ-1
 CFP523Q5-L11-SJ-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	17W
RPM	50-215
Airflow High Speed (CFM)	3850
Airflow Efficiency (CFM/W)	226

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT


Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



GREENWOOD 48" | 52" 3-BLADE
 White/Whitewash Plywood Blades
 CFP483Q5-L11-WM-1
 CFP523Q5-L11-WM-1

GREENWOOD

48" | 52" 3-BLADE FLUSHMOUNT



Pull Chain (Standard) Wall Control (Optional) Remote Control (Optional)

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	21W
RPM	80-230
Airflow High Speed (CFM)	3300
Airflow Efficiency (CFM/W)	149




DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	18W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



GREENWOOD 48" | 52" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

CFP483Q5-L11-BG-1-FM
CFP523Q5-L11-BG-1-FM



GREENWOOD 48" | 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades

CFP483Q5-L11-SJ-1-FM
CFP523Q5-L11-SJ-1-FM



GREENWOOD 48" | 52" 3-BLADE
White/Whitewash Plywood Blades

CFP483Q5-L11-WM-1-FM
CFP523Q5-L11-WM-1-FM




GREENWOOD 48" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

CFP483Q5-L11-BG-1-FMA

GREENWOOD

48" | 52" 4-BLADE



GREENWOOD 48" | 52" 4-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available

CFP484Q5-L11-BG-1
CFP524Q5-L11-BG-1



GREENWOOD 48" | 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades

CFP484Q5-L11-SJ-1
CFP524Q5-L11-SJ-1

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	50-210
Airflow High Speed (CFM)	3750
Airflow Efficiency (CFM/W)	170

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass




GREENWOOD 48" | 52" 4-BLADE
White/Whitewash Plywood Blades

CFP484Q5-L11-WM-1
CFP524Q5-L11-WM-1

GREENWOOD

48" | 52" 4-BLADE FLUSHMOUNT



GREENWOOD 48" | 52" 4-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
CFP484Q5-L11-BG-1-FM
CFP524Q5-L11-BG-1-FM



GREENWOOD 48" | 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
CFP484Q5-L11-SJ-1-FM
CFP524Q5-L11-SJ-1-FM

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	22W
RPM	50-215
Airflow High Speed (CFM)	3850
Airflow Efficiency (CFM/W)	179

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT


Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



GREENWOOD 48" | 52" 4-BLADE
White/Whitewash Plywood Blades
CFP484Q5-L11-WM-1-FM
CFP524Q5-L11-WM-1-FM

GREENWOOD

48" | 52" 5-BLADE



GREENWOOD 48" | 52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
CFP485Q5-L11-BG-1
CFP525Q5-L11-BG-1



GREENWOOD 48" | 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
CFP485Q5-L11-SJ-1
CFP525Q5-L11-SJ-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	27W
RPM	50-210
Airflow High Speed (CFM)	3750
Airflow Efficiency (CFM/W)	138

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT


Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



GREENWOOD 48" | 52" 5-BLADE
White/Whitewash Plywood Blades
CFP485Q5-L11-WM-1
CFP525Q5-L11-WM-1

GREENWOOD

48" | 52" 5-BLADE FLUSHMOUNT



GREENWOOD 48" | 52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
CFP485Q5-L11-BG-1-FM
CFP525Q5-L11-BG-1-FM



GREENWOOD 48" | 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
CFP485Q5-L11-SJ-1-FM
CFP525Q5-L11-SJ-1-FM



GREENWOOD 48" | 52" 5-BLADE
White/Whitewash Plywood Blades
CFP485Q5-L11-WM-1-FM
CFP525Q5-L11-WM-1-FM

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	27W
RPM	50-210
Airflow High Speed (CFM)	3750
Airflow Efficiency (CFM/W)	139

DC


DC Motor



4000K Cool Light



5 Speed Options




Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass

VALENCIA

52" 5-BLADE



Pull Chain (Standard) Wall Control (Optional) Remote Control (Optional)

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	27W
RPM	65-215
Airflow High Speed (CFM)	4300
Airflow Efficiency (CFM/W)	160

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



VALENCIA 52" 5-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
CFP525E2-L11-BG-1



VALENCIA 52" 5-BLADE NO LIGHT
Black/Barnwood Reversible
Other Wood Finishes Available
CFP525E2-N10-BG-1



VALENCIA 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
CFP525E2-L11-SJ-1



VALENCIA 52" 5-BLADE NO LIGHT
Brushed Nickel/Silver Plywood Blades
CFP525E2-N10-SJ-1



VALENCIA 52" 5-BLADE
White/Whitewash Plywood Blades
CFP525E2-L11-WM-1



VALENCIA 52" 5-BLADE NO LIGHT
White/Whitewash Plywood Blades
CFP525E2-N10-WM-1

RYKER

52" 5-BLADE



RYKER 52" 5-BLADE
Black/Reversible Barnwood
and Walnut Plywood Blades
CFP525B5-L11-BG-1



RYKER 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
CFP525B5-L11-SJ-1



RYKER 52" 5-BLADE
White/Whitewash Plywood Blades
CFP525B5-L11-WM-1

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	27W
RPM	65-200
Airflow High Speed (CFM)	4270
Airflow Efficiency (CFM/W)	158

DC


DC Motor



5 Speed Options



4000K Cool Light




Forward/Reverse
Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light /3500K Warm Light /4000K Cool Light
		Light Shade	Glass

REXTON

52" 3-BLADE



FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR


Fan Wattage	26W
RPM	45-165
Airflow High Speed (CFM)	4580
Airflow Efficiency (CFM/W)	176

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



REXTON 52" 3-BLADE
Black/Black ABS Blades
CFP523N-L11-B2-1



REXTON 52" 3-BLADE
White/White ABS Blades
CFP523N-L11-W1-1




REXTON 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
CFP523N-N10-B2-1



REXTON 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFP523N-N10-W1-1

MORGAN

52" 3-BLADE FLUSHMOUNT



FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR


Fan Wattage	26W
RPM	45-165
Airflow High Speed (CFM)	4580
Airflow Efficiency (CFM/W)	176

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



MORGAN 52" 3-BLADE
Black/Black ABS Blades
CFP523N1-L11-B2-1-FM



MORGAN 52" 3-BLADE
White/White ABS Blades
CFP523N1-L11-W1-1-FM




MORGAN 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
CFP523N1-N10-B2-1-FM



MORGAN 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFP523N1-N10-W1-1-FM

FORMOSA

44" 3-BLADE FLUSHMOUNT



Pull Chain (Standard) Wall Control (Optional) Remote Control (Optional)

FAN FEATURES 44"

- Sturdy Construction
- ABS Blades

MOTOR


Fan Wattage	17W
RPM	50-215
Airflow High Speed (CFM)	4000
Airflow Efficiency (CFM/W)	235

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



FORMOSA 52" 3-BLADE
Black/Black ABS Blades
CFP443N2-L11-B2-1-FM



FORMOSA 52" 3-BLADE
White/White ABS Blades
CFP443N2-L11-W1-1-FM




FORMOSA 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
CFP443N2-N10-B2-1-FM



FORMOSA 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFP443N2-N10-W1-1-FM

HAVEN

52" 3-BLADE FLUSHMOUNT



FAN FEATURES 52"

- Sturdy Construction
- ABS Blades

MOTOR


Fan Wattage	17W
RPM	50-170
Airflow High Speed (CFM)	4000
Airflow Efficiency (CFM/W)	235

DC


DC Motor



4000K Cool Light



5 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Light Source (Standard Feature)	3000K Warm Light, 5 Levels Dimming	Lumens	1300
Power	16W	Color Temperature (Optional Feature)	2700K Yellow Light / 3500K Warm Light / 4000K Cool Light
		Light Shade	Glass



HAVEN 52" 3-BLADE
Black/Black ABS Blades
CFP523N4-L11-B2-1-FM



HAVEN 52" 3-BLADE
White/White ABS Blades
CFP523N4-L11-W1-1-FM



HAVEN 52" 3-BLADE NO LIGHT
Black/Black ABS Blades
CFP523N4-N10-B2-1-FM



HAVEN 52" 3-BLADE NO LIGHT
White/White ABS Blades
CFP523N4-N10-W1-1-FM



BUILDER GRADE CEILING FAN AC MOTOR

CEILING FAN CONTROL OPTIONS



Pull Chain
(Standard)



Wall Control
(Optional)




Wall Control
(Optional)

- Simple and intuitive design with standard layout.
- Multifunctional remote: fan speed control, fan forward/reverse direction, fan on/off, light brightness adjustment, warm/cool light switch, light on/off.

EMPIRE

52" 3-BLADE





FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	54W
RPM	90-190
Airflow High Speed (CFM)	3760
Airflow Efficiency (CFM/W)	78
Energy Cost (Yearly)	\$10



INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)
Power	18W

Color Temperature (Optional Feature)	2700K Yellow Light / 3000K Warm Light / 4000K Cool Light
Light Shade	Glass



EMPIRE 52" 3-BLADE
Black/Black Plywood Blades
VWGA-523A3-L12-B2-1G



EMPIRE 52" 3-BLADE
Black/Black Plywood Blades
VWGA-523A3-L12-B2-1



EMPIRE 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-523A3-L12-SC-1




EMPIRE 52" 3-BLADE
Brushed Nickel/Black Plywood Blades
VWGA-523A3-L12-S2-1



EMPIRE 52" 3-BLADE
White/White Plywood Blades
VWGA-523A3-L12-W1-1

EMPIRE

52" 4-BLADE





FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	56W
RPM	85-180
Airflow High Speed (CFM)	3880
Airflow Efficiency (CFM/W)	78
Energy Cost (Yearly)	\$10



INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)	Color Temperature (Optional Feature)	2700K Yellow Light / 3000K Warm Light / 4000K Cool Light
Power	18W	Light Shade	Glass



EMPIRE 52" 4-BLADE
Black/Black Plywood Blades
VWGA-524A3-L12-B2-1



EMPIRE 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-524A3-L11-S2-1

EXTREME 52" 4-BLADE FLUSHMOUNT



EXTREME 52" 4-BLADE FLUSHMOUNT
Brushed Nickel/Silver Plywood Blades
VWGA-524B1-L12-SC-1




EXTREME 52" 4-BLADE FLUSHMOUNT
Black/Black Plywood Blades
VWGA-524B1-L12-B2-1



EXTREME 52" 4-BLADE FLUSHMOUNT
White/White Plywood Blades
VWGA-524B1-L12-W1-1

EMPIRE

52" 5-BLADE





FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	58W
RPM	85-155
Airflow High Speed (CFM)	3900
Airflow Efficiency (CFM/W)	83
Energy Cost (Yearly)	\$10



INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)
Power	22W

Color Temperature (Optional Feature)
2700K Yellow Light / 3000K Warm Light / 4000K Cool Light

Light Shade Glass



EMPIRE 52" 5-BLADE
Black/Black Plywood Blades
VWGA-525A3-L12-B2-1



EMPIRE 52" 5-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-525A3-L12-SC-1




EMPIRE 52" 5-BLADE
Brushed Nickel/Cherrywood Blades
VWGA-525A3-L12-SH-1



EMPIRE 52" 5-BLADE
White/White Plywood Blades
VWGA-525A3-L12-W1-1

AMALFI

52" 4-BLADE



AMALFI 52" 4-BLADE
Black/Black Plywood Blades
VWGA-524H2-L11-B2-1



AMALFI 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-524H2-L11-SJ-1





AMALFI 52" 4-BLADE
White/White Plywood Blades
VWGA-524H2-L11-W1-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	60W
RPM	70-180
Airflow High Speed (CFM)	4716
Airflow Efficiency (CFM/W)	82
Energy Cost (Yearly)	\$12




LIGHT KIT

Light E26 Bulb Base (Bulb not included)

Power	Max 60W	Light Shade	Glass
-------	---------	-------------	-------

EVERETT

48" | 52" 3-BLADE



EVERETT 48" | 52" 3-BLADE
Black/Black Plywood Blades
VWGA-483C-L11-B2-1
VWGA-523C-L11-B2-1



EVERETT 48" | 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-483C-L11-SC-1
VWGA-523C-L11-SC-1



EVERETT 48" | 52" 3-BLADE
White/White Plywood Blades
VWGA-483C-L11-W1-1
VWGA-523C-L11-W1-1

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	55W
RPM	85-175
Airflow High Speed (CFM)	3980
Airflow Efficiency (CFM/W)	74.7
Energy Cost (Yearly)	\$10



AC Motor



High-Quality Plywood Fan Blades



3 Speed Options




Forward/Reverse Fan Direction

LIGHT KIT

Light	2 x E26 Bulb Base (Bulb not Included)	Lumens	Warm Light, 800 Lumens/PCS
Power	8.5W/PCS	Light Shade	Glass

EVERETT

48" | 52" 4-BLADE



EVERETT 48" | 52" 4-BLADE
Black/Black Plywood Blades
VWGA-484C-L11-B2-1
VWGA-524C-L11-B2-1



EVERETT 48" | 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-484C-L11-SC-1
VWGA-524C-L11-SC-1



EVERETT 48" | 52" 4-BLADE
White/White Plywood Blades
VWGA-484C-L11-W1-1
VWGA-524C-L11-W1-1

FAN FEATURES 52"


- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	58W
RPM	55-205
Airflow High Speed (CFM)	4230
Airflow Efficiency (CFM/W)	77
Energy Cost (Yearly)	\$11




AC Motor



High-Quality Plywood Fan Blades



3 Speed Options




Forward/Reverse Fan Direction

LIGHT KIT

Light	2 x E26 Bulb Base (Bulb not Included)	Lumens	Warm Light, 800 Lumens/PCS
Power	8.5W/PCS	Light Shade	Glass

FLINT

52" 3-BLADE




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	54W
RPM	105-205
Airflow High Speed (CFM)	3820
Airflow Efficiency (CFM/W)	81
Energy Cost (Yearly)	\$10



INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)
Power	18W

Color Temperature (Optional Feature) 2700K Yellow Light /3000K Warm Light /4000K Cool Light

Light Shade Glass



FLINT 52" 3-BLADE
White with Gold/White Plywood Blades
VWGA-523A5-L12-W1-1G



FLINT 52" 3-BLADE
White/White Plywood Blades
VWGA-523A5-L12-W1-1



FLINT 52" 3-BLADE
Black/Black Plywood Blades
VWGA-523A5-L12-B2-1



FLINT 52" 3-BLADE
Black with Gold/Black Plywood Blades
VWGA-523A5-L12-B2-1G




FLINT 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-523A5-L12-SC-1



FLINT 52" 3-BLADE
Black/Barnwood Reversible
Other Wood Finishes Available
VWGA-523A5-L12-BG-1

LAMONT

52" 3-BLADE FLUSHMOUNT



LAMONT 52" 3-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-523B-L12-SC-1



LAMONT 52" 3-BLADE
Black/Black Plywood Blades
VWGA-523B-L12-B2-1



LAMONT 52" 3-BLADE
Black/Rosewood Plywood Blades
VWGA-523B-L12-BY-1

FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR


Fan Wattage	50W
RPM	85-180
Airflow High Speed (CFM)	4070
Airflow Efficiency (CFM/W)	77
Energy Cost (Yearly)	\$9




AC Motor



High-Quality Plywood Fan Blades



3 Speed Options



Forward/Reverse Fan Direction

INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)
Power	18W

Color Temperature
(Optional Feature)

2700K Yellow Light /3000K Warm Light
/4000K Cool Light

Light Shade

Glass




LAMONT 52" 3-BLADE
White/White Plywood Blades
VWGA-523B-L12-W1-1



LAMONT 52" 3-BLADE NO LIGHT
White with Gold/White Plywood Blades
VWGA-523B-L12-W1-1G

LAMONT

52" 4-BLADE FLUSHMOUNT




FAN FEATURES 52"

- Sturdy Construction
- High-Quality Plywood Blades

MOTOR

Fan Wattage	58W
RPM	85-180
Airflow High Speed (CFM)	4070
Airflow Efficiency (CFM/W)	81
Energy Cost (Yearly)	\$11



INTEGRATED LED LIGHT KIT

Lumens	18W 1050 Lumens (Optional 22W 1069 Lumens)
Power	18W

Color Temperature (Optional Feature)
2700K Yellow Light / 3000K Warm Light / 4000K Cool Light

Light Shade Glass



LAMONT 52" 4-BLADE
Black/Black Plywood Blades
VWGA-524B-L12-B2-1



LAMONT 52" 4-BLADE
Black with Gold/Black Plywood Blades
VWGA-524B-L12-B2-1G



LAMONT 52" 4-BLADE
Brushed Nickel/Silver Plywood Blades
VWGA-524B-L12-SC-1



LAMONT 52" 4-BLADE
White/White Plywood Blades
VWGA-524B-L12-W1-1

ACCESSORIES



This extended downrod is for Carro Smart Ceiling Fans. The downrod also comes with a matching extended wiring harness.



6" | 12" | 14" | 18" | 24" | 36" | 46"



The remote has all fan functions and comes with a wall mount bracket.

- Adjust fan speed, reverse fan direction, light functions (on/off/dimmer), natural breeze mode.
- Requires 2 of AAA batteries (not included).



The CARRO wall control works with all CARRO DC motor ceiling fans, providing a range of design options to suit diverse interior decor styles.

The CARRO hard-wired wall control presents a comprehensive set of features, incorporating a five-speed setting to maximize airflow, the flexibility to switch between forward and reverse fan directions for optimal air circulation, and effortless control over lighting settings, allowing for seamless adjustments in turning the lights on/off and dimming them as desired.



LED light kit used for CARRO smart ceiling fans. Fit for 52", 56" & 60".

LED Kit: 36-Watt / 3000 Lumens / 2700K-4000K Color Temperature



Adapter for all models

- Input: 100-240V~1.5A, 50/60Hz
- Output: 24V 2.0A



Adapter for all models

- Input: 100-240V~1.5A, 50/60Hz
- Output: 24V 3.0A



Mounting Bracket


Smart Ceiling Fan Bracket



Journey 52" 5-BLADE



- Model: Journey 52" Smart Ceiling Fan
- Number of Blades: 5
- Blade Material: Durable High-Quality Plywood



Elira 52" 5-BLADE



- Model: Elira 52" Smart Ceiling Fan
- Number of Blades: 5
- Blade Material: Durable High-Quality Plywood



For nearly two decades, Carro USA Inc. has dedicated to providing solutions to enhance our daily lives. As a customer-centric company, we are more than just about offering good products, but also innovative solutions towards a 'smart life'.

Our company is based in Upland, California, please don't hesitate to contact us and talk to one of our tech support team representatives if you have any questions about our products. Our staff are expertly trained and ready to assist you.



www.CarroUSA.com | vr@carrohome.com
1037 W. 9th St. Unit 101 Upland, CA 91786

PRESENTED BY

CARRO

SMART FANS | LIGHTING